
יהוה
ΘΕΌΣ ΕΝ ΑΝΘΡΩΠΟΙΣ Ο ΒΑΣΙΛΕΥ
HONI SOIT QUI MAL Y PENSE
Pharmacopœia
Londinensis,
IN QVA
MEDICAMENTA
ANTIQVA ET NOVA
vsitatissima, sedulo collec:
ta, accuratissime examinata,
quotidianâ experientia
confirmata describuntur.
Diligenter reuisa, denuo recusa,
emendatior, auctior.
Quinta Editio
Opera Medicorum Collegij
LONDINENSIS.
Ex Serenissimi REGIS mandato
Cum R.M. Priuilegio.
HIPPOCRATES COVS.
ΤΟΥΤΩΝ
ΦΑΡΜΑΚΑ ΘΕΟΥ ΧΕΙΡΕΣ
LONDON
Printed for IOHN MARRIOTT and are
to be sould at his shop in Fleetstreete
in S. Dunstons : 1639 Churchyarde.
R. Elstr
sculpsit


MVSEVM
BRITAN
NICVM



SERENISSIMO

PRINCIPI IACOBO MAGNAE BRITANNIAE, FRANCIÆ, HIBERNIÆ, &c. REGI,

Collegium Medicorum LONDINENSIUM

ὑγιαίνειν, καὶ εὐπράττειν.



UMINIS cum hominibus commercium, facilemque ad ſuperos aditum denotatura antiquitas; (licet ſub obſcura incertæ noctis nebula titubans, non inſagaci tamen acumine) Deorum ſimulachra ſub humana ſpecie variis inſignita titulis templis intulit: mutiſq; ſtatuis divinos decrevit honores, & aſsignavit ſacrificia quibus vel pacarentur, vel conciliarentur ſuperi, inferi, medioxymi. Principum plurimos cœlitibus aſsidere voluit, eorum memoriam venerata, & nihil minus quàm ſummum in ſublunaria impe-

rium attribuens illorum æternitati, quos ut potentiæ suæ vicarios dum vitali fruerentur aurâ Jupiter constituerat; sic res in publicum bonum præclarè gestæ, atque in subditos paternæ curæ juncta liberalis comitas; dignos præstiterant, qui Deorum immortalium socii haberentur. Nos qui reducto velo & discussa caligine certiora nunc veri numinis beneficio figimus vestigia, ut cœlum justis precibus pervium, & *D. O. M.* ad pia vota facilem experimur: sic te Principem nostrum, (REX SERENISSIME) Reipublicæ Christianæ, Regnorum inprimis tuorum bono terris datum, erga pios probosque omnes flexibilem ac benignum, in tuos tenero & plus quàm paterno affectu propensum cernimus, agnoscimus, atque omnibus obsequii, officiorum, servitii ritibus, quos Omnipotens Regibus hujusce mundi Diis assignavit, purè sancteque colendum pronunciamus. Tam aptus natus es ad bona, ad justa, ad augusta, ut ab hac deflectere semita nec fas tibi sit, nec si velles datum; tantus est naturæ tuæ candor, quæ virtutibus regiis ab incunabulis imbuta, nec novo chromate tingi, nec veterem formam potest deponere! Sic Arcton aspicit magnetico spiritu mobile redditum ferrum, & quantumvis detorqueas, ad punctum redit. Quid attulerit compendii toti Christiano orbi insigne illud pacis studium, quo in mutuam perniciem ruentes principum potentissimorum animos blando amicitiæ glutine fœliciter ferruminasti: Quid tuis populis æquitas, quæ in cæteris tui similibus mediocris, in te summa, tanquam in suæ activitatis sphæra, triumphat;

Quid

Quid veræ Ecclesiæ pastoralis ille amor quo gregem Salvatoris prosequutus, schismata tollere citra ambitiosum fastum quotidiè studes, alii loquantur quorum penna nomen tuum posteritati non fucato stylo tradere audacter satagit, materiæ ubertate diffluens, colorum quibus obumbrari si non deturpari solet memoria principum non indiga. Nos quibus MAIESTATI tuæ devincti nodis vivamus, explicemus liberè, & viventi Domino ea persolvamus vota, quæ Iovi nostro (juvans quippe tu nobis pater) debentur. Universalis ille recti bonique amor efficit, ut dum nævos Rempublicam fœdantes sedulis perlustras oculis, Regiam aciem in Medicinæ castra deflexeris. Quot abs te istic conspectæ Lacunæ, quot hiatus? quot à via regia, quâ veri Hygieias antistites calcant, aberrantia diverticula monentibus primariis nostrum benigniter notare dignatus es? Exinde factum, ut eodem momento cum errorum notitiâ, tot defectuum resarciendorum irrequieta cupido animum tuum incesserit. *In actione consistit virtus*, quæ dum in motu est viget, situ obsita quiete elanguescit: in te Domine motu indesinenti, veluti primum mobile, ad se omnes animi tui facultates æternùm rapit. *Rectum norma est sui & obliqui*: Propterea jussisti (REX OPTIME) ut ab iis quos cæteris prælucere in Medicina facienda æquum est, sumerentur faciendorum exordia. Collegium nostrum Medicum ab *Henrico Octavo, &c.* immunitatibus & privilegiis donatum, tu Musarum omnium parens authoritate cumulare voluisti, nequid deesset ad ho-

 noris

noris culmen, ne-ve relinqueretur lapis aliquis offendiculi. Ita potestate abs te concessa insigniti Medicinæ proceres, in repurgando Augiæ stabulo, atque admittendis veris Asclepiadis, eliminandis iis qui Larvati saltem personam Medicorum induunt, toti sunt. Immortales tibi sint gratiæ (SERENISSIME PRINCEPS) quod vel querelis nostris, vel petitionibus, faciles quotidie aures accommodes, nec à nobis exoptatum quidquam hactenus, unde schola nostra passa sit repulsam. Sui semper similis virtus cubico situ mutationum nescia subsistit. Hac freti fiducia dum tua capessimus jussa, atque in replendis lacunis & reparando vallo versamur, id Senatui nostro visum est, artifici cuique ad scitum perfectumque opus producendum, necessaria esse idonea instrumenta, quæ urgente necessitate ex penu, ut tela ex armamentario, depromantur. Siqua in re anceps fluctuatio, ea certe in re medica est admodum periculosa, in cujus praxi, quantum homini datum est, statuenda sunt certa remedia, quæ (*Deorum manus* à veteribus dicta) languentibus ægris tuto ab artis peritis administrentur. Quilibet Medicus in antiquorum scriptis vulgatas habet remediorum formulas; sed eas ab invicem ut plurimùm discrepantes: ita ut in hac varietate tyronum mentes dubiæ (veluti in trivio) consilii inopes consistant, Pharmacopœiorum opera incertitudine parum fida (ipsis etiam invitis) reddatur. Placuit itaq; Medicorum Collegio *Londinensi* (cujus tu REX munificentissime tutelaris Deus es) tam antiqua quàm nova pharmaca necessaria in unum consarcinare

sarcinare volumen, atque donum hoc levidense tuis imponere aris; vel potius te non sinente tantum, sed etiam jubente, Augustæ Majestati tuæ offerre supellectilem, quâ subditorum tuorum corpora in posterum a pestifera morborum lue sarta tectaque præserventur. Fœtus isti gnesii, si propitiam exporrigas frontem, Solis tui perferent radios, qui spurios occæcare solent. Fac igitur, ut pro tibi innato more salutarem favoris tui auram opus hoc sentiat, cui (supplices petimus) ut liberum per regnorum tuorum limites indicas & necessarium commeatum. Ut veritas una est, sic certa sit eius notitia. Vitæ subditorum tuorum interest, vt Medici quid præscripturi sint, Pharmacopœi quid in usum paratum habituri, compertum habeant. Vacillationis pœna non minoris quam ipsius vitæ iactura constat. Tu qui juris legumque fautor es, capitis tuorum tutor esse velis. Edicto cautum sit, ne alia utantur ii (quorum non minus fœliciter quam iuste habenas regis) Pharmacopœiâ, quæ non *Londinensis* solum, sed ex usu (si placet) Anglica in posterum indigitetur. Sic fiet, ut a tritico secernantur paleæ, & agyrtæ atque circulatores (quibus æquitas tua te reddit infensissimum) a genuinis dignoscantur. Sic tu Jupiter eris Liberator: Sic acceptam tibi feret sanitatem tua Respublica; Sic denique dum summi inter humanas res boni Promotor & Conservator eris, ejus, cujus in terris locum obtines, imitatorem te prodes verum, & quandiu durabit Vniversi machina, memoriæ hominum heroicæ tuæ virtutes obversabuntur, sicut tui pars melior vivet, tandem aliquan-

do tradita, æternitati: Quod ut ſero contingat, imo ut nulli noſtrum id videre contingat; ſed ut diutiſsime mundo, patriæ, tuis, ſubditis, ſingulis noſtrum te incolumem ſervet *D. O. M.* ex animo optant & precantur

Majeſtatis tuæ

Humillimi Clientes & fideliſſimi
Subditi *Socii Collegii Medicorum*
LONDINENSIS.



Candido Lectori.



Lurimum te salvere *jubet, quæ maximè* salvum *te facit Medicina; & quo meliùs adhuc saluti tuæ consulat, novam construxit officinam pharmaceuticam, quam non instruxit modò locupletissimâ remediorum salubrium supellectile, verùm & curam suscepit, ut illa sine fraude fideliùs, sine errore tutiùs in salutem tuam componantur. Sed, opus inquis, quo non est opus. Cum præter veteres recentioresq; plurimos vix aliqua sit transmarina Civitas aut Academia celebrior, quæ istam non abundè Spartam ornaverit. Verum id forsan. At cedò, si tot isti veteribus non acquieverint,* Mesue, Myrepso, Alexandrino, *& aliis; sed suum voluerint singuli Antidotarium; Romani suum, suum Veneti, Florentini suum, suum Bergomenses, Augustani suum, & quos tacemus reliqui; quidni & Londinenses suum? velut vestem propriam, cujus non tanta laus est, quòd sit splendida, quàm quòd propria, non tam si è bisso sit aut purpura, sed si Anglis corporibus adaptata: præterea nos tanta varietate non instrui, sed distrahi magis contigit; ista* inopes *nos* Copia fecit; *& morbus ille, cui modò occurrimus, totus est* ex *plenitudine. Quo vasta magis est silva, pluresque semitæ, facilius per invia, devia dum vagantur, aberrant viatores. Quo mare spaciosius, eo magis est opus Cynosurâ: quâ destituti diù apud nos Pharmacopœi variis fluctibus jactari, & mille modis distrahi videbantur, dum unus isto, iste alio medicandi tramite incederet, unus ad Cordum, alius ad Fernelium, ad Augustanos alius, ad suum forsan alius speculum se componeret; idemque remedium tot haberet Ideas, quot officinas: quod malum cum indies magis grassaretur, non sine summo tam Medicorum, quam ægrorum dispendio; volumus hoc opusculo velut jactâ Anchorâ, sic fluctuantem Pharmaceiam stabilire, eamque certis limitibus, &* Cancellis *coercere, dum unam, & unicam componendi legem & methodum non docemus modò, sed imponimus & imperamus, à qua non liceat, vel latum (ut aiunt) unguem aberrare, ut uno velut filo ducti, tum Medici, tum Pharmacopœi, isti in præscribendo certiùs, hi in componendo rectiùs progrediantur & unanimes conveniant.*

Necnon alia adhuc gravior est pestis, ad quam opus Antidotario; aliorum videlicet summa fraus & impostura, qui lucelli gratiâ, & sordido aucupio fæces quasdam vilissimas, & spurcissimas sordes sub Pharmacorum nomine & titulo venditant; imò quæ nobis

bis in pretio sunt maximo, Theriacam, Mithridatium, & Alkermes, aliaq; plurima adulterant; ut remedia non deveniant, sed venena, nec in solatium ægris, sed perniciem. Qui scelcratissimi homicidæ etsi flagello potius aut furca, quàm Censura hac nostrâ coerceri debuerint; erunt tamen forsan (pro more Anglo) salvandi beneficio libelli, & cum ipsis miselli ægri, quorum vitæ & sanitati (isto velut sacro codice) consuluimus. Fœlix consilium & salutare; cujus tamen gloriam & laudem nobis ipsis non arripimus; sed (ut fateamur quod res est) ejus caput altius, ejus divinior origo; A Jove principium; à nostro inquam Augustissimo & (quod rarius) literatissimo, & (quod gratius) salutis publicæ vigilantissimo REGE JACOBO, qui ut pacem in orbe Christiano, unionem in orbe Britanno, conformitatem in orbe Ecclesiastico studuit semper & feliciter stabilivit; ità nostrum Orbem Apollinarem sphæramq; medicam dignatus est lustrare suo lumine, legesq; salutares nobis condere pro concordia medica certaque medendi symphonia, ut sicut anteà animarum, sic & corporum saluti; anteà subditorum dignitati, modo illorum vitæ & sanitati consuleret: ut de illo verum sit, quod de Sole Regius vates cecinit, nihil est secretum à calore ejus; nihil ab ejus cura seclusum aut immune; & insculptum videatur divinâ manu idem pectori ipsius, quod nummo, Salus populi suprema Lex. Cum enim Pharmacopœis Londinensibus novas libertates & privilegia nova indulserit literis suis (ut appellantur) patentibus, hoc unum inseri, & exprimi imprimis voluit, ut cum Antidotarium istud prodiret in lucem, ad illud velut sacrum canonem religiosè se astringerent: Legibusq; ferendis à Senatu medico obtemperarent. Cui verè Regio mandato æquum nobis erat morem gerere; fecimusq; tandem ut in lucem prodeat Pharmacopœia Londinensis, apparatu nec sordido nec superbo, nec remediorum paupertate indiga, nec eorum mole aut tumens aut ambitiosa. In qua etsi doctam Antiquorum canitiem veneramur, eorundemq; remedia primâ velut acie collocavimus, non tamen recentioris Chymiæ nova subsidia rejicimus aut aspernamur, sed illis locũ & angulum à tergo concessimus, ut famulentur dogmaticæ Medicinæ; & velut manus auxiliares inserviant. Neq; verò tam superstitiosè incessimus Antiquorum vestigiis, ut nihil ex nostro penu novum apportemus; non enim quæ hic descripta, transcripta sunt omnia, aut mercibus solis transmarinis, & exoticis officinam nostram instruximus, sed quædam adjecimus nova & nostra, quæ crebro usu probata nunc primum in lucem prodeunt publicam; quædam etiam in antiquis formulis immutavimus, salvo tamen authoris sensu & nomine, non tam novitatis studio, quàm necessitate coacti, præsertim ubi non occurrunt, quæ præscribuntur simplicia, in quorum locum alia suffecimus, quæ facultatum cognatione simillima videbantur: Pariterq; fecimus in modo pilulas componendi, quæ si antiquo more cum succis aut aquis in massam redigantur, citò siccitatẽ nimiam vel situm contrahant, ideoq; Syrupis accommodatis pro diuturniori custodia utendum volumus. Cùm verò in plurimis authoribus, quædam penitus relinqui soleant artificum judicio, potissimum in mellis & sacchari mensura, sub duabus literis q. s. vel voculis quantum satis; undè ejusdem pharmaci non eadem apud omnes consistentia, nec facultas eadem; nos de libero artificum arbitrio potestatem omnem in posterum ademimus, & in eandem rem quosdam è Pharmacopæis ipsis in hoc artificio versatissimis adhibuimus in concilium, quorum ope & operâ de certo componendi modo, certâq; mensura convenimus, & dosin designavimus cui nec addant illi, nec adimant. Deniq; cum in plerisq; Antidotariis, tum priscis tum recentioribus, usus & facultas cujusq; remedii exprimatur, undè tam inscii, quam impii Circumforanei & agyrtæ, ex hac pharetra seipsos muniant ad praxin medicinæ, nostrosq; gladios insani homunciones in Reipublicæ perniciem arripiant, ideò de remedii viribus nihil adjecimus: solis enim doctis hæc scribimus & Apollinis alumnis, ad vulgi

non

non intellectum sed salutem. De ordine quo omnia disposuimus, rationem non opus est reddere; simplicia compositis; interna, externis; liquida solidioribus præmisimus; in suas classes singula digessimus, unde nullo negotio depromi, in usumque & praxin ferri possint. Habes (Amice Lector) quid fecerimus, & cur fecerimus; Opus quale in fabulis Pandora; in illam Dii omnes; in hoc Collegæ omnes sua symbola contulerunt, sub auspiciis dignissimi Præsidis, quo non modò Consule aut Præside, sed cujus consilio & auxilio & indefesso studio, tectum modò & fastigium huic tanto operi imponitur; quod ante annos aliquot inceptum condi, sed inceptum, cujus non cœptæ surgebant turres, *ut Poeta lusit. Quale jam aut quantulumcumq; sit, Amice Lector, tuo bono & publico fore commodum speramus & vovemus; quod si & palato tuo arrideat, utere, & Vale.*

a Collegio Londinensi septimo die Decembr. anno 1618.

A briefe



A briefe of his MAIESTIES Royall Proclamation *Commanding all Apothecaries of this Realme to follow* this PHARMACOPOEIA lately compiled by the Colledge of Physitians of LONDON.



Hereas by our especiall commandement there hath beene of late compiled in the Latine tongue by the Colledge of Physitians of London a Booke entituled Pharmacopœia Londinensis, &c. *And whereas through the great care and industrie of the said Colledge, the foresaid* Pharmacopœia Londin: *is now perfected, and is a worke greatly tending to the publique good of our Subjects, and wee minding that all falshood, differences, varieties, and incertainties in making or composing of Medicines, and distilling of Oiles, or Waters, hereafter bee utterly taken away and abolished: And that in the time to come the manner and forme prescribed by the said booke should bee generally and solely practised by Apothecaries in their compositions of Medicines, and distillation of waters for all such things as are therein named and prescribed: wee therefore desirous in all things to provide for the common good of our Subjects, and intending to settle and establish the generall use of the said Booke in this Realme of* ENGLAND, *doe hereby signifie and declare our Royall will and pleasure to bee, and hereby straightly require, charge, and command all and singular Apothecaries, within this our Realme of* England *or the Dominions thereof, that they and every of them, immediately after the said* Pharmacop. Londin: *shall be printed and published, doe not compound, or make any Medicine or medicinable receipt, or prescription; or distill any Oyle, or Waters, or other extractions that are or shall bee in the said* Pharmacop: Londin: *mentioned and named after the wayes or meanes prescribed or directed, by any other books or Dispensatories whatsoever, but after the onely manner and forme that hereby is, or shall be directed, prescribed, and set downe by the said booke, and according to the weights and measures that are or shall bee therein limited, and not otherwise, &c. upon paine of Our high displeasure, and to incurre such penalties and punishment as may be inflicted upon offenders herein for their contempt or neglect of this Our Royall commandement. willing and commanding also hereby all Majors, Sheriffes, Iustices of peace, Constables, &c. to be aiding and assisting. Given at Our Palace of Whitehall 26. of Aprill in the 16. yeare of Our raigne of England, France, and Ireland, and of Scotland the 51.* 1618.

THE Kings most excellent Majesty hath not onely commanded the publishing of this Booke, but hath farther been graciously pleased to grant full and sole priviledge unto Iohn Marriot *of London Stationer (and Printer of this worke) his Executors, Administrators, Deputies, and Assignes, for 21. yeares next ensuing, to imprint, or cause to be imprinted, and to sell, assigne, and dispose of, to his and their best benefit and availe, this booke, and bookes, as well in the Latine as English tongue, as also in any other language or tongue whatsoever: Straightly prohibiting any other during the said time, to imprint or cause to bee imprinted, to import, utter, or sell, or cause to bee imported from any the parts beyond the Seas, uttered or sold, the said booke or books, or any part thereof within any of his Majesties Realmes and Dominions (without the speciall licence and consent of the said* Iohn Marriot, *his Executors, Administrators, Deputies, and Assignes, first had and obtained in that behalfe) upon paine of his Majesties high displeasure, and to forfeit five pounds of lawfull English money for every such book or books, or any part or parts thereof imprinted, imported, uttered, or sold contrary to the true meaning of this priviledge, beside the forfeiture of every such booke or bookes, &c. as more at large appeareth by his Majesties Letters Patents dated the twentieth of March in the fifteenth yeere of his Majesties reigne of England, France, and Ireland, and of Scotland the fiftieth,* 1618.

Nomina



NOMINA D. D. COLLEGARUM SOCIETATIS MEDICORUM LONDINENSIUM HODIE VIVENTIUM.

HENRICUS ATKINS Doc: Med: Regis Medicus Ordinarius, & Collegii Medicorum Londinensium Præsidens.

THEODORUS DE MAYERNE Medicinæ Doctor, Regiarum Majestatum Medicus primarius.

JOHANNES CRAIG.	Regii Medici Ordinarii.	7. ex 8. Electis.
GULIELMUS PADDY Eques.		
THOMAS FREAR.		
THOMAS MOUNDEFORDE.		
MARCUS RIDLEY.		
EDWARDUS LISTER.		
RICHARDUS PALMER.		

JOHANNES CRAIG junior, Principi Carolo Archiater.

JOHANNES ARGENT.

EDWARDUS JORDAN.

JOHANNES GIFFORD.

FRANCISCUS HERRING.

MATTHÆUS GWINN, Regius Med: ad Turrim.

MAT.

Matthæus Lister.

Gulielmus Harvey, med: Reg. juratus.

Gulielmus Clement.

Simeon Fox.

Leonardus Poe, Med: Regius ad familiaram.

Robertus Fludd.

Richardus Andrewes.

Thomas Pattison.

Theodorus Goulston.

Johannes Collins.

Simon Baskervile.

Thomas Winestone.

Edmundus Wilson.

Georgius Rogers.

Johannes Raven, Med: Regineus juratus.

Paulus de Laune.

Eleazar Hodson.

Ottvellus Meverell.

Alexander Ramsey.

Pondera



PONDERA.

GRanum intelligimus signatum illud nostrorum nummariorum, quorum viginti scrupulum constituunt.
Scrupuli tres drachmam.
Drachmæ octo unciam.
Unciæ duodecim libram.

Granum cujus signum gr. j.
Scrupulus cujus signum ℈.
Drachma cujus signum ʒ.
Uncia cujus signum ℥.
Libra cujus signum lib.

MENSURÆ.

MEnsuras apud nos usitatissimas hic paucis subjecimus: reliquas minus usitatas, ideoq; magis inutiles consultò omisimus.

Cochlearium nostrum in Syrupis continet unciam dimidiam in aquis distillatis drachmas tres.
Cyathus unciam unam semis.
Hemina (quam Cotylam appellant) uncias novem.
Libra uncias duodecim.
Sextarius uncias octodecim.
Congius Sextarios sex.

A Catalogue of ye Simples conducing & relating to ye Dispensatory.

Roots of

Beares-breech or Branchursine. 1. e. 5 emoll. cal. et sicc. alij dicunt humectd.

Acorus { ye true & forreigne. cal. & sicc. in principio 3. stomach. et pectori tendimus. sweet-garden-flag. or aromaticall reed. calesiic
{ ye vulgar-water-flag. bastard floure de Luce. yellow water floure de Luce frigidus siccus. cal. & sicc. 2o. astringit. roborat &c.

Garlick cal. et sicc. 4. incidit. aperit. discutit. alexipharmacum &c.

Buckthorne. refrig. et sicc. astring. incidit. ad inflammationes &c.

Roots of



CATALOGUS SIMPLICIUM AD PHARMACOPOEIAN CONDUCENTIUM.

RADICES.

Acanthi, Brancæ Ursinæ.

Acori, { Veri, peregrini,
Calami odorati offic.
Vulgaris, Pseudoacori, Gladioli lutei. Liliorum palustrium.

Allii, Scorodi.
Alcannæ, Ligustri.
Althææ, Ibisci, Bismalvæ.
Angelicæ, Sancti Spiritus.
Anchusæ, Buglossi rubri.
Anthoræ, Antithoræ, Napelli Mosis, Aconiti Salutiferi.

Apii, { Sativi, Petroselini.
Vulgaris, Eleoselini.

Aristolochiæ { Longæ,
Rotundæ,
Clematitis, tenuis, sarmentitiæ.

Artanitæ, Cyclaminis, Panis porcini, Rapi vel umbilici terræ, Testudinariæ.
Arthanitæ.

Arundinis { Vallatoriæ.
Saccharinæ.

Ari, Serpentariæ, Barbæ Aaronis, Pedis vituli.
Asclepiadis, vincetoxici, hyrundinariæ.
Asari, Baccharis, Nardi Rusticæ.
Asparagi, hortensis, sylvestris, Currudæ.

Asphodeli veri, { Hastæ Regiæ, i. Asphod: fœ.
Albuci, i. Asph: maris.

Bardanæ, Lappæ majoris, Personatiæ, arcii Diosc.

Behen { Albi, Polemonii. / Rubri, } pro his. { Caryophyllatæ. / Tormentillæ.

Bellidis, Symphyti minimi.
Betæ nigræ, albæ, rubræ.
Bistortæ, serpentariæ maris, Britannicæ.
Borraginis.
Bryoniæ, Vitis albę.
Bryoniæ nigræ.
Buglossi utriusque.
Bulbi vomitorii.

Calami Aromatici, exotici, i. acori veri.
Capparum.
Caryophyllatæ, Benedictæ, Oculi leporis.
Caulium.
Centaurii majoris, falsò Rhapontici.
Cepæ, Crommii.
Chameleontis { Albi, Carlinæ, Cardopatii. Nigri, Pancarpi.
Chelidonii { Majoris } Hirundinariæ majoris. Minoris } Ficariæ, Scrophulariæ.
Cinæ, Chinæ.
Cichorii,
Colchici, Bulbi agrestis.
Consolidæ { Majoris. Minoris.
Costi utriusque.
Cucumeris agrestis, Asinini, Erratici.
Cynaræ, Scolymi, Cardui altilis.
Cynoglossæ, Lycopseos, Linguæ caninæ.
Curcumæ, terræ meritæ, cyperi Indici.
Cyperi utriusque, { longi, Romani rotundi.

Dauci.
Dentarię major: Squamariæ, Orobandis rad. dentata.
Dictamni vulgaris, Polemonii, Fraxinellæ.

Doronici,
Dracontii veri, Dracunculi.

Ebuli, Chamæactes.
Echii { albi, } Campanicæ.
Ellebori Veratri { albi, nigri, } Consiliginis vulgaris, Melampodii, Ectomi, Entani.
Enulæ Campanæ, Helenii.
Endiviæ hortensis, Intybi, Scariolæ.
Eringii, Centum capitum.
Esulæ { majoris, } Characiæ. minoris, } Tithymali Cyparissiæ, cupressinæ.

Filicis, Pterios, Bletri.
Filipendulæ, Oenanthes.
Fœniculi, Marathri.
Fraxini.

Galangæ { majoris minoris } Exoticæ, Cyperi Babylo:
Gentianæ, Aloes Gallicæ.
Glycyrrhizæ, Liquiritiæ. Rad: Dulcis.
Graminis, i. Graminis Canini.

Hermodactyli veri,
Hyacinthi.
Iridis { nostræ seu vulgaris, cœruleæ, Lilii cœlestis. Florentinæ, Illyricę.
Imperatoriæ, Magistrantiæ, Laserpitii Gallici. Astrantiæ.
Isatidis, Glasti.

Labri veneris, Dipsaci.
Lactucæ.
Lauri.
Lapathii acuti, Oxylapathi.
Levistici, Smirnii Diosc:
Lilii albi, Rosæ Junonis, Crinanthemi.

Malvæ.
Mandragoræ, Anthropomorphi.

Mechoa-



Mechoachanæ, Bryoniæ Peruvianæ.
Mei, Urſini, Tortuoſi.
Mezerei, Piperis montani, Chamelææ.
Mororum Celſi, arboris ſapientis.
Morſus Diaboli, Succiſæ, Præmorſæ. Pycnocomi Dioſ.

Nardi Spicæ { Indicæ. Celticæ, Saliuncæ Plinii.
Nenupharis, Nymphææ.

Ononidis, Arreſtæ Bovis, Acutellæ, Remoræ aratri.
Oſtrutii, Magiſtrantiæ, Struthii quorūd.

Paſtinacæ ſativæ & ſylveſtris.
Pentaphylli, Quinquefolii.
Petaſitæ, Galeritæ.
Peucedani, fœniculi Porcini, Sulphuratæ, Caudæ Porcinæ.
Pœoniæ Maris, Fœmellæ.
Phu, Valerianæ { Majoris. Minoris.
Pimpinellæ, Sanguiſorbæ.
Plantaginis.
Polypodii, Filiculæ.
Polygonati, Sigilli Solomonis, Scalæ cœli, Genichellæ.
Porri.
Prunellorum ſylveſtrium.
Pyrethri, Salivaris, Artimonii ex Antid. Bononi: in ſubſtitutis.
Squamariæ, Dentariæ, { Major: Matth.

Rhapontici.
Rhabarbari ſeu Ravedſeni.
Rhaphani { domeſticæ, Obſoniorum. ſylveſtris.
Rhodiæ, rad.
Rhabarbari Monachorum.
Rubiæ tinctorum, Erythrodani.
Ruſci, Bruſci, Myrſines ſylveſtris.

Sambuci.
Sarzæ Parigliæ, Smilacis aſperæ.
Satyrii utriuſque.
Saxifragiæ albæ.
Sanguiſorbæ, Pimpinellæ Italicæ.
Scabioſæ.
Scordii.
Scillæ, Squillæ, Cæpæ marinæ.
Scrophulariæ, Galeopſidis, Millemorbiæ.
Scorzoneræ.
Seſeleos Æthiopici.
Siſari, Secacul, Siſeris.
Sigilli B. Mariæ, Bryoniæ nigræ.
Solidaginis.
Sonchi.
Spinæ albæ, Bedeguar.
Spatulæ fœtidæ.

Tamariſci, myricæ hymilis.
Tanaceti.
Thapſiæ exoticæ, Ferulaginis, Turpeti cineritii.
Tormentillæ, Heptaphylli.
Trifolii.
Tribuli aquatici.
Trachellii, Cervicariæ.
Trinitatis herbæ, violæ tricoloris.
Tunicis.
Tripolii vulg.
Turbith exotici.
Tuberum ſeu Boletorum.

Victorialis, Allii Alpini.
Vincetoxici, Hyrundinariæ, Aſclepiadis.
Virgæ paſtoris.
Ulmariæ, Barbæ capri, Reginæ prati.
Urticæ.

Zedoariæ, longæ, coſti Syriaci.
Zingiberis.
Zurumbet, i. Zedoariæ rotundæ, Anthoræ Avic:

CORTICES.

Apii. Rad:
Avellanarum.

Aurantiorum.

Berber, Oxyacanthæ.

Caſiæ ligneæ, Syringis, Xylocaſiæ.
Capparis, rad:
Caſtanearum.
Cinnamomi, Canellæ.
Citri, mali medici.

Ebuli rad:
Enulæ.
Eſulæ rad: Tithymali.

Fabarum.
Fœniculi rad:
Fraxini rad:

Granatorum, Malicorium.
Guajaci lign: Ind: Sanɛti.

Juglandium virid:

Lauri.
Limonum.

Mandragoræ rad:
Myrobalanorum.
Macis, qui Cortex Moſchatæ nucis.
Maceris, qui ligni cujuſdam cortex craſſus, flaveſcens, valdè amarus & aſtringens.

Petroſelini rad:
Prunelli ſylveſtris.
Pinearum putamina.

Quercus arboris.

Raphani.

Suberis.
Rad: Sambuci, & caudicis.
Cort: medius Tamaricis.

Tilliæ.
Thuris.
Ulmi.

LIGNA ET EORUM SCOBES.

Agallochus, Lignum Aloes.
Aſpalathus.

Breſilium.
Buxus.

Cypreſſus.

Ebenum.

Guajacum, Sanɛtum Ind:

Juniperinum.

Nephriticum.

Rhodium.

Santalum
- Album.
- Rubrum.
- Citrinum, Moſchatellinũ.

Saſſafras.

Tamariſci.

Xylobalſamum.

HERBÆ ET EARUM FOLIA.

Abrotonum
- mas.
- fœmina.

Abſinthiũ
- Pôticũ,
  - latifoliũ, vulgare.
  - tenuifoliũ,
    - Galẽ.
    - Rom.
- Seriphium, marinum.
- Santonicum.

Abugiliſſa, i. Anchuſa major.

Aceto-

Acetosa sive Oxalis.
Acanthus vera.
Adiantum { album, { Ruta muraria, Salvia vitæ. / nigrum, { Polytricũ Diosc. Capillus veneris.
Adiantum aureum, Polytricum aureũ, Muscus capillaris.
Agrimonia, i. Eupatorium Græcorum.
Ageratum, i. Eupatorium Mesuës.
Agnus Castus, Vitex, Piper Eunuchorum.
Alleluja sive Lujula, Acedula, Acetosella, trifolium acetosum, oxys Pl:
Alcea.
Allium.
Althæa, Ibiscus, Bismalva, Malvaviscus.
Alsine, Morsus Gallinæ.
Alchimilla, Pes leonis, Stellaria.
Alcanna, Ligustrum.
Amaracus, majorana.
Angelica.
Anagallis { mas. / fœmina.
Anethum.
Apium, Herba Leonis.
Aparine.
Aspergula odorata.
Aquilegia.
Argentina, Potentilla, Anserina.
Artanita, i. Ciclamen.
Aristolochia { longa, Mascula. / rotunda, malum terræ.
Artemisia, Mater herbarum.
Asparagus.
Asarum, Baccharis, Nardus rustica.
Atriplex, Olus aureum.
Auricula muris major, pulmonaria gallica.
Attractylis hirsuta.

Balsamita, mentha corimbifera, Costus hortorum.
Barba Jovis, Sedum majus.
Bardana, Lapathum, Personatia.
Beta { alba. / nigra. / rubra.
Benedicta, Caryophyllata.
Betonica { vulgaris. / Pauli est Veronica mas. / Coronaria, Caryophyllus hortensis, Herba Tunica.
Bellis, herba Margarita.
Blitum.
Borrago.
Bonus Henricus, Tota bona.
Botrys.
Branca ursina, Acanthus Germanica.
Bryonia, { Vitis alba. / Vitis nigra.
Bursa Pastoris, Sanguinalis.
Buglossum.
Bugula.
Buphthalmum, Cotula non fœtida.
Buxus.

Calamintha { Montana. / Palustris.
Calendula, Caltha, Solsequium, Verrucaria.
Callitrichum, Adianthon.
Caprifolium.
Carduncellus, Erigeron, Senecio.
Carduus { B. Mariæ lacteus. / Benedictus.
Carlina.
Corallina, Muscus marinus.
Cassutha sive Cuscuta, podagra lini.
Caryophyllata, Benedicta
Catuputia minor, lathyris.
Cattaria, Nepeta.
Cauda equina, Hippuris, Equisetum.
Caulis, Brassica { hortensis. / sylvestris.
Centauriũ { majus, Rhaponticum. / minus, Fel terræ, febrifuga.
Centinodium, Corrigiola, Polygonum mas.
Cerefolium { vulgare. / Myrrhis.
Cæpæa, Anagallis aquatica, Becabunga.

Ceterach,

Ceterach, i. Scolopendrion, Aſplenon.
Chamæpitys, Ajuga, Iva arthritica, Thus terræ.
Chamædrys, vera, vulgaris, Calamandrina, Quercula, Triſſago, Teucrium cæruleum.
Chamæmelum { ſativum. / ſylveſtre.
Chelidonium utrumque.
Cinara, Carduus Eſculentus, Artichocus.
Cichorium, Intybum Sylveſtre, Chondrilla.
Cicuta.
Clematis Daphnoides, vinca pervinca, Corona Virginea, Viola mortuorum.
Conſolida { Major, i. Symphytũ majus. / Media, i. Bugula. / Minima, i. Bellis. / Rubra, i. Virga aurea. / Regalis, i. Delphinium. / Saracenica ſolidago.
Coronopus.
Cotonaria, Centunculus, Gnaphalium.
Cruciata.
Craſſula, Faba inverſa.
Crithamus, Herba S. Petri, Creta Marina, Fœniculum marinum.
Cucumis Aſininus.
Cyanus { major. / minor.
Cynogloſſum, ſeu lingua Canis.
Cypreſſus, Chamæcypariſſus, Abroton. fœm.

Dictamnus Cretenſis.
Dipſacus, { ſativ: alb. / ſylv: purpur.

Ebulus, Chamæacte, Sambucus pumila arvenſis.
Echium, Viperina.
Elatine, veronica fœmina.
Empetron, Calcifraga, perforipetra, Millegranum, Herniaria.
Endivia, ſativa intybus.
Enula Campana.
Epithymum, Epithymum Cretenſe.
Eruca.
Eupatorium, { Græc: Agrimonia. / Meſ: Ageratum. / Avicen: Cannabinum.
Euphragia, Euphroſyne, herba Ophthalmica.

Filix fœmina.
Filicula, Polypodium.
Filipendula.
Folium Malabathri.
Fœniculũ, Marathrum.
Fragaria.
Fraxinus { Lingua avis, paſſerina, bubula / Sorbus aucuparia, Ornus.
Fumaria, Capnos.

Galega, Ruta capraria.
Galion.
Gentiana.
Geniſta, Spartion.
Geranium { Robertinum. / Columbinum. / Acus Moſchata. / Gingidium.
Gramen, Agroſtis.
Gratiola.

Haſtula regia, Aſphodelus.
Hepatica, Lichen.
Hedera { Arborea. Corona terræ. / Terreſtris, Chamæciſſus.
Herba Camphorata.
Moſchata.
Paralyſis, primula veris.
Paris, Aconitum ſalutiferum, Monococcos.
Roberti, Gratia Dei.
Venti, i. Anemone,
Hermaria, millegranum.
Helxine, Parietaria, perdicium.
Hippogloſſum.
Hippolapathum.

Hippo-

Hipposelinon olus Atrum.
Horminum sativum, Sylvestræ, Sclarea.
Hydropiper maculosum.
Hyssopus, Alhasse, Arabum hyssopus.
Hyoscyamus, Herba Apollinaris, Altercum, Faba suilla.
Hypericon, Perforata, Fuga Dæmonis.
{ Hypogolottis, Laurus Alexandrina.
Hypoglossum, Lingua Pagana, Bonifacia, Bislingua, Uvularia. }

Iberis Cardamantice, Lepidium Campestre.
Inguinalis, Bubonium, Aster Atticus.
Iris Germanica, Illyrica, Florentina, Lusitanica, Lutea, Cœrulea, Sylvestris.
Isatis, Glastum.
Iva arthetica, Moschata.
Juncus odoratus.

Labrum, lavacrum Veneris, Dipsacus Fullonum Carduus.
Lactuca, Sativa, Sylvestris.
Lagopus, Herba leporina.
Lavendula.
Laureola, Daphnoides, Chamælea Germanica.
Lappa minor, Xanthium.
Laurus.
Lentiscus.
Lens palustris.
Lepidium piperitis.
Levisticum, Ligusticum.
Libanotis coronaria Rosmarinus.
Linaria, Osyris.
Linum B. Mariæ.
Lilium Convallium, Rosa Junonis.
Lingua Cervina, Phyllitis.
Limonium.
Lotus urbana, Trifolium cervinum.
Lupulus Salictarius.
Lychnitis coronaria.

Macis.
Magistrantia, Imperatoria, Ostrucium.
Malva, Sativa, Crispa.
Majorana, Amaracus, Sampsuchum.
Mandragora.
Marrubium, Prasium { album, nigrum, fœtidum. }
Marum verum.
Matricaria, Parthenium.
Matrisylva, Periclymenon, herba Cordialis.
Maturella, i. Valeriana major, Phu utrumque.
Melilotus, Corona regia.
Melissa sive Melissophyllum, Citrago.
Mentha { Sativa, Crispa, Rubea. Aquatica, Sisymbrium. }
Menthastrum, Mentha equina.
Mercurialis, mas, fœmina, Linozostis.
Mezereon, Chamælæa, Oleastellus.
Millefolium, Stratiotes.
Muscus, Usnea.
Myrtus, Myrtilli.

Nardus Indica, Spica Nard. Exotic:
Nasturtium { aquaticum, Cardamine, Sisymbrium. album, Thlaspi. hortense, Cressio. }
Nicotiana, Tobacco, Sana sancta, Herba Reginæ, Legati, Petum.
Nummularia, Centumorbia.
Nymphæa, Nenuphar.

Ocimum, Basilicon { vulgare. citratum. }
Oleæ folia.
Ononis, Aratri remora, Resta bovis.
Ophioglosson, Lingulaca, Lācea Christi.
Origanum, Vulgare, Creticum, Onitis, Panaceum.
Oxylapathum, Rumex acutus.

Papaver { album, nigrum, rubrum, Rhæas, erraticum. }
Parietaria, herba Perdicalis, Vitriola, Urceolaris.

Pastinaca.

Pastinaca.
Persicaria non maculata.
Perfoliata.
Pentaphyllum, quinque folium.
Petroselinum, Selinon.
Pes Columbinus, Geranium alterum.
Persicorum folia.
Pimpinella.
Pilosella, Muris auricula.
Pithyusa.
Plantago, Arnoglossum, Septinervia, Quinquenervia.
Polium, Campestre, Marinum, Montanum, Creticum.
Polygonum, Sanguinaria, Centumnodium.
Polytrichum offic: Trichomanes.
Portulaca Sativa, Porcellana.
Porrum.
Primula veris, Bellis minor, herba S. Petri aut Pauli.
Prunella, Symphytum minus, herba Anthonii.
Pulegiũ, Cervinum, Regale, Glechon, Apoleium.
Pulmonaria, { Impetiginaria, arborea. / Symphytũ maculosum.
Pulicaria, i. Conyza.
Pyrus sylvestris.
Pyrola, Pyrifolia, Tintinnabulum terrę.

Quercus folia.

Ranunculus, Batrachium, Apium risus.
Raparum folia.
Rosmarinum coronarium.
Rosa Solis.
Rosa alba, rubra, Damascena pallida.
Rumex, Lapathum.
Rubus Idæus, pumilus.
Ruta hortensis, Rhyte, Sylvestris Harmel.
Ruta muraria, Salvia vitæ, adiantum album.

Sabina, Barathrum.
Salvia major, Minor, Romana, Sylvestris, Bosci salvia.
Salicis folia.
Sampsucum, majorana.
Sanicula, Diapensia, Ferraria minor.
Saponaria { vulgaris. / Struthium & radicula Plinii.
Satureia, Cunila, Thymbra sativa, Joseple.
Saxifragia alba.
Scabiosa, herba Apostematica.
Scariola.
Schœnanthos, Juncus odoratus, Pastus Camelorum.
Scordium verum, non Sylvestre, Scorodotis.
Scrophularia, Castrangula, Millemorbia.
Sedum seu sempervivum { Majus, { Arborescens. / Vulgare. } Minus, { Vermicularis, / Illecebra. }
Senna Orientalis, Ægyptia, Alexandrina, Florentina, Italica, Provincialis, Syriaca.
Serpyllum.
Sigillum Solomonis, Polygonaton.
Smyrnium.
Solanum, Uva lupina, Morella.
Soldanella, Marina Brassica.
Sonchus { levis / asper } Cicerbita, Lactucella, lacterion.
Sophia Chirurg.
Spinachia, Olus Hispanicum.
Spina alba, Arabica, Bedeguar.
Spica Vulgaris, Romana, Celtica, Saliunca Plinii.
Stœbe.
Stæchas { Arabicum, / Citrinum, heliochrysum.
Succisa, sive morsus Diaboli.
Suchaha, Spina Ægyptiaca,
Symphytum { Majus, vulgare. / Medium, bugula. / Maculosũ, pulmonaria. / Petræum, prunella.

Tanacetum, Athanasia.

Taraxa-

Taraxacon, i. Dens Leonis, Hieracium minus, Seris urinaria, Caput Monachi.
Tamariscus, Tamarix Illyrica.
Telephium.
Thlaspi mithridaticum.
Thymbra, Saturia sylvestris.
Thymum, Thymiama herba.
Thymelæa.
Tithymalus, Esula, Lactuca Marina.
Tormentilla, Heptaphyllon.
Trinitas, herba Trinitatis, viola tricolor.
Trifolium.
Tussilago, Ungula Caballina, Bechion, Farfara.

Valeriana, Phu Germanicum, herba D. Georgii { major. / minor.
Verbascū, Candelaria, Lanaria, Thapsus barbatus.
Verbena, Peristerō, Columbaris, herba Sacra, Sagminalis, Centrum Galli.
Veronica, { Mas, Betonica Pauli. / Fœmina, Elatine.
Violaria, mater Violarum.
Vitis Vinifera, pampini.
Vitis { alba / nigra } Bryonia.
Vincetoxicum, Asclepias, Hirundinaria.
Virga pastoris.
Virga aurea, Consolida rubra.
Ulmaria, Regina Prati.
Umbilicus Veneris.
Urtica, major, minor, Romana, hortulana.
Usnea, Lanugo arborum.
Usne, Cali, Salsicornia.

FLORES.

Agni casti, Viticis.
Amaranthi, Fl: Amoris.
Anethi.
Armerii.
Aurantiorum.

Basilici, Ocimi.
Balaustiorum, Sylvestris Punicæ.
Betonicæ.
Borraginis.
Buglossi.

Caryophylli hortensis.
Calendulæ, Calthæ.
Caprifolii, Matrisylvæ.
Capparum.
Carthami, Cnici.
Centaurii minoris.
Chamæmeli.
Cheyri, Leucoii lutei, Violæ luteæ.
Cichorii, Intybi sativi, latifolii.
Comarum { Absinthii. / Matricariæ.
Croci.
Cyani { majoris, frumenti flores Fil: Zachariæ. / minoris.
Cytini, sativæ Punicæ.
Cynosbati.

Echii.
Epithymi.
Ericæ.
Erucæ.
Euphragiæ.

Fabarum.
Fumariæ, Fumiterræ.

Genistæ, Spartii, Scopariæ.

Hyacinthi.
Hyperici, Perforatæ.
Hyssopi.

Jasmini, Sambacis.

Labruscæ, Vitis sylvestris.
Lauri.
Lavendulæ.
Lamii { albi. / rubri.

Liguſtri, Alcannæ.
Lilii albi.
Lilii Convallium, Verni.
Lupulorum.

Majoranæ, Sampſuchi.
Malvæ, utriuſq; Roſæ Hiemalis, Autumnalis.
Meliloti.
Meliſſæ, Meliſſophylli, Citrariæ.

Narciſſi, albi, lutei.
Nucum juglandium, Nucamenta.
Nymphææ utriuſq; Nenupharis, Clavi Veneris, Lilii paluſtris.

Origani.
Othonnæ, Caryophylli Indici.

Papaveris { nigri. albi. rubri.
Perſicorum.
Periclymeni, Matri ſylvæ.
Pæoniæ.
Populi oculi, ſeu gemmæ.
Primulæ veris, Paralyſis, Verbaſculi odorati.
Prunellæ, Agricoccimelææ.
Prunorum ſylveſtrium.

Roſæ { albæ. rubræ. Damaſcenæ pallidæ.
Roriſmarini, ſive Anthos.

Salviæ.
Saliuncę, Nardi Celticæ.
Sambacis, Jaſmini.
Sambuci.
Scabioſæ.
Schœnanthus, Junci odorati.
Siliginis.
Spicæ hortulanæ.
Stœchados, Arabici, Citrini.

Tamariſci.
Tanaceti.
Thapſi barbati, Verbaſci.
Tiliæ.
Tunicæ, Caryophylli hortulani.
Tuſſilaginis, Farfarę.
Vetonicę.
Violæ purpureæ { Purpureæ, Martiæ. Matronalis.
Urticæ mortuæ, Lamii.

FRVCTVS ET GERMINA.

Agreſta.
Alkekengi, Halicacabi, Ceraſa Judęorum, hyemis, terræ.
Amygdala { Amara. dulcia.
Amoris poma.
Anacardi.
Arantia, mala aurea.
Avellana, Nux Pontica, Præneſtina.

Balanus Myrepſica, Glans Unguentaria, Been Utrumque, Serapionis.
Baccæ { Herbæ Paridis. Juniperi, Grana Turdorum. Lauri.
Berberis, Oxyacāthæ Gal: Baccæ Creſpini. Matth.

Cappares majores, minores.
Caricæ, Ficus aridæ, paſſæ.
Caryophyllum.
Carpobalſamſi, fructus, grana Balſami.
Caſſia fiſtularis, Siliqua Ægyptiaca.
Caſtanea, Glans Sardiana.
Ceraſum { Rubrum, dulce. Nigrum, acidum.
Citrium malum, Medicum.
Cicer { Rubeum, Venereum. Candidum, Columbinum. Nigrum, Arietinum.
Colocynthis, Cucurbitæ ſylveſtris.
Corna.

Coni

Coni Cupressi, galbuli.
Cocci orientales, Coccoli.
Corinthiacæ Passulæ.
Cucumis Asininus, hortensis.
Cubebæ, Uvæ Illyricæ.
Cucurbita.
Cydonium, Cotoneum.

Dactylus, Palmula.

Ebuli grana, Baccæ Chamæactes.

Ficus virides, albæ.
Fraga.

Galla immatura, Turcica.
Glandes quercinæ, Dryobalani.
Glandium calyculi.
Granatum malum, Punicum, dulce, austerum.
Grana tinctoria, Coccibaphicæ, infectoriæ, Kermes, Alchermes.
Grossulariæ { Spinosa, uva crispa. / Non spinosa, ribes off.

Juglans, nux Regia.
Jujubæ sive Zyzypha, Serica.

Limones, Mala lemonia.

Mandragoræ pomum.
Mala insana, Melangena.
Melones.
Mespilum, Tricoccum.
Mora, Celsi, Sycamina.
Bati, Rubi { Canini, Cynosbati. / Idæi.
Mirobalani, Glandes Ægypt. { Emblicæ. / Chebulæ. / Citrinæ, Flavæ, luteæ. / Indæ, Nigræ. / Bellericæ, rotundæ.
Myrti baccæ, Myrtilli.

Nuclei { Cerasorum. / Mali Armeni. / Mali Persici.

Nux { Moschata. / Odorata. / Aromatica.
Nux Indica.
Vomica.
Methel, Stramonea.

Oculi Populi, Gemmæ.
Oliva, muriâ condîta.

Papaveris albi vel nigri Capita.
Permains vel Pippins.
Persica.
Phaseoli, Dolychi.
Pini nucleus in conis.
Pistacia, Fistica.
Poma { dulcia. / acida.
Pruna Damascena, Syriaca, Syracusana, Ungarica, Vulgaria.
Prunella sylvestria, Agricoccimela.
Pyra Moschatellina.
Aromatica.

Quercus Germina.

Ribes, Uvæ Ursinæ.

Sebesten, Myxa, Pruneola pectoralia, nigra.
Sennæ foliculi.
Siliqua, Panis D. Johannis, Xylocaracta.
Sorba.
Spinæ albæ, Baccæ.
Strobyli.
Sumach, Rhus Obsoniorum.

Tamarindi, Palmulæ acidæ, Oxyphænicæ.
Tribulus aquaticus, Nux aquatica.

Uvæ Passæ, Passulæ.

SEMINA SIVE GRANA.

Absinthii Seriphii, Santonicum, Cinæ, Barbotina, Contra Lumbricos.
Acetosæ sive Oxalidis.

Acini, Punici ſemina.
Agni caſti, ſive Viticis, Salicis marinæ.
Althææ, Biſmaluæ.
Ammeos vulgaris, veri, Cumini regii Alexandrini.
Amomi veri.
Anethi.
Angelicæ.
Anguriæ.
Aniſi, Cymini dulcis.
Anthoræ, ſemen Roſarum.
Apii ſativi, criſpi
Aquilegiæ, Aquilinæ.
Aſparagi, Corrudæ.
Atriplicis, Chryſolachani.
Aurantiorum.
Avenæ.

Bardanæ, Perſonatiæ.
Berberis, Oxyacanthæ.
Bombacis, Xyli.
Bulbi, Cepæ.

Cannabis.
Cardui benedicti, & Mariæ.
Cardamomi { majoris. / minoris.
Carpobalſami.
Carthami, Cnici.
Carui, Careos.
Caulis, Braſſicæ.
Ceparum, Crommii.
Ceraſorum.
Cerefolii.
Cicutæ.
Citri.
Citruli.
Coriandri, Corii.
Colocynthidos.
Crithmi.
Cubebæ.
Cuſcutæ.
Cucumeris domeſtici, ſylveſtris.
Cucurbitæ, camerariæ.
Cymini, hort. ſylv:
Cydoniorum, Cotoneorum.

Dauci { noſtri. / cretici.

Ebuli.
Endiviæ, Intybi, Cichorii.
Erucæ.
Eryſimi, Irionis.
Erui ſeu Orobi

Fabarum.
Fœniculi.
Fœnugræci, Ægocerotis, Siliculæ, Trifolii Græci.
Fraxini, linguæ avis, Orneogloſſi.
Fumariæ, Capni.

Garyophyllatæ.
Geniſtæ.
Granum Gnidium, i. Thymelæa.
Granum Solis, perperã pro milio Solis.
Granum Paradiſi.

Harmel, i. Rutæ ſylveſtris.
Hederæ.
Hipposelini.
Hordei, ejuſque farina.
Hyoſcyami, Alterci, utriuſque.
Hyperici, Perforatæ.
Hyſſopi.

Lactucæ.
Lapathi acuti, Oxylapathi.
Lathyridis, Cataputiæ minoris, Eſulæ vulpinæ.
Laureolæ.
Lentes, Lenticulæ.
Leviſtici, Liguſtici.
Lini.
Lithoſpermi, Milii Solis.
Lolii.
Loti Urbanæ, ſativæ.
Lupini.

Maluæ.
Mandragoræ.
Majoranæ, Amaraci.

Magi-

Magistrantiæ, Ostrutii.
Melonum.
Melopeponum.
Mespilorum.
Mezerei.
Milii.

Napi, Buniadis.
Nasturtii.
Nigellæ, Gith.

Ocimi seu Basilici Caryophyllati.
Oleris atri, Petroselini Alexandrini, hipposelini.
Oryzæ, Hordei Galatici.
Orobi.
Ossa Dactylorum.

Papaveris { albi. nigri.
Panici.
Pastinacæ sylvestris, Bauciæ, & sativæ, Carotis, Staphylini.
Petroselini { Vulgaris. Macedonici.
Perfoliatæ.
Piper { album. longum. nigrum.
Pimpinellæ, Bipinellæ, Pampinulæ.
Pisa.
Plantaginis.
Porri capitati.
Portulacæ, Porcellanæ.
Pœoniæ.
Psyllii, Pulicariæ.

Rapi, Gongyles.
Raphani, radiculæ.
Rhois culinariæ sive Sumach.
Ricini, Cataputiæ majoris, manus Christi, Granum regium.
Rosarum.
Rutæ hortensis, Pegani.

Saxifragiæ.
Scariolæ, Seriolæ.
Semen Sanctum, Santonicum, contra vermes.
Sesami veri, vulgaris.
Seseleos, vel Sileris Montani Massiliensis.
Sinapeos.
Siliquastri, Capsici, Piperis Indici.
Solani sativi.
Staphydisagriæ, Uvæ sylu: Pediculariæ. Piper Marinum.

Thlaspios.
Trifolii bituminosi, odorati, Asphaltitis.
Tritici, cujus farina volatilis.

Vicia.
Violarum.
Urticæ vulgaris, Romanæ.
Vvarum acini, gigartæ.

Zeæ, Speltæ.

LACHRYMÆ, LIQVORES, GVMMI, RESINÆ.

Abietina oleosa.
Ammoniacum, Transma.
Arabicum, Gummi ex Acacia Ægypti spina.
Animæ gummi.
Asa { fœtida, Stercus Diaboli, recrementum Laserpitii. Dulcis, sive Benzoin.

Bdellium.
Balsamum { è Peru, Indicum. Judaicum.

Camphora, Caphura.
Caranna.
Cedria Pix, Alkitron.
Cerasorum.

Elemi, Oleæ Æthiopicæ lachryma.
Euphorbium.

Galbanum.
Gum: Amygdalarum.
Juniperi, Sandaracha Arabum, Vernix.
Hederæ.

Laccæ, Cancamum.
Labdanum.
Laserpitium.
Larignea resina.
Lentiscina, Mastiche.
Lycium, Crocolytos.

Mastiche.
Myrrha, arboris Arabicæ.

Olibanum, Thus Masculum.
Opium, lachryma Papaveris nigri.
Opobalsamum, Balsamum Judaicum.
Opoponax, Panacis Heraclei liquor.

Pini resina.
Pix liquida, sicca, navalis, Zopissa.
Picebitumen.
Pissanthum, Liquidæ picis flos.
Prunorum.

Resina Cypria.

Sagapenum, Serapinum.
Sarcocolla, Carniglutium.
Sanguis Draconis.
Scammonium & Diacrydium.
Styrax { Calamitis. / Ruber, verus, ad suffitum, qui cortex est. / Liquidus, noster, Myrrha stacte, cujus fæces, comphitæ.
Strobilina Resina.

Tacamahacha.
Terebinthina.
Thus, Olibanum.
Thuris Manna, i. pulvis, concussu elisus.

Tragacanthum.

Vitium Lachrymæ.

SVCCI.

Absinthii succus, in vesica inspissatus.
Acacia, vel succus Prunellorum sylvestrium.
Acetum.
Acetositas Citri.
Agresta, Omphacium.
Aloe { Hepatica. / Soccotrina.
Amylum.
Amurca.
Apii succus.
Arantiorum.

Elaterium, è Cucumere agresti.
Eupatorii.

Fæx vini.
Fæcula Brioniæ.

Gersa serpentaria.
Glauciũ, succus Papaveris corniculati, flore rubro.
Glycyrrhizæ succus.
Grani tinctorii succus.

Hypocistis.

Manna vel Tereniabin, Mel aëreum.
Meconium, Maslach, opium offic.

Oleum { recens. / vetus. / Omphacinum.

Saccharum vel Zucharum, è canna.
Saccharum candum, Tabarzet.

Tartarum.

Vinum.
Viscus Aucupum.

E PLANTIS NATA.

Agaricus, Fungus laricis.

Bedeguaris, spongia quercini generis.

Calices glandium, Capulæ glandium.

Epithymum.

Farina volatilis.
Furfur.

Muscus.

Viscus quercinus.

ANIMALIA.

Aselli, Millepedes.

Bombyces.
Buccinæ-

Capones.
Cantharides.
Cancri fluviatiles.
Catuli.
Carus senex, emasculatus.
Cicadæ.
Cygnorum pulli.

Erinaceus.

Formicæ.

Galerita assa.

Hirudines.
Hirundines, Sanguisugæ.

Limaces terrestres, Cochleæ.
Lutra.

Lumbrici, seu vermes terrestres, Intestina terræ.

Meli, Taxi.
Motacillæ.

Passer, troglodytes.
Purpuræ.

Ranæ virides.

Scorpiones terrestres, triti, usti.

Talpæ.
Testudines.
Tincæ, piscium medici.
Tineæ.

Viperæ, Tyri,
Vulpes.

ANIMALIUM PARTES EXCREMENTA, ET EX IIS DESUMPTA.

Caro viperina.
Calcaneus { Cervi. / Leporis.
Cornu { Cervi, Simplex, Ustum. / Unicorni, Monocerotis. / Rhinocerotis, Capræ.
Cerebrum { Leporis. / Passerum.
Coagulum leporis, &c.
Os è corde Cervi.
Os cruris bovis.
Cranium humanum, in eo os triquetrum.
Os, & testa Sepiæ.
Ebur, sive dens Elephantis, ex quo fit Spodium.
Dens Apri. Fibri.
Blatta Byzantia, Unguis odoratus, Conchula

chula Indica.
Pulmo Vulpis, Agni, Suis, Urſi.

Hepar { Anatum. / Aprinum. / Aſininum. / Lupi, ejuſq; Inteſtina. }

Adeps { Anatis, Ardeæ, Arietis, cameli, Canis, Caponis, Capri, Caſtoris, Cuniculi, Equi, Anſeris, Gallinæ, Hominis, Leonis, Leporis, Lucii, Muris montani, Pardi, Serpentum, Tauri, Taxi, Timalli, Urſi. }

Axungia porci.
Pinguedo vituli, Vulturis, Vulpis.
Sevum Hircinum, Caprinum, Cervinum, Bovinum, Ovinum, Vaccinum, Taxinum.
Medulla bovis, ovis, Agni, Cervi, canis, capræ, cruris, vaccæ, tauri, vituli.
Fel taurinum, vaccinum, Accipitris, Milvi, Caprinum, Suillum, leporinum.
Caſeus recens, vetus.
Caſtoreum, teſtes fibrorum.

Lapis { ex felle bovis. / è capite Carpionis, Percarum. }

Mandibula Lucii piſcis.
Mel.
Mel virgineum.
Ovi teſta excluſi pulli.
Aqua lactis.
Perna, Coxa Porcina.
Talus ſuillus.
Pili Leporis.

Stercus { Humanum, lupinum, murium, ovillum, caprinum, columbinum, equinum, gallinaceum, hirundinum, vaccinum, Caninum ſive album Græcum. }

Pelliculæ ſtomachi Gallinæ.
Spolium ſerpentis, Senecta anguium.
Saliva.
Sudor.
Nidus hirundinum.
Propolis, in alveorum foribus, & rimis, cereum.

Butyrum vaccinum, ſalis expers, ſalſum.
Ichthyocolla, Gluten piſcium.
Lac aſinæ, capræ, mulieris, ovis, vaccæ.
Lapis Bezoar Orientalis, Occidentalis.
Moſchus.
Zibethum.
Mumia ſepulchrorum, Piſſaſphaltum.
Ovum gallinaceum, formicarum.

Sanguis { Hircinus, Humanus, Anſerinus, Caninus, Caprinus, Cervinus, columbinus, Leporis, Perdicis, Veſpertilionum, Suis, Taxi, tauri, teſtudinis. }

Serum lactis.

Sperma { Ranarum. / Ceti. }

Teſtes { Galli. / Equini. }

Cera { alba, Citrina, / rubea, flava, } factitia.

Oeſypus, lanæ ſuccidæ pinguitudo.
Oculi Cancri, Lapides Gammarorum.
Sericum crudum. }
Seta è bombice. }
Virga Cervina, Taurina.
Ungula Alces, Aſini, Capræ, Porci.
Urina hominis, Apri, Capri, Canis, Tauri.

MARINA.

Ambra griſea odorata
Aqua & arena maris.

Bitumen Judaicum, Aſphaltus.
Buccinarum teſta.

Carabe vel Cacabre, i. Succinum, Electrum, nigr: Gagates, Ambra citrina.
Cancrorum, gammarorum teſta.
Cionia teſta.
Concha venerea.
Corallina.
Cochlearum teſta.

Corallium { album / rubrum } frutex ſaxeus.

Dactyli.
Dentalis.

Entalis.

Flos salis, Maris, Sperma Cœti.

Halcyonium, spuma & pila Maris.

Lapis spongiæ, Spongites.

Margarita solida, perforata, unio.
Mater Perlarum.
Mitulorum testa.
Muria.

Naphtha, genus liquidi Bituminis, Petroleum.

Pumex.
Purpura.

Spongia, fungus maris.
Succinum album, citrinum, nigrum ut prius.

Tellina.

Umbilicus marinus.

SALES.

Sal Gemmæ, fossilis, Crystallinus, Indus, Ammoniacus, Armeniacus, Niger, communis, Factitius, Petræ, Marinus, Alkali, &c.
Nitrum, Sal nitri.
Aphronitrum.
Spuma salis è spuma Maris.
Borax vel Baurach, Tinear.
Chrysocolla factitia è nitro fossili.
Terra viridis.

METALLICA
MINERALIA, ET LAPIDES.

Æs; i. æs Ustum.
Æris squama, batitura decutita.
Æris flos, rubigo æris, ærugo.
Ærugo rasilis, i. viride æris.
Ætites, Lapis Aquilæ.
Alabastrites.
Alabastrum.
Alana terra, Tripolis vulgo.
Alectorius, lapis Gallinaceus.

Alumen
- Nativum.
  - Liquidum.
  - Rotundum.
  - Sciffile, plumosum, capillare.
- Factitium.
  - Vulgare rupeũ, ex lapide candido. Alumẽ rochæ.
  - Catinum, ex cineribus Sodæ.
  - Squamosum, ex lapide speculari, Scariolæ.
  - Fæcum, ex fæcibus vini.
  - Zucharinum, ex rupeo aqua rosaceâ, saccharo & ovi albumine.

Amiantus, seu Amianthus, linũ vivum, amentum, pilus Salamandræ.
Ampelitis terra.
Amethistus, violacei coloris gem.
Antimonium, Stibium, Stimmi.
Antimonii vitrum.
Argentum { foliatum. / Scobs argenti. }
Argentum vivum, hydrargyrus, Mercurius.
Argentum vivum { præcipitatum. / Sublimatum. }
Armenius lapis, seu Armenus.
Arsenicum, Arrhenicum, i. album sublimatum, crystallinum.

Auripig-

Auripigmentum, i. Arsenicum luteum.
Argilla.
Asterius gem.
Aurum foliatum, obrizum.

Berillus.
Bolus Armenus, gleba Orientalis.
Bufonius lapis.

Cadmia nativa, lapis Calaminaris.
Cadmia fornicaria, botrytis, tutia, offic: ex favilla calaminaris nativæ.
Calx, viva, extincta.
Cerussa.
Calcanthum, vitriolum, atramentum sutoriū, copparosa, { alba. viridis. cærulea sive Roma:
Chalcitis, atramentum rubrum.
Chalybs, stomoma ferri.
Chrysolithus.
Chrysopasius.
Cotes.
Creta { argentea, alba. viridis, cærulea, rubra.
Crystallus.
Cinnabaris { minium nativum. factitia ex sulphure et argento vivo.
Diaphryges, fæx æris subsidens quod bis tostum.
Ferrum, ferri scoria, squama, rubigo.

Granatus, Carbūculus Charcedonicus.
Gagates, obsidianus lapis, carbo petræ.
Gypsum.

Hæmatites, lapis Sanguinarius.
Hyacinthus.

Jaspis.

Lazuli, lapis Cyaneus.
Lapis { Lyncis, Asius, Arabicus. Belemnites, Lincyrius. Judaicus.
Lythargyrū colore { auri, Chrysitis. argēti, Argyrites.

Magnes, Sideritis, Herculeus lapis.
Marchasita, Pyrites, Zeg nigrum Arabum.
Marmor.
Melanteria.
Miniū { nativum, cinnabaris naturalis. factitiū { ex cerussa, Sandix. ex plumbo calcinato, minium vulgare.
Mysi, atramentum luteum.

Nephriticus lapis.


Ochra lutea, lutum Montanum.
Ophites, marmor Serpentinum.
Onix, lapis Onychinus.
Opalus.

Plumbum { album, argentariū, stannum. nigrum, vulgare.
Plumbago, Molybdæna, Galena, Lapis Plumbarius.
Pompholyx sive Tuthia Arabum, nihili album.

Rubinus lapis, Pyropus, Carbunculus.
Rubrica fabrilis, synopica.
Realgar: Arsenicum rubrum.

Sapphyrus, Cyanos.
Stannum.
Sardinus lapis, Sarda, Corneolus.
Smaragdus.
Selenites, Specularis lapis.
Spodium, Nil griseum.
Sulphur { nativum, vivum. factitium, vulg.
Flores sulph.
Sory, Atramentum metallicum, griseum.
Smyris, Smerillus.

Terra { Sigillata, Lēnia sacra, Sphragis. Samia, Selinusia, Chia, melita. Silesiaca, Strigensis, Solis Axungia.



Thracius lapis, Chimolia.
Tartarum, fæx vini.
Talchum.
Topasius lapis.
Turcosius, Feruzegi Mesues.
Testæ fornaceæ.

Plura iisdem simplicibus nomina, sæpe condonamus, & diversa quandoque specierum individua distinguendo supponimus. Succedanea antiballomena in classes redigere minimè placuit, ne vel in substitutis audaculi, viliora & spuria, pro magis pretiosis & legitimis arripiant: hæc enim (quo decet) suo semper loco subjecimus. Simplicium capita sic recensuimus, vt sub his recensita enumerasse sufficiat. Hæc si advertant, dictum satis.



NVNCV-



NVNCVPATIONVM QVARVNDAM COMMVNIUM INTERPRETATIO.

QUINQUE FLORES CORDIALES.

Rosarum.
Violarum.
Borraginis.
Buglossi.
Anthos, vel Melissæ.

QUINQUE HERBÆ EMOLLIENTES.

Althæa.
Malua.
Beta, Branca ursina, Acanthus.
Mercurialis.
Violaria. Parietaria.

QUATVOR SEMINA CALIDA MAJORA, CARMINATIVA.

Anisi.
Fœniculi.
Carui.
Cumini.

QUATVOR SEMINA CALIDA MINORA.

Ammeos.
Amomi.
Apii, Latifolii, crispi, sativi.
Dauci, Pimpinellæ vulgaris.

QUATVOR SEMINA FRIGIDA MAJORA.

Cucurbitæ.
Cucumeris.
Citruli.
Melonum.

QUATVOR SEMINA FRIGIDA MINORA.

Endiviæ, Angustifolii. } Intybi.
Cichorii, Latifolii }
Lactucæ.
Portulacæ.

QUINQUE RADICES COMMVNES APERITIVÆ, DIURETICÆ, MAJORES.

Apii.
Asparagi.
Fœniculi.
Petroselini.
Rusci.

RADICES DVÆ.

Fœniculi.
Petroselini.

QUINQUE RADICES APERIENTES MINORES.

Graminis, i. Canini vulgaris.
Eryngii.
Capparis.

Ono-

Ononidis.
Rubiæ.

QUINQUE HERBÆ CAPILLARES.

Adianthũ { nigrum, ſeu Capillus Veneris.
album, ſeu Ruta muraria. Salviæ vitæ.

Polytricon aureum.
Trichomanes.
Aſplenium, Ceterach. Scolopendrium.

QUATVOR AQVÆ PLEVRITICÆ.

Cardui B. Mariæ.
Taraxaconis.
Cardui Benedicti.
Scabioſæ.

FLORES COMMVNES CALIDI.

Chamæmeli.
Meliloti.
Ireos, ſeu Lilii.

TRIA OLEA STOMACHICA.

Abſinthii.
Cydoniorum.
Maſtichinum.

QUATVOR UNGVENTA CALIDA.

Agrippæ.
Althææ.
Aregon.
Martiatum.

QUATVOR UNGVENTA FRIGIDA.

Album Caphuratum.
Populeon.
Refrigerans Galeni.
Roſatum.

QUATVOR UNGVENTA CHIRVRGIS AD MANVM.

Baſilicon, digerit, maturat.
Viride Apoſtolorum, mundificat.
Aureum, incarnat.
Album, cicatrizat.

FRAGMENTA PRETIOSA.

Sapphyri, Syrtitæ.
Granati, Carbunculi Charcedonici.
Smaragdi.
Hyacinthi, Chryſolithi, Amethiſti.
Sardæ ſeu Corneoli, Sardini.
Rubini, Pyropi.
Margaritarum, Unionum.

AQVAE



AQVÆ SIMPLICIORES DISTILLANDAE, QVÆ VSVI, ET SVNT IN VSV.

Aqua Abrotoni.
Absinthii utriusque.
Acac. prunell. sylvest. Flor.
Acetosæ seu Oxalidis.
Acetosellæ seu Luiulæ.
Adianthi.
Agrimoniæ.
Alchimillæ.
Alkekengi, Halicacabi.
Altheæ.
Alsines.
Anagalidis.
Anethi.
Angelicæ.
Anguriæ, Melopeponum.
Anthemidis.
Apii.
Aquilegiæ.
Arnoglossi.
Arancior: Flor.
Ari.

Aqua Artemisiæ.
Asari rad.
Asparag.
Auriculæ Muris.
Barbæ hirci, Scurzoneræ.
Bardanæ.
Basilici.
Berber.
Betonicæ.
Betulæ arb:
Borraginis.
Brassicæ.
Brioniæ.
Buglossi.
Bursæ pastoris.
Calami aromatici.
Calaminthæ utriusque.
Calendulæ.
Capillorum Veneris.
Caprifolii florum.

Aqua Cardui Benedicti.
Centaurii.
Centinodiæ, ſive Polygoni.
Ceparum.
Ceraſorum nigrorum.
Cerefolii.
Chamæmeli.
Chamæpityos, Ivæ [illegible]theticæ
Chelidonii.
Cichorii.
Citri Pomorum.
Citrulorum.
Cochleariæ.
Cochlearum.
Conſolidæ majoris.
Corticum Iuglandium.
Craſſulæ.
Cucurbitæ.
Cuſcutæ.
Cynogloſſi.
Cytoniorum.
Dentis Leonis.
Ebuli.
Endiviæ.
Enulæ.
Eupatorii.
Euphragiæ.
Farfaræ ſeu Tuſſilaginis.
Florum Roriſmarini.
  Cyani.
  Fabarum.
  Lamii.
  Siliginis.
  Tiliæ.
  Tunicæ.
Fœniculi.
Fragariæ, & fragorum.
Fraxini.

Aqua Fumariæ.
Fungorum.
Galegæ.
Geniſtæ.
Gentianæ.
Geranii.
Graminis.
Hederæ utriuſque.
Helxines, Volubilis.
Herniariæ.
Hippuridis, Caudæ equinæ.
Hirundinum.
Hyperici.
Hyſſopi.
Iridis.
Juniperi ex granis.
Lactucæ.
Lapathi acuti.
Lavendulæ.
Leviſtici.
Liguſtri florum.
Lilii Convallium, & albi.
Linariæ.
Lupulorum.
Majoranæ.
Malvæ.
Marrubii ſeu Praſii.
Matricariæ.
Meliloti.
Meliſſæ.
Mellis.
Melonum.
Mentaſtri.
Menthæ.
è Mercuriali
Milii Solis.
Millefolii.
Mororum Celſi.

Mor-

Aqua Morsus Diaboli.
Nasturtii.
Nicotianæ.
Nucum immaturarum.
Nummulariæ.
Nymphææ.
Ononidis.
Origani.
Papaveris utriusque.
Parietariæ, Helxines.
Petasitæ.
Petroselini.
Periclymeni.
Picarum.
Pimpinellæ.
Plantaginis utriusque.
Pœoniæ.
Polygonati, i. Sigilli Salomonis.
Polytrichi.
Portulacæ.
Primulæ Veris.
Prunellæ.
Pulegii:
Pyrolæ.
Pyrorum sylvestr.
Quercus, sc: germinum, fol:
Raparum.
Raphani.
Roris Majalis.
Rosarum { Albarum. Damascenarum. Rubrarum.

Aqua Rutæ.
Sabinæ.
Salviæ utriusque.
Sambuci.
Saniculæ.
Satureiæ.
Satyrionis.
Saxifragiæ.
Scabiosæ.
Scolopendrii, Phyllitidis.
Scordii.
Scrophulariæ.
Sedi seu Semper vivi.
Senecionis.
Serpylli.
Solani.
Spermatis Ranarum.
Spicæ Nardi.
Squamariæ.
Tamarisci.
Tanaceti.
Tormentillæ.
Valerianæ.
Verbasci, Tapsi barbati.
Verbenæ.
Veronicæ.
Violarum.
Vitium lachrymæ.
Ulmariæ, Reginæ Prati, Barbæ Capri.
Ungulæ Caballinæ, Tussilaginis, Farfaræ.
Urticæ.

Distillare jam doctos non docemus, seu per ascensum, seu descensum. Monemus modò, caveatur empyreuma.

AQVÆ COMPOSITÆ.

AQVA ABSINTHII MINVS COMPOSITA.

℞ Abſinthii ſicci libras duas.
Semin: Aniſi libram dimidiam.
Macerentur in ſpiritus tenuioris aquæ vitæ congiis ſex, per horas viginti quatuor, deinde extrahatur ſpiritus per Alembicum addendo poſt diſtillationem,
Sacchari puriſſimi quantũ ſatis.
Eodem modo parantur
Aquæ Folior. Angelicæ cum toto.
Semin: Aniſi.
Cortic: Aurantiorum.
Limonum.
Herbar: Meliſſæ.
Menthæ.
Roriſmarini.
Salviæ, &c.

AQVA ABSINTHII MAGIS COMPOSITA.

℞ Abſinthii Romani,
Vulgaris ana libram unam.
Salviæ.
Menthæ.
Meliſſæ ana manipul. duos.
Radic: Galangæ.
Zingiberis.
Calami aromatici.
Enulæ Campanæ ana drachmas tres.
Glycyrrhizæ unciam unam.
Uvarum paſſarum exacinatarũ uncias tres.
Semin. Aniſi.
Fœniculi dulcis aa drachmas ſex.
Cinnamomi.
Caryophyllorum.
Nucis Moſchatæ ana drachmas duas.
Cardamomi.
Cubebarum, ana. drachmam unam.
Incidantur incidenda, Contundãtur contundenda, & in
Vini Hiſpanici libris viginti quatuor infundantur per horas viginti quatuor, deinde diſtillentur in Alembico ſecundum artem: poſt adde Sacchari ad gratiam q. ſ.

AQVA ANGELICÆ MAGIS COMPOSITA.

℞ Angelicæ libras duas.
Aniſi ſemilibram.
Coriandri.
Carvi ana. uncias quatuor.
Zedoariæ conciſæ uncias tres.
Macerentur in ſpiritus vini tenuioris ſex congiis per horas viginti quatuor, deinde extrahatur ſpiritus fortis, qui Saccharo edulcorandus eſt.

AQVA

Aqua Absinthij minus composita stomachum calefacit, cordi quoqꝫ grata contra pestem et venena efficax

Magis composita eadem præstat sed fortiùs utpote multo calidior pulmonum præterea vitijs accommoda:

Aqua Angelicæ magis composita stomacho gratissima, aperit, attenuat, et potenter discutit venenis mirificè adversatur, pituitosos lentosqꝫ humores digerit:

Aqua Bezoartica Langij optima est atq probata pestem, secunda est loco citato

Tanta hæc aqua virtute pollet (quod millies expertus sum) ut quatuor Dracmarum pondere pota, vel per se, vel cum pari odorati vini quantitate, vel stillatitiæ cuiusvis aquæ ad cordis Robur facientis, vbi quis ictus vel demorsus a quocunq venenato animali, in tanto mortis discrimine versaretur, ut vocem visum ac reliquos pene sensus amisisset, ægrum ingenti adstantium admiratione a longo veluti somno excitat: Quin et vomitione plerumq plurimam infectorum humorum copiam exhaurit: Cuius rei exemplo (præter alia innumera) nuper mihi fuit præfecti oppidi vipaci uxor. quam a vipera in dextra manu demorsam, et iamiam de naulo rationem cum Charonte inituram, hæc aqua in vitam a morte revocavit: Id quod etiam paulo post contigit cuidam miseræ Ancillæ ab alia non dissimili viperâ in manu demorsæ hæc idem similiter præstat contra venena, quæ per os sumuntur siquidem ea adeo tenuis essentiæ, efficax et penetrans est, ut momento vi sua in omnes corporis venas permeat: quin et eosdem præbet effectus in alios quam plurimos morbos, quos brevitati studens prætereo: quandoquidem prudentes et periti medici, habita hunusce virium exactâ ratione, eam adhibere poterunt, ubi illegitime convenire censebunt verba sunt Matthioli loco in Antidoto magnâ citato vide infra pag: 80.

Dicitur hæc aqua Bezoartica non quod ex lapide sic dicto constet (neq enim ingreditur nisi ut succedaneum) sed eâ ratione conjecturam facere liceat) qua omnia Alexiteria et Vincitoxica dicantur Bezoartica a Bel significante dominum et Zahar venenum: utpote venenis dominantur, et sub iuga mittunt; neq hoc nominis ab Authore nacta est sed viribus

AQVA BEZOARTICA BREVIS LANGII lib. 3. epist. 1.

R Chelidonii cum radicibus lotis manipul. tres semis.
Rutæ manipul. unum.
Scordii manipul. duos.
Dictamni Cretensis.
Cardui benedicti ana. manipul. unum semis.
Radic: Zedoariæ,
Angelicæ ana. drachmas tres.
Cortic: Citri,
Limonum ana. drachmas duas semis.
Florum Tunicæ.
Rosarum ana. drachmas duas.
Cinnamoni.
Cariophyllorum ana. drachmas quinq; semis.
Theriacæ Andromachi uncias tres.
Mithridatii unciam unam semis.
Camphoræ scrupulos duos.
Trochiscorum de vipera.
Macis ana. drachmam unam semis.
Xyloaloes scrupulos duos.
Santali Citrini drachmã unam semis.
Conservæ florum Tunicæ uncias duas.
Semin: Cardui benedicti unciam unam.
Specierum Electuarii Liberantis scrupulos quinque.
Limaturæ cornu Monocerotis vel Cervi drachmam unam semis.
Incidenda incidantur & per triduum macerentur in spiritus vini optimi, &
Vini Maluatici, ana. libris tribus.
Aceti florum Tunicæ libra dimidia.
Et lentissimo igne distillentur per B.M.S.A. in vase vitreo.
Postquam ad medias facta fuerit distillatio; Quod in vase erit, colari possit per pannum lineum, Colatura distillatione reduci in Extractum mellagineum, quod asservetur sub nomine Extracti Bezoartici; & hoc modo ex omnibus penè aquis compositis Extracta parari possunt.

AQVA BEZOARTICA *MATTHIOLI.*

℞ Antidoti magnæ Matthioli.
Syrupi de corticibus Citri ana. libram unam.
Aquæ vitæ factæ ex vino præstantissimo, & per distillationes sæpius repetitas rectificatæ & ad quintam essentiam redactæ libras quinque.

Ponantur omnia in Matratio vitreo capaciori, deinde optimè occluso vase ne quid respiret, conquassentur simul diligentissimè, ut Electuarium optimè cum spiritu vini commisceri possit; & sic

ſtent ſimul commixta per integrũ menſem, bis in ſeptimana vas ut prius concutiendo, Electuarium enim facilè in fundum reſidet: finito menſe, aquam claram Electuario ſupernatantem in aliud vas vitreum leniter effundes: vas optimè cera & charta pergamena occludendo; alioqui ſpiritus facilè in fumum evolabit.

AQUA CAPONIS.

℞ Caponem eviſceratum, atque in fruſta inciſum, ademptâ pinguedine; decoque in quantitate ſufficienti aquæ ſecundùm artem.

℞ Brodii colati libras duas ſemis.
Aquarũ Borraginis,
Bugloſſi.
Vini albi ana librã unã ſemis.
Flor: Roſarum.
Violarum.
Bugloſſi.
Borraginis ana drachmas duas.
Micarum Panis recentis libram dimidiam.
Cinnamomi electi fracti unciã unam.
Diſtillentur in Alembico vitreo ſecundum artem.

AQUA CINNAMOMI.

℞ Cinnamomi contuſi libram unam ſemis.
Vini Hiſpanici libras duodecim.
Macerentur & diſtillentur per Alembicum. Extrahendo fortioris lib. iij. tenuioris q. ſ. Stillatitio liquori addatur Sacchari puriſſimi in tenuiſſimum pollinem redacti, quantum ſatis.

AQUA CINNAMOMI *MATTHIOLI.*

℞ Cinnamomi contuſi libram unam, ponatur in matracium affundendo.
Aquæ Roſaceæ libras quatuor.
Vini Hiſpanici librã unã ſemis, & optimè occluſo vaſe ponantur in Balneum tepidum per horas viginti quatuor, deinde aperto vaſe & ſuperpoſito roſtro diſtillentur ſ. a. juncturis optimè clauſis, ne quid tranſpiret.

AQVA CINNAMOMI *CLARETA PER INFVSIONEM.*

℞ Cinnamomi contuſi uncias quatuor.
Spiritus vini rectificatiſſimi libras duas.
Fiat infuſio per quatriduum vaſe amplo, vitreo, ſubere & veſicâ apprimè clauſo, vas quotidie bis terve agitando. Seorſim vero diſſolvatur libra dimidia Sacchari candi Cryſtallini in libris duabus Aquæ Roſar. Miſceantur iſti duo liquores colati, & indatur nodulus continens.

Ambræ

vide aquam Cina[illegible] per infusionem

Aqua caponis inter aquas compositas confortantes recensetur, hujus quippe liquoris frequenter cochleare unum exhibitum per se, aut cum juleplis dissolutum collapsas vires restaurat

Gratissima est haec [illegible], et cor atque reliquas partes, quae principatum tenent recreat, calorem nativum fovet, et materiam flatulentam discutit

Dr Mayernio Autho[r]

Aqua Cinam: frigidis omnibus affectibus idonea, stomachum, jecur, lienem, pulmonem, cor cerebrum, nervosque roborat, visum acuit, cordis affectionibus oppitulatur venenis venenatisque ictibus, et morsibus prodest, halitus gratiam commendat coeliacis prodest menstrua ciet, colicum [illegible], nauseam sedat, et si cum succo citri bibatur fastidientem stomachum juvat, omnibus tandem morbis auxiliatur, ubi calefacere, reserare, attenuare, digerere, roborare velimus, his equivalentia habet Matthiolus in Comment: in libro primo Dioscor: Cap. 1[illegible]

pertineat ergo proprie aqua Cinamomi superiori Matthioli

Hec aqua describitur, Commentario in quint. lib: Dioscorid Capul 7 et vocat aquam seu Elixir vitae: quippe non solum hausta, sed in faciem, ac alterius ore proiecta epilepticos, desides animo, et foeminas uteri strangulatu decidentes revocat, loquelam amissam restituit, et iamiam morientes tam diu sustinet, ut quandoq miraculi, speciem adferat, his qui ventriculi dolore a flatu vel frigore torquentur, item vertiginosis, veternosis Comitialibus, [illegible] mire occurrit. additur etiam in Clisteribus Colicorum etc. ubi a frigiditate aut flatu morbus provenerit, et praesertim additis Theriacae aut Mithridatij ʒij. Breviter Medicamentum est summum ad frigidos omnes affectus: non occurrit loco citato in nostro Matthio: sed Bodiegano:

Ambræ griseæ scrupulum dimidium.
Moschi Orientalis grana quatuor.

AQUA COELESTIS *MATTHIOLI.*

℞. Cinnamomi unciam unam.
Zingiberis unciam dimidiam.
Santalorum omniũ ana. drachmas sex.
Caryophyllorum.
Galangæ.
Nucis Moschatæ ana drachmas duas semis.
Macis.
Cubebarũ ana drachmam unã.
Cardamomi utriusque.
Semin: Melanthii ana drachmas tres.
Zedoariæ unciã dimidiã.
Semin: Anisi.
Fœniculi dulcis.
Pastinacæ sylvestris.
Ocimi ana drachmam unam semis.
Radic: Angelicæ.
Caryophyllatæ.
Glycyrrhizæ.
Calami odorati.
Phu minoris.
Folior: Sclareæ.
Thymi.
Calaminthæ.
Pulegii.
Menthæ.
Serpylli.
Majoranæ ana drachmas duas.
Florum Rosarum rubrarum.
Salviæ.
Rorismarini.
Betonicæ.
Stœchados.
Buglossi.
Borraginis ana drachmã unam semis.
Corticum Citri drachmas tres.

Terantur quæ terenda sunt, & macerentur per dies quindecim in libris duodecim spiritus vini optimi, in vase vitreo optimè clauso, deinde distillentur in B. M. s. a. Postea aquæ distillatæ adde

Specierum Diambræ.
Aromatici rosati.
Diamoschi dulcis.
Diamargariti frigidi.
Diarrhodon Abbatis.
Electuarii de Gemmis an. drachmas tres.
Santali Citrini contusi drachmas duas.
Moschi,
Ambræ griseæ in tela rara ligatorum ana. scrupulum unum.
Julepi Rosati clari libram unam.

Optimè simul conquassentur, ut Julepum cum aqua benè incorporari possit, deinde clauso vasis orificio, cum cera & charta pergamena, reponantur, dum residentiam deposuerint, & aqua sit facta clara.

AQVA

AQVA CORDIALIS.

℞ Foliorum Angelicæ libram dimidiam.
Folior: Cardui benedicti uncias ſex.
Meliſſæ.
Salviæ ana. uncias quatuor.
Semin: Angelicæ uncias ſex.
Semin: Fœniculi dulcis uncias novem.

Herbæ ſiccæ, & ſemina craſſiuſculè contundantur, quibus adde
Specierum Aromatici Roſati Gabrielis.
Diamoſchi dulcis ana. unciam unam ſemis.

Infundantur per biduum in vini Hiſpanici libris triginta duabus, diſtillentur ſecundùm artem, lento igne, & extrahe aquæ fortioris libras decem, quibus poſt biduum, adde ſacchari libram unam ſemis ſoluti in aquæ Roſaceæ libra una ſemis ſuper ignem.

Ex reliquiis aquæ mitioris, libræ ſex aut plures extrahantur, pro vehiculis Cordialium.

AQVA CORDIALIS FRIGIDA SAXONIÆ.

℞ Succi Borraginis.
Bugloſſi.
Meliſſæ.
Biſtortæ.
Verbenacæ.
Oxylapathi.
Acetoſæ.
Rutæ Caprariæ.
Myrrhidis.
Cyani majoris,
minoris vel duplum minoris.
Roſarum.
Calendulæ.
Limonum.
Citri, ana. uncias ſex.

Succi Pimpinellæ.
Pentaphylli ana uncias tres.

Aceti vini albi libram unam.

Semin: Portulacæ.
Florum Nymphææ ana uncias duas.
Terræ Lemniæ.
Sileſiacæ.
Samiæ, ana unciam unam ſemis.
Specierum Diatrionſantalon drachmas ſex.
Margaritarum præparatarum cum acido Citri drachmas tres.

Infundantur ſpecies flores & ſemina omnia (præter terras & margaritas) in ſuccis, & aceto, factâ maceratione per tres dies diſtillentur in B. per Alembicum vitreum. Liquori ſtillatitio addantur terræ cum Margaritis, & affatim ei miſceantur.

AQVA

... cum praecedentibus addit rasurae ungulae Alcis ℈j Cranij hominis anterioris ʒj fragmentorum Smaragdi ℈ß pulveris satis singulis et Mithridatij optimi ʒiij cum Syrupo de Stoechados compositio, p[ro] teris [illegible] mixturam in camilealo marso efficacissimam, verba sunt Langij Libro 3o ep. 1 [illegible] illae aquae sunt, et haec secunda epist:

AQUA ANTEPILEPTICA *LANGII.*

Lib.3.Epist.1.

℞ Florum Tiliæ manipul. tres.
Lilii Convallium manipul. quinque.
Semin: Pœoniæ conquassatorũ unciam dimidiam.

Infundantur in libris quinque vini albi optimi per dies octo, deinde distillentur in B. M. lento igne, posteà

℞ Florum Rorismarini manipul. dimidium.
Florum Lavendulæ manipul. unum.
Herb: Rutæ manipul. unum.
Betonicæ manipul. dimidium.
Flor: Stœchados Arabicæ pugil. unum.
Radic. Pœoniæ drachmas duas semis.
Dictamni albi drachmas duas.
Scillæ præparatæ drachmam unam semis.
Pyrethri drachmam dimidiam.
Visci Quercini drachmas duas.
Castorei optimi drachmã unã.
Cubebarum.
Cardamomi ana scrupul. unum.
Macis semidrachmam.
Caryophyllorum scrupul. duos.
Nucis Moschatæ scrupul. unum.

Infundantur incisa & conquassata per dies sex in prædicta stillatitiâ, & iterum distillentur per Alembicum in B.M. lento igne, & serventur in vitro exquisitè clauso. Extractum Antepilepticum efficax unâ eâdemq; paretur operâ.

AQVA HYSTERICA.

℞ Succi Radicum Brioniæ libras quatuor.
Succi Rutæ.
Artemisiæ, ana libras duas.
Folior: Siccorum Sabinæ manipul. tres.
Matricariæ.
Nepetæ.
Pulegii regalis, ana manipul. duos.
Folior: Ocimi.
Dictamni Cretici, ana manipul. unum semis.
Corticis Aurantiorum flavi recentis uncias quatuor.
Myrrhæ uncias duas.
Castorei unciam unam.
Vini Canarini generosissimi libras duodecim.

Digerantur per quatriduum vase idoneo, mox fiat in Balneo distillatio, deinde sub medium distillationis expressio, & colatura: & tandem per distillationis continuationem, & tincturæ inspissationem, præparetur Extractum Hystericum.

AQVA IMPERIALIS.

℞ Cortic: Citri sicci.
Aurantiorum.

Nucis

Nucis Moſchatæ.
Caryophyllorum.
Cinnamomi, ana uncias duas.
Cyperi.
Ireos Florentinæ.
Calami aromatici, ana unciam unam.
Zedoariæ.
Galangæ:
Zingiberis, una unciam dimidiam.
Summitat: Lavendulæ.
Roriſmarini, ana manipul. duos.
Folior: Lauri.
Majoranæ.
Hyſſopi.
Meliſſæ.
Menthæ.
Salviæ.
Thymi, ana manipul. unum.
Roſarum albarum.
Pallidarum recentium, ana manip. dimidium.
Aquæ roſarum libras quatuor.
Vini albi optimi libras octo, &

Contuſis contundendis infundantur per horas viginti quatuor in Alembico vitreo ſuper cineres calidos, deinde diſtillentur ut artis eſt.

AQVA MELISSÆ MAGIS COMPOSITA.

℞ Meliſſæ libram unam.
Thymi.
Pulegii, ana drachmas tres.
Cinnamomi drachmas duas.
Cardamomi minoris drachmā unam.
Granorum Paradiſi unciam dimidiam.
Semin: Fœniculi dulcis unciam unam.
Nucis Moſchatæ.
Zingiberis, ana drachmā unam.
Galangæ, drachmas ſex.
Calami aromatici.
Cyperi ana drachmam unam ſemis.
Dictamni drachmam dimidiam.

Contundantur omnia & infundantur in vini Hiſpanici libris octo, &,
Cerviſiæ fortis libris ſex, horas viginti quatuor.
Diſtillentur per Alembicum extrahendo fortioris libras tres.

AQVA MARIÆ.

℞ Sacchari candi libram unam.
Vini Canarini uncias ſex.
Aquæ roſaceæ uncias quatuor.
Fiat Syrupus benè coctus, cui adde

Aqua S^{ti} Stephanij Spiritus, partesq vitales recreat morbosq internos a frigore provenientes
discutit, paralysi et convulsionibus medetur, Lumbricos vim habet necandi ut fertur
et calculos renum et vesicae depellendi; sed credat hoc Judaeus Apella non ego

de Aquæ cœlestis libras duas.
Ambræ grisεæ.
Moschi ana. Grana octodecim.
Croci grana quindecim.
Santali citrini in aqua cœlesti infusi drachmas duas. fiat aqua depurata.

AQVA MIRABILIS.

℞ Caryophyllorum.
Galangæ.
Cubebarum.
Macis.
Cardamomi.
Nucis Moschatæ.
Zingiberis, ana drachmam unam.
Succi Chelidoniæ libram dimidiam.
Aquæ vitæ libram unam.
Vini albi libras tres.

Infundantur viginti quatuor horas, & distillentur per Alembicum libræ duæ.

AQUA RORIS SOLIS, vulgo dicta, ROSASOLIS.

℞ Nucis Moschatæ,
Semin: anisi,
Coriandri, ana unciam unam.
Galangæ,
Zingiberis,
Caryophyllorum, ana unciam dimidiam.
Rosarum rubrarum manipul. unum.
Roris Solis manipul. sex.
Glycyrrhizæ rasæ uncias duas.
Cardamomi.
Zedoariæ.
Granor: Paradisi,
Calami aromatici, ana drachmam unam.
Santali citrini drachmas duas.
Santali rubri.
Cinnamomi ana unciam unam semis.
Aquæ vitæ optimæ libras duodecim.

Infundantur s. a. per octiduum, & percolatis adde Sacchari libram unam semis.

AQUA DOCTORIS *STEPHANI.*

℞ Cinnamomi,
Zingiberis,
Galangæ,
Caryophyllorum,
Nucis Moschatæ,
Granor: Paradisi,
Sem: Anisi,
Fœniculi,
Carui ana drachmam unã.
Herb: Thymi,
Serpylli,
Menthæ,
Salviæ,
Pulegii,
Parietariæ,
Rorismarini,
Flor: Rosarum rubrarum.
Chamæmeli,
Origani,
Lavẽdulæ, ana manipul. unum.
Vini Gasconici libras duodecim.

Infundantur omnia per horas duode-

duodecim, deinde in Alembico distillentur fortioris libræ tres.

AQVA PROTHERIACALIS.

℞ Fol: Scordii,
Scabiosæ.
Cardui benedicti,
Galegæ, ana manip duos.
Corticum Citri,
Aranciorum sicc: ana uncias duas.
Semin: Citri,
Cardui benedicti,
Seseleos,
Thlaspios, ana unciam unam.
Florum Calendulæ,
Anthos, ana manip. unum.

Incidenda incidantur, & contundenda crassiusculè contundantur, & cum Vini albi meraci libris quatuor, & aquæ Cardui bened: libris duabus, in vas vitreum immittantur bene obturatum, ità ut per duas hebdomadas insolentur, vel in stupha furnaria per aliquot dies macerentur, factâ s. a. agitatione frequenti. Tum demum in B. M. distillentur, ità ut libræ duæ priores extillatæ per se separatim usui reserventur. Quæ verò postea per distillationem effluit aqua, itidem per se usui asservetur; tandemq; singulis libris admisce.

Julapii Alexandrini unciam unam.
Aquæ Cinnamomi cochleare unum.

Haud nos latet plurima simplicia ingredi compositionē Theriacæ, quorum virtutes distillatione factâ in B.M.elici nequeunt adamussim. Hanc igitur ex industria substituimus, cui tempore exhibitionis Medicus rationalis pro data indicatione vel Theriacam, vel Diascordiū, vel Syrupum aliquem convenientem poterit adjicere. Receptam tamen Theriacalis stillatitiæ unā adjunximus, ne prævaricati videamur.

AQVA THERIACALIS LVGDVNENSIS PER *INFVSIONEM.*

℞ Vini optimi distillati aliquoties,
Vini Cretici,
Aceti acerrimi, (in quo seminū Rutæ uncia semis fuerit incocta,) ana libras duas.
Theriacæ electæ,
Mithridatii optimi, ana libram dimidiam.

Misce ac insolentur, vel tepore Balnei aliquandiu calefiant, ac deinde asservetur usui aqua colata.

AQVA THERIACALIS *STILLATITIA.*

℞ Succi putaminis viridis nucum Juglandium libras quatuor.
Succi Rutæ libras tres.
Succor: Cardui benedicti,

Calen-

Lugdunenses Medici efficacius remedium nullum experti sunt hac aquâ, quam cœteris non omissis quæ ad hanc rem pertinent, ad præcautionem a lue venereâ extribuerunt, mane ad cochlearia duo, in curatione vero uncias duas cum aquæ scabiosæ vel Cardui benedicti uncijs sex dederunt. horimo

Calendulæ,
Melissæ, ana libras duas.
Radicum Petasitæ recentium libram unam semis.
Radic: Bardanæ libram unam.
Rad: Angelicæ } recentium, ana
Imperatoriæ } uncias sex.
Folior: Scordii manip. quatuor.
Theriacæ Andromachi veteris & probatæ,
Mithridatii, ana uncias octo.
Vini Canarini generosissimi libras duodecim.
Aceti vini albi acerrimi libras sex.
Succi Limonum libras duas.

Fiat per biduum digestio in fimo equino, vel Balneo, vase optimè clauso, deinde per arenam distillatio: & hinc inter distillandum paretur extractum Theriacale.

AQVA VITÆ vulgò sic dicta, ubique venalis, ad usum pauperum.

℞ Cervisiæ, & fæcum vini, ana quantum vis, extrahatur spiritus tenuis in Alembico amplo, cujus rostrum per aquam frigidam transeat, in cujus spiritus congiis decem macera semin: Anisi parùm contusorum libram unam, per horas viginti quatuor, deinde extrahatur spiritus fortis.

AQVA VITÆ COMPOSITA.

Fit ex spiritibus tenuioribus vini, in quorum congiis sex, macerentur per biduum.
Sem: Anisi semi libra.
Fœniculi,
Carui, ana unciæ duæ.
Caryophillorum.
Cinnamomi.
Zingiberis ana uncia dimidia.
Et posteà extrahatur spiritus fortior.

SPIRITVS CASTOREI.

℞ Castorei recentis uncias quatuor.
Florum Lavendulæ recentium unciam unam.
Summitat. Salviæ & Rorismarini, ana unciam dimidiam.
Cinnamomi drachmas sex.
Macis.
Caryophyllorum ana drachmas duas.
Spiritus vini rectificati libras sex.
Digerantur in Phiala, ad tertias tantum repletâ, vesicâ bubulâ & subere optimè clausâ per biduum in cineribus tepidulis vel arena, deinde spiritus eliciatur per B. M. vase diligentissimè obturato asservandus.


VSQVEBACH.

℞ Aquæ vitæ fortioris libras viginti quatuor, quibus per quatriduum
Infunde Glycyrrhizæ libram unam.
Uvarum passarum libram dimidiam.
Caryophyllorum unciam dimidiam.
Macis,
Zingiberis, ana drachmas duas.
servetur colatura pro usu.

AQVA ALVMINIS *FALLOPII.*

℞ Aquarum Plantaginis.
Rosarum rubrarum ana libram unam.
Aluminis Rochæ.
Argenti vivi.
Sublimati ana drachmas duas.
Alumen & Sublimatum terantur, deinde ponantur cum aquis in vas vitreum, angusti oris, bulliantq; simul ad consumptionem medietatis, deinde stent per dies quinque ut desideat sublimatum & fœx aluminis, postea effundatur aqua limpidissima, & servetur in vase vitreo. *Fall.morb.Gal.c.93.*

VINA



Aque Aluminis hec describitur Cap. 43 de morbo Gallico in curatione pustularum. utimur aquâ istâ sed non simpliciter quoniam erodit. contemporemus nunc duplici quantitate Rosaceæ, nunc triplici, nunc quadruplici, et si non rosaceæ plantaginis vel solani hoc quidem verum est. quod in pustulis ani solemus uti pura aquâ ista, et in verrucis Priapi: In pustulis ani quando videmus superexcrescentem pustulam veluti carunculam, in ore nunquam pure utimur, nisi casu detectum esset os sed nunquam frustratus ab opere istius aquæ.

Vinum Absynthij in Germania ad Lumbricos omnemq corporis arcendam putredinem commune est remedium, non secus ac vina Hypericonis et centaurij minoris, quae ad liberandas Jecoris obstructiones ipsumq roborandum maxime etiam prosunt. Dosis est, dimidium vitrum tempore matutino Quercet utile est stomacho, urinam ciet, tardam concoctionem accellerat: Hepaticis, morbo regio, renumq vitijs auxiliatur, fastidia discutit, valet contra longam praecordiorum distructionem et inflationes, tereteisq ventris tinias et remoratos menses

Vinum Anthosatum (sic etiam et acorj angelicae, et saluiatum) frigidis cerebrj affectibus conducit

Vinum Scilliticum Galeni omnem sanitatem affert, humores enim attenuat sed maxime pituitam, neq ipsam in stomacho aut ventre, aut capite, aut iecore, aut liene aut neruis, aut ossibus consistere permittit. neq alium id genus tenacem humorem obstructiones facientem, sed omnia dissolvit, et ventrem lenit atq ita subducit et urinam movet, et per ipsam causas attenuat excernitq, adeo vero caput purgat ut nares humiditate vacent. commodum est podagrae, articularj et comitialj morbo deniq omnes sanitatis auctor est; Lib 3 de facile parabilibus: Ante cibum vini ℥j bibe a cibo ℥ß quod si ipsum potui commodum efficere volis ut magis delectet Mellis sextarios duos aut tres admisceto ..



VINA MEDICATA.

VINVM ABSINTHITES.


℞ Absinthii sicci manipulum pro unoquoque Congio vini, immittatur in vas benè obturatum & sic maneat in infusione.

VINVM ANTHOSATVM.

Fit eodem modo, quo vinum Absinthites: sic fit & vinum Euphragiæ, ut & reliqua omnia, quando Medico videbitur.

VINVM SCILLITICVM *GALENI.*

℞ Scillæ albæ montanæ circiter Canis ortum collectæ in laminas concisæ, libram unam.
Per dies decem in umbra refrigera, deinde scillæ laminas refrigeratas in vitreum vas mitte, & superinfunde vini albi veteris Gallici sextarios duodecim, & suspensum vas per dies quadraginta habeto, postea scillam exime, & abjice.





ACETA MEDICATA.

ACETVM DISTILLATVM.

℞ Aceti optimi quantum sufficit; impleatur alembicum ad tertiam tantùm partem, imponatur vas in cineres, & distilletur primò lento igne ut phlegma separetur, deinde sensim ignem augendo, tandem forti absolvatur.

ACETVM ROSACEVM.

MES.

℞ Rosarum rubrarum mediæ maturitatis, præsectis & abjectis unguibus, absque rore, sine pluvia collectarum, in umbra extra solem ad triduum aut quatriduum expansarum & resiccatarum libram unam.

Aceti sextarios octo.

Insolentur diebus quadraginta, deinde coletur acetum ac reponatur; mutari etiam folia Rosarum possunt, & sic odore gratius fiet acetum.

ACETVM SAMBVCINVM.

MES.

Fit ex floribus siccatis Sambuci, ut Rosaceum.

Eodem modo parari possunt Aceta ex floribus siccatis,

Anthos.
Calendulæ.
Salviæ.
Tunicæ, &c

ACETVM SCILLITICVM.

MES.

Scillæ laminæ inter corticem & cor mediæ, ex arte purgatæ, & in taleolas sectæ, Soli aut remisso calori exponantur per triginta aut quadraginta dies: dein libra una minutim concisa (cultro è candidiore ligno parato, aut eburneo) in lagenam demittatur, optimi aceti

Ut aceta hæc medicina melius innotescant, aceti simplicis natura investiganda est: est autem omne acetum vi præditum attenuandi, incidendi, discutiendi, simul et reprimendi, unde non refrigerandi, et aliquantulum calefaciendi: nam caloris in se quædam semina retinere etiam agnovit Homerus: unde mistæ qualitatis esse Galenus scripsit Cap 19 Lib 1 de simplici Med:

Acetum scilliticum incidit, attenuat terget humores crassos, lentos, putres quales pituitosi et Melancholici in omnibus corporis partibus: ob id affectibus ob earum copiâ excitatis et diuturnis conducit: Epilepsiæ vertigini auditui obtuso: Asthmati raucitati familiaribus senectutis vitijs et cæteris: ob hæc a morbis præcavet, et sanitatem tuetur, si per se sumatur: melius autem cum melle, aut saccharo in syrupo: datur a ʒi ad ℥i mane cum aquis aut decoctis aptis in affectibus autem Thoracis paulatim lambitur: si tamen æstas est aut febris hectica vel alia adest, abstine huius usu ob scillæ caliditatem: vomitu etiam valenter purgat, humores in ventriculo crassos lentosque putres, datum ad sescunciam cum Mellis aut sacchari rubri uncijs tribus, aquæ hordei ~~[illegible]~~ cyathis tribus

vtimur tempore pestis, et in morbis venenatis tam intra quam extra corpus

ceti libris ſex affuſis: vaſculum ritè obturatum (ne quid exhalet) exponatur æſtivo tempore radiis ſolaribus, triginta aut quadraginta dies: poſteà aperto vaſe totum tranſcoletur, & lagenis diligenter occluſis adſervetur.

ACETVM THERIACALE *NORIMBERG.*

℞ Radic: Chelidonii majoris unciam unam ſemis.
Angelicæ.
Oſtrutii.
Gentianæ.
Biſtortæ ſive ſerpentariæ.
Phu veri, Valerianæ.
Pimpinellæ.
Dictamni albi.
Helenii.
Zedoariæ ana drachmā unam.
Plantaginis majoris drachmā unam ſemis.
Folior: Piloſellæ.
Salviæ.
Scabioſæ.
Scordii.
Dictamni cretici.
Cardui benedicti, ana manipul. dimidium.
Corticum &
Semin: Citri ana drachmam unam ſemis.
Boli Armeni Orientalis drachmam unam.
Croci drachmas tres.
Cornu Cervini drachmam unam ſemis.

Ex his, Crocus, Cornu Cervinum, Dictamnus, & Bolus Armenus in linteo ligentur, ac macerentur unà cum præſcriptis in libris quinque aceti acerrimi per plures dies in vaſe vitreo benè clauſo ad temperatum calorem.
In colatura diſſolvantur
Theriacæ optimæ drachmæ quinque.
Et ſæpiùs conquaſſentur, & ſerventur ad uſum.

ACETVM THERIACALE.

Optimum etiam parabitur Acetum Theriacale, ſi aquæ Theriacalis propriâ ſectione deſcriptæ magmati addantur Caryophyllorum unciæ duæ, florum Lavendulæ uncia una ſemis, atq; affundantur aceti Roſacei & Sambucini acerrimi ana libræ quatuor, fiatq; ſine ebullitione digeſtio in fimo per octiduum, mox per manicam colatura.



DECOCTA.

DECOCTUM CARMINATIVUM.

℞ Semin: Anisi.
Dauci.
Fœniculi.
Cumini.
Carui, ana drachmas tres.
Florum Chamæmeli manipul. dimidium.
Uvarum Passarum unciam unam semis.
Coque in libris duabus aquæ ad medietatem ferè.

DECOCTUM COMMUNE PRO CLYSTERE.

℞ Malvæ.
Violariæ.
Parietariæ.
Betæ.
Mercurialis ana manipulum unum.
Semin: Fœniculi unciam semis.
Coquantur in s. q. aquæ ad libram unam.

DECOCTUM COMMUNE PRO MEDICINA, *GUAYNERII.*

℞ Hordei mundati pugil. unum.
Prunorum dulcium numero sex.
Uvarum Passarum.
Tamarindorum.
Glycyrrhizæ ana unciã dimidiã
Sem. Anisi.
Fœniculi, ana Drachmas duas.
Æstate adde,
Semin. quatuor frigidorũ majorum, ana drachmas duas.
Flor: trium Cordialium, ana Pugil. unum semis.
Fiat decoctio in libris duabus aquæ ad partis mediæ consumptionem.

DECOC-

Adeo vsus inualuit vt Carminatiuum dicam sit quod flatus discutiens sed ratio mihi non constat

Decocto hoc Guainerij utimur ad alia medicamenta dissoluenda

Decoctio hec communis partim emolliendo, partim abstergendo aluum subducit. in omni fere enemate huius libram adhibemus, cum electuarijs et alijs affectui conuenientibus.

Decoctum Epithymi bilem atram vacuat, eo id affectibus melancholicis et cancro, Elephantiasi, et caeteris confert

Decocti Pectoralis quinque uncia datur ad pectoris vitia, et tussim raucedinemque, donec totum absumatur: sed in calidis fluxionibus et morbis Hyssopum omittere solebat. Cordus

Decocti florum et fructuum usus idem ac Decocti communis pro medicinâ Guainery vide: pag 18

DECOCTVM EPITHYMI, *MES.*

℞ Myrobalanorum Indarum.
Stœchados Arabicæ.
Uvarum Passarum.
Epithymi, ana unciam unam.
Myrobalanorum Chebularum.
Fumiterræ, ana unciam dimidiam.
Folior: Sennæ, unciam unam.
Polypodii quercini drachmas sex.
Turpeti albi unciam dimidiam.
Eupatorii drachmas quinque.
Seri lactis caprini, vel vaccini libras tres.

Bulliant omnia simul præter Epithymum ad consumptionem librarum duarum, tunc adde Epithymum, & semel fervefac: tolle ab igne, & adde,

Hellebori nigri drachmã unam.
Agarici drachmam dimidiam.
Salis Indi drachmam unã semis.

Stent per octo horas vel decem macerata; factâ deinde optimâ expressione colentur.

DECOCTVM FLORVM *ET FRVCTVVM.*

℞ Caricarum numero quinque.
Prunorum Damascenorum numero quindecim.
Jujubarum.
Sebesten, ana numero viginti.
Tamarindorum unciam unam.
Florum Rosarum.
Violarum.
Borraginis.
Buglossi, ana drachmam unam.
Capillorum Veneris.
Lupulorum.
Endiviæ, ana manipul. dimidium.
Glycyrrhizæ drachmas duas.

Incidantur & contundantur pro usu, & in libris tribus aquæ fontanæ decoquantur ad tertiæ partis consumptionem.

DECOCTVM PECTORALE.

℞ Uvarum Passarum mundatarũ unciam unam.
Sebesten.
Jujubarum, ana numero quindecim.
Dactylorum numero sex.
Caricarum pinguium numero quatuor.
Hordei purgati unciam unam.
Glycyrrhizæ unciam dimidiam.
Capillorum Veneris.
Hyssopi.
Scabiosæ.
Tussilaginis, ana manipul. dimidium.

Incidantur & bulliant in libris tribus aquæ fontanæ, dum libra una absumatur.

DECOC-

DECOCTVM SENNÆ *GERREONIS.*


℞ Foliorum Sennæ uncias duas ſemis.
Zingiberis drachmam unam.
Florum Borraginis,
Violarum,
Roſarum rubrarum.
Anthos, ana drachmas duas.
Radic: Polipodii quercini unciam dimidiam.
Vvarum Paſſarum Purgatarum uncias duas.
Sebeſten,
Prunorum, ana numero duodecim.
Aquæ fontis libras quatuor.

Fiat decoctum ſecundùm artem ad dimidias, itâ ut Senna parùm ebulliat, & vas optimè obturatum per ſex horas dimittatur, deinde exprimatur.

LAC VIRGINEVM.

℞ Aluminis crudi uncias quatuor.
Decoquantur ad tertias in aquæ fontanæ libris duabus, poſteà
℞ Lithargyri libram dimidiam.
Aceti Vini libram unam ſemis.
Decoquantur ad libram unam, colentur & commiſceantur ambæ aquæ, & agitentur dum albeſcant.

Potio



Decoctum Sennae in Affectibus Melancholicis, Quartanis, Cancro, lue, venerea valet


Dicitur lac virgineum partim a colore quem habet lactis, partim a consistentia et viribus quibus pollet maxime, ad vitia cutis delenda, quae virgineum faciei colorem immutant, valet plurimum faciei rubori herpetibus, et asperedinibus cutis:

Potio vulneraria, vulgo decoctum Sclopetarium.

℞ Cancrorum fluviatilium calcinatorum, & in pulverem subtilissimum redactorum drachmas duas.
Radicum Aristolochiæ rotundæ, & Consolidæ majoris.
Foliorum Prunellæ,
Baccarum Lauri levitèr contusarum ana drachmam unam.
Omnia includantur nodulo lineo raro, & bulliant in libris tribus Vini albi, ad tertiæ partis consumptionem, addendo circa medium decoctionis, Vincæ Pervincæ pugillum unum. Fiat colatura ad usum.

Istud autem decoctum paretur saltem in rem præsentem jubente Medico, uti & reliqua decocta ferè omnia.

SYRUPI





SYRVPI SIMPLICIORES VNA CVM COMPOSITIS QVI SVNT IN VSV.

SYRVPVS ACETOSVS SIMPLEX, LONDINENSIS.

℞ Sacchari albi libras quinque.
Aceti vini albi libras duas.
Liquentur in ſyrupum ſ.a.

SYRVPVS ACETOSVS SIMPLEX, MESVÆ.

℞ Aquæ puriſſimæ libras quatuor.
Sacchari albi libras quinque.
Coquantur deſpumando, clarificando ad conſumptionem medietatis aquæ, affunde interim,
Aceti vini albi libras duas, &
Coquantur rurſus in ſyrupum.

SYRVPVS ACETOSVS COMPOSITVS, MES.

℞ Radic: Apii.
Fœniculi.
Endiviæ, ana uncias tres.
Semin: Apii.
Fœniculi.
Aniſi, ana unciam unam.
Semin: Endiviæ unciam dimidiam.
Aquæ puriſſimæ libras ſex.
Coquantur in vaſe vitreato lento igne, donec dimidium aquæ ſuperſit, tum adde percolatis
Sacchari libras tres.
Clarificentur, & adjice
Aceti vini albi libram unam ſemis.
Coquantur in ſyrupum.

SYRV-

Syrupus acetos: comp: lentam crassamq pituitam tergit extenuat præparatq
Jecoris omniumq viscerum obstructiones solvit, tumoresq summittit, sordos
virginum colores expurgat, urinas ciet, febres quæ ægre solvuntur, inveterataq affectus finit

Syrup: acetosus simplex: Mesue convenit humori ferventi refrigerando
crasso et visceedo incidendo attenuendo et ad expulsionem apparando, putredini
arcendæ siti sedandæ et inflammationi viscerum mitigandæ. Londinensis
imbecille stomacho convenientior ut pote aquâ carens

Omnes hi Syrupi conveniunt in hoc; quod omnes corporis aestum sitim extinguunt, febrium putredinem, pestilentiumq; malignitatem ~~cohibent~~ cohibent, ventriculi cordis, principumq; partium robur tuentur: nauseam vomitionem, et animi syncopen tollunt. Sed haec habent peculiaria

Syr: Acetosit: Citri febris aestum, putredinem et malignitatem, potentius restringit
Syrup: ex Agresta utpote ventriculo gratus, vomitiones potius ~~sistat~~ sistit febribusq; biliosis convenientior: sitimq; optimè sedat: Syrupus e Ribes suavior est et astringentior
e succo oxalidis bilem obtundit, obstructionesq; liberat

Syrup: e succo Limonum peculiariter renes expurgat, et urinam ducit
Syrup: de granatis, ventriculum, et viscera magis corroborat, vomitiones et animi defectiones magis sistit: hoc habet Syrup: Sidoniorum peculiare quod dysentericis et coeliacis confert, ut etiam his qui sanguinem expuunt vel fluorum Mensium aut haemorroidum patiuntur immoderationem atq; destillationes a capite in Thoracem et partes inferas irruentes compescit

Syrup: de Betonica: Symplex retinet vires ipsius herbae, illius atq; temperaturam et vires ex Galeno transferimus.

Kestron sive betonica, vim habet incidendi ut gustus indicat amariuscula enim est et subacris ipsa herba, id quod et particulatim edita ostendit actio: nam consistentes in renibus calculos rumpit, et pulmonem et Thoracem, et iecur expurgat abstergitq; menses movet et prodest Epilepticis, rupta atq; convulsa curat, et omnibus bestiarum morsibus illita ulceri auxiliatur, acidum ructantibus et Ischiadicis pota succurrit

Syrup: de beto: comp: ad capitis uteriq; vitia confert, menses movet
et simplici potius utimur quam composito

SYRVPVS ACETOSITATIS CITRI, *MES.*

℞ Succi Citri colati ſine expreſſione, & depurati librã unam.
Sacchari libras duas & ſemis.
Levitèr coquantur in ſyrupum.
Eâdem proportione parentur Syrupi acidi ex Agreſta.
Succo Berberorum.
Ceraſorum } acid:
Cydoniorum }
Granatorum.
Limonum.
Lujulæ.
Oxalidis.
Ribes.
Et ex reliquis ſuccis acidis clarificatis.

SYRVPVS DE BETONICA SIMPLEX.

℞ Succi Betonicæ depurati libras tres.
Sacchari clarificati libras tres.
fiat Syrupus ſecundùm artem.
Eodem modo parentur Syrupi ex ſucco Borraginis.
Buglosſi.
Cardui Benedicti.
Chamæmeli.
Cichorii.
Endiviæ.
Fragorum.
Fumariæ.
Hederæ terreſtris.
Hyperici.
Lupuli.
Mercurialis.
Plantaginis.
Pomorum.
Scabioſæ.
Tuſſilaginis.
Veronicæ.
Et ſic ex reliquis ſuccis non acidis.

SYRVPVS DE BETONICA COMPOSITVS.

℞ Betonicæ manip. tres.
Majoranæ manip. unum ſemis.
Thymi.
Roſarum, ana manip. unum.
Violarum.
Stœchados.
Salviæ, ana manip. dimidium.
Sem: Fœniculi.
Aniſi.
Ammeos, ana unciam dimidiam.
Radic: Pœoniæ.
Polypodii.
Fœniculi, ana drachmas quinque.
Fiat decoctio in aquæ libris ſex ad medietatis conſumptionem: colaturæ adde
Succi Betonicæ libras duas.
Sacchari libras tres ſemis.
fiat Syrupus ſecundùm artem.

SYRV-

SYRVPVS BIZANTINVS SIMPLEX, *MES.*

℞ Succi Endiviæ,
Apii, ana libras duas.
Lupulorum,
Buglosſi, ana libram unã.
Bulliant dum ſucci purgentur & clareſcant; his deinde libris quatuor remanentibus, addantur Sacchari optimi libri quatuor, lento igne percoquantur in ſyrupum ſ. a.

SYRVPVS BIZANTINVS COMPOSITVS, *MES.*

℞ Succorum depuratorum analogicè (ut in ſimplici Syrupo) libras quatuor. Quibus incoque
Roſarum rubrarũ uncias duas.
Glycyrrhizæ unciã dimidiam.
Sem: Aniſi,
Fœniculi,
Apii, ana drachmas tres.
Spicæ Nardi drachmas duas.
Colaturæ adde
Aceti libras duas.
Sacchari libras quatuor.
Coquantur in ſyrupum ſ. a.

SYRVPVS SYDONIORVM, *MES.*

℞ Succi Cydoniorum defæcati libras ſex.
Coque prunis lentis ad medias ſenſim deſpumando, deinde affunde,
Vini rubri adſtringentis libras tres.
Sacchari albi libras quatuor.
Denuò decoquantur ad ſyrupi conſiſtentiam, qui condiatur
Cinnamomi drachmâ unâ ſemis.
Caryophyllorum,
Zingiberis, ana ſcrupulis duobus.

SYRVPVS DE FVMARIA COMPOSITVS *FERNELII.*

℞ Endiviæ.
Abſinthii Romani.
Lupulorum.
Caſſuthæ.
Scolopendrii veri, ana manipul. unum.
Epithymi unciam unam ſemis.
Coquantur in libris quatuor aquæ ad medias, colatis adde
Succi Fumariæ expurgati librã unam ſemis.
Succi utriuſque Buglosſi, ana libram dimidiam.
Sacchari albi libras quatuor.
Coquantur in ſyrupum bonæ conſiſtentiæ ſecundùm artem.

SYRV-

Easdem fere vires sortiuntur; Bizantinus simplex vel compos. qualitatem habent aperientem, incidentem, et attenuantem. Conferunt obstructionibus hepatis, lienis et Mesenterij. utiliterque dantur ictero curando, mensibus ciendis. et febribus sanandis quæ è vitiosorum humorum proventu oriuntur

Syrupus de fumaria e sanguine salsos exustosque humores expurgat. pruritum scabiem, impetiginem, lepram, omniaque cutis vitia emendat; maligna fistulosaque ulcera. cancrum et elephantiasin demulcet

Syrupus Cydon: ventriculum roborat. et cibum in eo continet

Syropus de portulaca potenter refrigerat, sitim inexhaustam sedat, febrium ardores, ventriculi et iecoris calidam intemperiem mittigat, eo efficaciter utimur ad lumbricos et intestinorum animalia Coctini citri medio : Aug

Julep Rosat, febrium, Thoracis, et ventriculi incendium, caloremque flammeum extinguit sitim inexplebilem sedat

Syroppum violat: febres phlegmonas, pleuritidem, asperitatem gutturis et thoracis, ac Tussim mittigat

Syr de Tussil; tussi confert orthopnoeae Asthmati, tracheae arteriae asperedini, sputo coquendo, movendo et expectorando: debet vero sensim assumi lambendo instar eclegmatis et intus haereat; oesophago et aliquid decurrit inter lingendum per asperae arteriae amplitudinem

Oxysaccharum simplex nicolai refrigerat, ac modice astringit, febribus malignis confert, bilem reprimit, sitim sedat

Syrup Capillo: veneris: ad Thoracis affectus calidos, destillationes et obstructiones efficax, usu creberrimus; pleuritidis initio convenit cum materia calida, aut calido et frigido mista, sua tenuitate gutturis tectorium eludit et prompte efferri nequit: obstructiones vasorum reserat.

SYRVPVS DE PORTVLACA. *MES.*

℞ Semin: Portulacæ crassiusculè tritorum libram dimidiam.
Succi Endiviæ cocti & depurati libras duas.
Sacchari libras duas.
Aceti uncias novem.

Macerentur semina in succo Endiviæ viginti quatuor horas, posteà lento igne coquantur ad dimidias, colatura tùm demùm cum Saccharo coquatur in Syrupi consistentiam, sub finem acetum affundendo.

SYRVPVS DE TVSSILAGINE COMPOSITUS, *RENODÆI.*

℞ Tussilaginis recentis manipul. sex.
Capill: Veneris ver: manipul. duos.
Hyssopi manipul. unum.
Glycyrrhizæ rasæ uncias duas.

Coquantur in libris quatuor aquæ pluviæ, vel fontis, ad quartæ partis consumptionem, decoctio coletur, & clarificetur, cui adde
Sacchari albissimi libras tres.
Fiat syrupus perfectè coctus.

JVLAPIVM ALEXANDRINVM.

℞ Aquæ rosarum rubrarum libras quatuor.
Sacchari albissimi libras duas.
Fiat s. a. Julapium.

JVLEPVM ROSATVM, *MES.*

℞ Aquæ Rosarum libras tres.
Sacchari clarificati libras tres.
Coque s. a. & fiat Julepum.

JVLEPVM VIOLATVM, *MES.*

Conficitur eodem modo ut Julepum Rosatum.

OXYSACCHARVM SIMPLEX, *NICOLAI.*

℞ Sacchari albi libram unam.
Succi Malorum Granatorum uncias octo.
Aceti optimi uncias quatuor.
Coque ad ignem lentum ad syrupi consistentiam.

SYRVPVS CAPILLORVM VENERIS, *MES.*

℞ Glycyrrhizæ uncias duas.

F Capil-

Capillorũ Veneris uncias quinque.

Ex infusis in aquæ fontis libris quatuor, decoctis leviter, colatis fortiter, cum

Sacchari clarificati librâ unâ semis.

Fiat syrupus secundùm artem.

SYRVPVS DE CINNAMOMO.

℞ Cinnamomi crasso modo contusi uncias quatuor.

Macerentur in vini albi libra una, per triduum; in vase vitreo ad lentum ignis calorem, Colentur, Colaturæ adde

Sacchari albi librã unam semis.

Lentè omnia coquantur, & fiat syrupus s. a.

Eodem modo parari possunt syrupi ex semin: Anisi.

Fœniculi dulcis.

Caryophyllis.

Nucibus Moschatis.

Zingibere, &c.

SYRVPVS è CORALLIIS SIMPLEX.

℞ Corallii rubicundissimi, tenuissimè pulverisati q. v.

Dissolvatur in matracio vitreo in B.M. in ea succi berberorum optimè depurati quantitate, ut materiam quatuor digitos supernatet: Collum Matracii subere, vel cerâ occludatur, illicque stet per triduum. Effunde quod fuerit dissolutum, & novum succum depuratũ fœcibus affunde, & in cæteris procedatur ut priùs, usquedum Corallium fuerit dissolutum, & repetatur sæpiùs, dum succus acidus quid è Coralliis exuxerit. Ad librã unam dicti succi colati, adde Sacchari albissimi libram unam, & decoquantur ad syrupi consistentiam. In hoc autem syrupo parando cum artificio, tum dexteritate singulari opus, ne è scopo aberret artifex.

SYRVPVS è CORALLIIS COMPOSITVS.

℞ Corall: rubicundiss: uncias sex

Reducantur in Alkool lævigando super porphyrite, cum pauca aqua Rosarum, adde

Succi depurati Limonũm in B. M. à phlegmate liberati uncias sedecim.

Succi depurati Berberis uncias octo.

Aceti vini albi acerrimi.

Succi limpidissimi Lujulæ, ana uncias sex.

Fiat digestio in Balneo, vel in fimo equino per octiduum, in phyala vitrea ampla, subere & vesicâ bubulâ optimè clausa, vas quotidiè concutiendo, mox fiat per chartam Emporeticam colatura, de qua cape libram unã semis.

Succi

Syrup de cinamomo senibus frigidis et debilibus convenit, et quibus humor
patiuus et calor naturalis absumuntur, nutrit enim et sanguinem generat
et replet partes principales spiritibus

Syrup: Maiorani et e Coralli simplex, videntur febricitantibus convenire

Syrup florum Nymphaeae insigniter refrigerat, Veneris insomnia cohibet, semen immodice fluens retinet; somnum conciliat, viscerum aestus mitigat, sitim temperat, et febrium ardores compescit

Syrup infusi flor. Caryophyl. vires fractas resarcit, stomachum firmat

Syrup de Corticibus Citri stomachum firmat, et oris gratiam commendat sed mulierum gratiâ quarum plurimae offenduntur moscho parandum hic est etiam sine moscho

Syrup Nymphaeae simplex ~~[illegible]~~ Ardores, phrenitides, vigiliasq compescit et somnum conciliat, destillationum asperitates lenit.

Succi puriſſimi Cydoniorum libram dimidiam.

Sacchari Roſati uncias duodecim.

Miſce, & lentiſſimo Balnei calore ſuperfluus liquor evocetur, donec fiat Syrupus, cui indantur Syrupi florũ Vetonicæ rubræ unciæ ſedecim & nodulus continens

Ambræ griſeæ drachmam dimidiam.

Moſchi orientalis grana quatuor.

Servetur ad uſum.

SYRVPVS INFVSIONIS FLORVM CARYOPHYLLORVM, Seu VETONICÆ RVBRÆ.

℞ Florum Caryophyllorum præciſis unguibus libram unam.

Infundantur ter in aquæ fontis libris tribus per noctem, poſteà cũ Sacchari libris duabus, coquantur in ſyrupum ſecundùm artem.

SYRVPVS DE CORTICIBVS CITRI, *MES.*

℞ Corticum exteriorum & tenuiſſimorum Citri ſiccatorum uncias quinque.

Granorum Kermes, vel ſucci eorum advecti drachmas duas.

Aquæ fontanæ libras quatuor.

Macerentur per noctem, & coquantur ad medietatis conſumptionem, colaturæ adde

Sacchari optimi libras duas ſemis.

Fiat Syrupus ſ. a.

Aromatizetur Moſchi orientalis granis ſex, involutis in Syndone & impendentibus.

SYRVPVS FLORVM NYMPHÆÆ SIMPLEX, *NICOLAI.*

℞ Partium albiſſimarum florum Nymphææ albæ libram unam.

Infunde in aquæ calidæ libris tribus per horas ſeptem, deinde bulliant parùm, colaturæ denuò adde parem florum recentium quantitatem, & par fiat maceratio & expreſſio; idque ter repetatur; colaturæ clarificatæ adde æquum ſacchari pondus, & fiat ſyrupus ſ. a.

SYRVPVS NYMPHÆÆ COMPOSITVS *FERNELII.*

℞ Florum Nymphææ recentium libram mediam.

Florum Violarum uncias duas.

Foliorum Lactucæ manipul. duos.

Sem: Lactucæ.

 Portulacæ.

Portulacæ.
Cucurbitæ, ana unciam mediam.
Coquantur in libris quatuor aquæ, dum tres supersint: expresso adde,
Aquæ Rosarum rubrarum stillatitiæ libram mediam.
Sacchari albi libras quatuor.
Percoquantur in syrupum s. a.

SYRVPVS DE MECONIO, *MES.*

℞ Capitum Papaveris albi mediocriter maturorum & recentium uncias octo.
Capitum Papaveris nigri mediocriter maturorum & recentium uncias sex.
Aquæ pluvialis libras quatuor.
Coquantur ad dimidias, deinde adde colaturæ
Sacchari uncias sedecim, & percoquantur in syrupum s. a. pro Diacodio qui potest usurpari.

SYRVPVS è PAPAVERE MINVS COMPOSITVS.

℞ Capitum Papaveris albi,
Nigri, recentium, ana uncias sex.
Seminum Lactucæ.
Florum Violarum, ana unciam unam.
Aquæ libras octo.
Coquantur dum capita intabuerint, & colaturæ addantur Sacchari libræ quatuor: ad justã consistentiam rursum coquantur.

SYRVPVS è PAPAVERE MAGIS COMPOSITVS, *MES.*

℞ Capitum cum Seminibus Papaveris albi & nigri, ana drachmas quinquaginta.
Capillorum Veneris drachmas quindecim.
Glycyrrhizæ drachmas quinque.
Jujubarum numero triginta.
Sem: Lactucæ drachmas quadraginta.
Sem: Malvæ & Cydoniorum, in linteo raro ligatorum, ana drachmam unam & semis.
Coquantur in libris octo aquæ ultra medietatis consumptionem.
℞ Colaturæ libras tres.
Penidiorum,
Sacchari, ana libram unam.
Fiat Syrupus.

SYRVPVS DE PAPAVERE ERRATICO, seu rubro.

℞ Florum recentium Papaveris rhæadis libras duas.
Infundantur in libris quatuor aquæ fontanæ per viginti quatuor horas, cum
Sacchari libris tribus.
Percoquantur

Syrup: de Meconio crebro est in usu, in defluxionibus calidis, tenuibus et acribus
in thoracem, quæ asperam arteriam, et fauces exasperant, insomniumq faciunt.
Tussim ex defluxionibus ortam sedat, et lentore suo gutturis asperitatem
lenit, caloris incendium mitigat, sitim extinguit, somnum conciliat, non
propriis viribus refrigerando nimirum et humectando tamen ex accidente
sedatá tussi quæ insomnium parit Dos a $ʒ_{ij}$ usq ad $℥_{j}$

Syrupi hi e papavere magis minusq compositi ad prædicta efficaciores sunt
potentius somnum conciliant, et refrigerant: Cattarrhum, tussim siccam,
et phthisim sedant, prosunt ad alvi profluvium et dysenteriam quæ ex magna
acris et biliosæ effluxu excitatur: intemperiem calidam, siccam intestino
rum emendat: dantur a sescuntia usq ad uncias duas, cum duplá aquæ
stillatitiæ appropriata quantitate

Syrup de Papavere Rhœade innotuerunt recentiores adversus
pleuritidem, [illegible] qualitatem enim habet
astringentem, roborantem, becchicam et hypnoticam, imposita ne humor
a capite ad thoracem defluat. Tuto datur a $℥ß$ ad $℥iß$ ~~[illegible]~~
et validioribus ad $℥_{ij}$. maximè vero incipienti aut non multum
progressa pleuritidi, ne nova eluvie suboriatur vel saltem ut
prior sistatur

Syr: ex floribus Pers: acres serosos humores, in biliosis febribus, ubi rosarum binarum unciarum vel quatuor instar exhibitus educit

Syrup: de rosis siccis ad [illegible] calorem commendatur, ad roborandasq partes internas, ulcera eandem detergenda et agglutinanda, vomitum sedandum et Rheumatismum cohibendum

Syrup: rosaceus solu: commendatur ad ventriculi medendum, et ignorum calorem febrilem, sitimq restinguendam, febribus pestilentibus praestantissimus, quod putredini repugnat, et acris vitio subamarâ et aromaticâ sua qualitate resistat, viscera nimio calore dissoluta refrigerando et leniter astringendo roborat, et in temperiem reducit, [illegible] insomnium [illegible] et modice alvum. subducit. Dosis a ℥i ad ℥ij

Syrup: roso solu: Hadsorffo: vocatur Montanus medicus olim Romanus clarissimus in affectibus melancholicis, lue, gallica, psora, lepra impetigine cancro elephantiasi

Percoquantur in ſyrupum ſ. a.

SYRVPVS EX FLORIBVS *PERSICORVM.*

℞ Florum Perſicorum recentium libram unam.

Macerentur in libris tribus aquæ tepidæ, horas duodecim, deinde bulliant parùm & exprimantur. Tum par florum quantitas infundatur & exprimatur, quinquies iteretur, poſtremæ colaturæ libris tribus, adde

Sacchari libras duas ſemis.

fiat ſyrupus ſ.a.

SYRVPVS DE ROSIS SICCIS, *MES.*

℞ Aquæ ſimplicis libras quatuor, in qua tepida macera horis viginti quatuor,

Roſarum rubrarum areſactarum libram unam, in expreſſo ſolve

Sacchari albi libras duas.

Coquantur in ſyrupum ſ. a.

SYRVPVS ROSACEVS SOLVTIVUS, *MES.*

℞ Infuſionis Roſarum ex Roſis pallidis Damaſcenis recentibus novies infuſis (infuſio fiat eâ proportione ut pro qualibet libra Roſarum ſumantur aquæ libræ quatuor. in quibus, rejectis prioribus floribus, recentes infundantur) libras ſex.

Sacchari libras quatuor.

fiat decoctio ſ. a. in ſyrupum.

SYRVPVS ROSACEVS SOLVTIVUS CVM *AGARICO.*

℞ Agarici electi conciſi unciam unam.

Zingiberis conciſi drachmas duas.

Salis gemmæ drachmam unam.

Polypodii craſſo modo contuſi uncias duas.

Irrorentur vino albo, deinde infundantur per biduum in infuſionis Roſarum pallidarũ ſupraſcriptæ libra una ſemis in cineribus calidis, poſteà expreſſioni adde

Sacchari libram unam.

fiat ſyrupus ſ. a.

SYRVPVS ROSACEVS SOLVTIVUS HELLEBORATVS, *MONTANI.*

℞ Corticum Myrobalanorũ omnium, ana uncias quatuor.

Contundantur craſſè, & deinde infundantur in libris duodecim infuſionis roſarũ ſupraſcriptæ per horas viginti quatuor, addendo

Foliorum Sennæ.

Epithymi.

Polypodii quercini,

ana uncias quatuor.

 Caryo-

Caryophyllorum unciam unã.
Sem: Citri.
Glycyrrhizæ, ana uncias quatuor.
Corticum Radicum Hellebori nigri veri drachmas sex.
Decoquantur omnia simul lento igne ad quartæ partis consumptionem, adde posteà
Sacchari clarificati libras quinque.
Rhabarbari electi in nodulo ligati drachmas sedecim.
Fiat syrupus s. a.

SYRVPVS VIOLARVM.

℞ Florum Violarum mundator. libram unam.
Aquæ fontanæ calentis libram unam semis, vel quantitatem sufficientem.
Ponantur in vas fictile vitreatum, quod subere optimè claudatur, & relinquantur per horas viginti quatuor, deindè fiat fortis expressio per prælum: expressionis cape libram unam.
Sacchari purissimi libras duas.
Misce, & ad levem calorem (ut Balnei) fiat sacchari dissolutio, & servetur ad usum.

SYRVPVS è SVCCO VIOLARVM.

Paretur etiam ex succo, cum ea quantitate succi quæ sit sufficiens ad dissolvendum saccharum sine coctione.

SYRVPI COMPOSITI QVORVM SIMPLICES *NON PARANTVR.*

SYRVPVS DE ABSINTHIO, *MES.*

℞ Absinthii Romani sive Pontici libram mediam.
Rosarũ rubrarum uncias duas.
Spicæ Indicæ drachmas tres.
Vini albi antiqui generosi.
Succi Cydoniorum, ana libras duas semis.
Macerentur in vase fictili horis viginti quatuor, dein coquantur ad consumptionem medietatis, & colaturæ addantur
Sacchari libræ duæ.
Fiat syrupus s. a.

SYRVPVS DE ALTHÆA *FERNELII.*

℞ Radicum Althææ uncias duas.
Cicerum rubrorum unciam unam.
Radic: Graminis.
Asparagi.
Glycyrrhizæ mundatæ.
Uvarum Passarum enucleatarum, ana unciam mediam.
Cymarum Althææ.
Malvæ.
Helxines.

Pim-

Syr de absinthio valet ad ventriculi Hepatis et viscerum aliorum imbecillitatem
etiam doloroficam et cachexiam prelentibi a causâ frigidâ appetentiam
deiectam excitat, et retentricem vim confirmat, intestinorum et viscerum
molitiem delet, flatus discutit, fellis fullusos et aruginosos iuvat, humoresq
per vrinas propellit: datur in albo et pituitoso mensium fluore: sumitur ex
aqua Menthae in ventriculi affectibus nam in roborando ventriculo et iecore
mirabilis est potentia:

Syrupus violarum in febrium estibus biliosis, et acutis morbis viscerum
inflammationibus, sitis inexhausta commendatur: Rosato potentias refrigerat
et humectat, unde et somniferus magis gutturis asperitates lenit. Thoracis et
pectoris totiusq ventris inferioris affectibus calidis succurrit, et siccam tussim
partes spirituales sua humoris lenitiâ oblinens delet, alvum nonnihil
emoliendo bilis acrimoniam retundit

Syr: Altheae crassam obstruentemq renum pituitam et lentam purulentamq
dorum saniem et arenulas blande ac clementer expurgat citra manifestum
calorem vrinae proleosa demulcet ardorem

Syrup de succo violarum bilis acrimoniam obtundit, ac ob lentorem
Thoracis vitijs est aptum datur a semuncia vsq ad ℥ij

Syropus de Artemisia est in apperiendis obstructionibus, ex crassis, viscidis
et glutinosis humoribus, incidit, aperit et potentissime tenuat, uteri affectibus
prodest, eumq elevatum pristinae sedi restituit, flatus et frigidos humores
quibus infestatur, aliquando etiam emovetur, dissipans, et dolores sedans
nervos roborat, Menstrua imperat materiamq contumacem expulsioni
apparat et provocat

Pimpinellæ.
Plantaginis.
Adianthi albi & nigri, ana manipul. unum.
Quatuor ſeminum frigidorum majorum & minorum, ana drachmas tres.
Coquantur ex aquæ libris ſex, dum quatuor ſuperſint, & colatura cum
Sacchari albi libris quatuor,
Fiat ſyrupus.

SYRVPVS DE ARTEMISIA *MATTHÆI DE GRADI.*

℞ Artemiſiæ manipul. duos.
Pulegii.
Calaminthæ.
Origani.
Meliſſæ.
Perſicariæ, ſive Hydropiperis.
Dictamni Cretici.
Sabinæ.
Sampſuchi, i. Majoranæ.
Chamædryos.
Perforatæ, i. Hyperici.
Chamæpityos.
Matricariæ cum flore.
Centaurii minoris.
Rutæ.
Betonicæ.
Bugloſſi, ana manipul. unum.
Radic: Fœniculi.
Apii.
Petroſelini.
Aſparagi.
Ruſci.
Saxifragiæ.
Enulæ.
Cyperi.
Rubiæ tinctorum.
Ireos.
Pœoniæ, ana unciam unam.
Baccar: Juniperi.
Sem: Leviſtici.
Petroſelini.
Apii.
Aniſi.
Nigellæ.
Carpobalſami, ſive
Cubebarum.
Coſti, ſeu Zedoariæ.
Radic: Aſari.
Pyrethri.
Caſiæ ligneæ.
Cardamomi.
Calami aromatici.
Phu, ana unciam dimidiam.
Trita, quaſſata infundantur in libris duodecim aquæ per horas viginti quatuor, poſteà decoquantur ad medietatis aquæ conſumptionem, & tunc dimittantur ab igne, donec aqua tepuerit, & fricata colentur, & colaturæ addantur Mellis & Sacchari, ana libræ duæ, Aceti acuti unciæ quatuor. Fiat Syrupus, & aromatizetur cum
Cinnamomi & Spicæ, ana drachmis tribus.
Aromata ſub finem bulliant.

SYRV-

SYRVPVS AVGVSTANVS, VEL DE RHABARBARO AVGVSTANORVM.

℞ Rhabarbari optimi,
Foliorum Sennæ, ana uncias duas semis.
Florum violarũ, manip. unum.
Cinnamomi drachmam unam semis.
Zingiberis drachmam dimidiam.
Aquarum Betonicæ.
Cichorii.
Buglossi, ana libram unam semis.

Infundantur per noctem: colatura mane facta decoquatur in syrupum cum
Sacchari electi, libris duabus, addendo
Syrupi rosati solutivi sequentis uncias quatuor.

SYRVPVS ROSATVS SOLVTIVUS SINE HELLEBORO.

℞ Myrobalanorum omnium, ana uncias duas.

Contundantur crasso modo, fricentur oleo Amigdalarum dulcium, & infundantur in libris quindecim infusionis rosarum, horis viginti quatuor, cui adde
Radicum Polypodii uncias duas semis.
Sem: Carthami unciã unã semis.
Sem: Anisi.
Fœniculi, ana drachmas sex.
Foliorum Sennæ uncias tres.
Epithymi unciam unam semis.
Corticum citri unciam unam.
Caryophyllorum unciam dimidiam.
Nucis Moschatæ drachmas tres.

Fiat rursus infusio horis viginti quatuor, quibus elapsis, fortissima fiat expressio, & adde ad liquoris singulas libras duas,
Sacchari libram unam.

Fiat syrupus. Et hic ingreditur compositionem syrupi de Rhabarbaro Augustanorum.

SYRVPVS DE CICHORIO CVM RHABARBARO.

℞ Hordei integri.
Radic: Apii.
Fœniculi.
Asparagi, ana uncias duas.
Cichorii.
Taraxaci, i. dentis leonis.
Endiviæ.
Cicerbitæ seu Sonchi lævis, ana manipul. duos.
Lactucæ domesticæ.
Lichenis, i. Hepaticæ.
Fumariæ.
Summitatum Lupuli. ana manipul. unum.
Capillorum Veneris.
Adiãthi albi, seu Rutæ Murariæ
Ceterach, seu Aspleni.

Gly-

Syrup August: ad viscerum obstructiones paratur, citra molestiam in pueris et delicatulis alvum subducens utramque bilem deturbans et est in usu prope modum quotidiano

Syrup de Cichorio cum Rhabarb: ad iecoris intemperiem calidam, obstructionem deterumque valet; splenicis et Melancholicis confert Cachexiam et viscerum impuritatem, omnemque venenatam materiam solvit, nutritionis instrumenta roborat humoresque vitiosos per urinam et secessum educit peculiariter epilepticis confert maximè pueris et eum in hoc casu mirificè commendabat Montanus, qui asserebat Nicholaum (Syrupi Authorem) ad epilepsiam removendam composuisse

Syrup: Ro: sol: sine Helleboro ingreditur compositionem Syrupi Augustiani utramque bilem purgant:

Ex hoc Syrup. interdum cochlearia vnum vel semunciam, cum modica hordei aqua cui cinamomi aliquid iniectum sit, pueris bile suffusis, vel obstructionem et duritiem viscerum expertis aut lumbricis infestatis ante cibum salubriter exhibemus: provectioribus tum viris tum mulieribus in similibus affectibus duo cochlearia cum Syrupi violacei aut rosacei solutivi vno et quaternis aquæ intybi aut hordei aut alterius morbo convenientis, valentioribus uncias duas cum vna Syrupi Ros: solutivi et aquæ cichoriæ duabus: Quod si æger delicatus sit, et febri careat aquæ ex cinamomo distillatæ cochlear vnum aut alterum admisceatur. Wecherus ex Andernaco

Ad viscerum obstructiones, febres et alia inde provenientia mala efficax sic Aug.

Glycyrrhizæ.
Semin: Alkakengi.
Cuſcutæ, ana drachmas ſex.
Coquantur in libris duodecim aquæ fontanæ ad tertiæ partis conſumptionem: in colatura diſſolve,
Sacchari libras ſex.
Cui dum fit coctio, adde
Rhabarbari uncias ſex.
Spicæ Nardi drachmas ſex.
Hæc in nodulo ex panno raro ſemel aut iterum bulliant, præmacerata calente decocto, & ſæpiùs exprimantur, & in ſyrupo jam perfectè cocto relinquantur.

SYRVPVS DIASEREOS
ANDERNACI.

℞ Intybi Latifolii ſeu Endiviæ.
Cichorii ana manipulum.
Adianthi albi.
Nigri ſeu Capillorum Veneris.
Agrimoniæ.
Scolopendrii ſeu Ceterach.
Lupuli, Fumariæ ana manip. ſemis.
Granorum Halicacabi.
Cuſcutæ ana drach: tres.
Radic: Apii.
Fœniculi.
Aſparagi ana unciam ſemis.
Polipodii Quercini unciam unam.
Glycyrrhizæ drach: ſex.
Seminis Cnici unciam unam.
Sem: quatuor frigid:
Majorum ana drach: duas.
Hordei excorticati pugill. unum.
Seminum Endiviæ.
Cichorii ana drach: unam ſemis.
Uvarum Paſſarum unciam unam.
Pruna Damaſcena, numero viginti.
Florum Borraginis.
Bugloſſæ.
Violarum ana pugillū unum.
Myrobalanorum Citrinarum.
Chebularum ana unciam ſemis.
Omnia in aqua ad tertias decoquantur, & in hujus decocti juris colati libra & ſemiſſe macerentur ſeorſim per noctem.
Rhabarbari electi unciæ duæ ſemis.
Agarici Trochiſcati uncia.
Foliorum Sennæ orient. uncia una ſemis.
Zingiberis.
Cinnamomi ana drachma.
Expreſſis colatiſque iterum adde
Sacchari optimi libram.
Syrupi roſati ſolutivi uncias tres.
Mixta omnia rurſus modice coquantur ad juſtam ſpiſſitudinem.

SYRUPUS DE EPITHYMO, *MES.*

℞ Epithymi boni drachmas viginti.
Myrobalanorum Citrinarum.
Indarum, ana drachmas quindecim.
Cuſcutæ.
Fumiterræ, ana drachmas decem.
Thymi.
Calaminthæ.
Bugloſſi.
Stœchados.
Glycyrrhizæ.
Polypodii.
Agarici.
Myrobalanorum Emblicarum.
Belliricarũ, ana drachmas ſex.
Roſarum rubrarum.
Semin: Fœniculi.
Aniſi, ana drachmas duas ſemis.
Prunorum dulcium numero viginti.
Uvarum paſſarum purgatarum uncias quatuor.
Tamarindorum, uncias duas ſemis.

Poſt macerationem viginti quatuor horarum coquantur in aquæ libris decem ad libras ſex, dein remota ab igne, exprimantur, & expreſſis addantur,

Sacchari clarificati libræ quinque.

Percoquantur in ſyrupum.

SYRUPUS DE EUPATORIO, *MES.*

℞ Radic: Apii.
Fœniculi.
Cichorii, ana uncias duas.
Glycyrrhizæ.
Schœnanthi.
Cuſcutæ.
Abſinthii.
Roſarum, ana drachmas ſex.
Capillorum Veneris.
Bedeguar. { vel ejus vice rad: Card. Mariæ.
Suchahæ { vel ejus vice rad: Caryophyllatæ.
Florum aut radicum Bugloſſi.
Sem: Aniſi.
Fœniculi.
Eupatorii, i. Agerati, ana drachmas quinque.
Rhabarbari.
Maſtiches, ana drachmas tres.
Spicæ Nardi Indicæ.
Folii, ſeu ſpicæ Romanæ, ana drachmas duas.

Coquantur in aquæ libris octo ad tertiæ partis conſumptionem; Expreſſum cum

Sacchari albi ſoluti libris quatuor,
Succorum Apii clarificati, &

Endi-

Syrup de Epithymo: viribus affinis est Syrupo fumariae, nisi quod hic calidior est magis purgat, potentius obstructiones aperit et humores melancholicos praeparat: eo itaq utimur, in humoribus et affectibus pituitosis et melancholicis a bile adusta et atra, occulta vulnera, fistulosa et sinuosa curat, foedam corporis scabiem et nigram capitis areas et impetiginem emendat: psoram, lepram cancrum Elephantiam, morbum item gallicum pellit.

Syr: de Eupat: optimus est in febribus diuturnis, tertianis nothis, ex bile aut pituita crassâ quae iecoris aut lienis obstructiones parit, partes nutritorias et concoctrices vires labefactat, aperit ~~d~~ digerit, incidit, tenuat et terget, appetentiam excitat coctionem firmat, Robur ventriculi suscitat Hydropi succurrit: Cacochymiam et Cachexiam emendat: vitiososq succos per urinas expurgat, Intemperiem frigidam delet, flatus ventriculo aut iecori innatos dissipat: Hypocondriorum dolorem et tensionem levat: totius corporis corruptionem quae male affectum ventriculum et Hepar sequitur, expurgat.

Syrup. Glicyrrhisa. Thoracem et pulmonem expurgat diuturnae tussi et pleuritidi medicatus, aperit, dilatat, terget, lenit, asperam arteriam, partes spirituales et pulmones, eosq[ue] ad expectorandam materiam roborat; incipientibus Thoracis affectibus frigidis et pituitosis saluber est, calefacit, incidit, tenuat, expurgat, lenit, siccat, eaq[ue] omnia moderatissime. tussi siccae confert

Syrup. de Hyssop. utimur in morbis Thoracis invalescentibus, ex frigida, crassa et lenta materia, ubi attenuatione, detersione, et expurgatione maiore opus est. Asthmaticis et tussientibus confert, obstructiones liberat, Hypocondriorum dolori utilis, renum calculis salutaris, Dosis circiter uncias duas:

Syrup. de Jujubinis ad tussim siccam ardoremq[ue] asperitatem, omnesq[ue] Thoracis et spiritualium partium affectus, fluxionibus calidis et tenuibus accomodatus. Sputum tenue sine calore maturat, incrassat, glutinat et expectorat; violato viribus affinis sed minus refrigerat. Ad vesicae ulcera Manardo celebris ad quae lenitore dulci frigido et mucoso ipsoq[ue] leniente opus est. Dos. a ℥ß usq[ue] ad ℥ij —

Endiviæ, ana libra dimidia.
Percoquatur in ſyrupum.

SYRVPVS è GLYCYRRHIZA, *MES.*

℞ Glycyrrhizæ recentis raſæ & contuſæ uncias duas.
Adianthi albi, ſeu Polytrichi unciam unam.
Hyſſopi ſicci unciam dimidiā.
Macerentur ſimul per horas viginti quatuor in aquæ pluviæ ferveſactæ libris quatuor, dein coquantur ad dimidias; colatura expreſſa clarificetur, cum
Mellis optimi unciis octo.
Sacchari unciis ſedecim.
Demùm coquantur in ſyrupum, additis ante perfectam illius coctionem
Aquæ roſarum rubrarum ſtillatitiæ unciis ſex.

SYRVPVS DE HYSSOPO, *MES.*

℞ Aquæ fontanæ libras octo.
In quibus circiter horam dimidiam coquatur,
Hordei mundati uncia dimidia.
Dein injiciantur
Radicum Apii.
Petroſelini,
Fœniculi,
Glycyrrhizæ, inciſarum, ana drachmæ decem.
Et per quartam horæ partem elixentur; poſteà addantur
Jujubarum,
Sebeſten, ana numero triginta.
Paſſularum mundatarū uncia una ſemis.
Ficuum ſiccarum,
Dactylorum pinguium, ana numero decem.
Mox imponantur
Semin: Malvæ.
Cydoniorum.
Tragacanthæ linteo raro incluſorum, ana drachmæ tres.
Poſtremò indantur,
Hyſſopi mediocriter ſicci drachmæ decem.
Capillorū Veneris drachmæ ſex.
Coquantur ad libras tres, expreſſioni clarificatæ adde,
Sacchari libras duas ſemis.
Fiat ſyrupus.

SYRVPVS JVJVBINVS, *MES.*

℞ Jujubarum numero ſexaginta.
Violarum.
Semin: Malvæ, ana drachmas quinque.
Capillorum Veneris.
Glycyrrhizæ raſæ & tuſæ.
Hordei mundati excorticati, ana unciam unam.
Semin: Papaveris albi.

Melo-

Melonum.
Lactucæ.
Cydoniorum.
Gummi Tragacanthæ, ana drachmas tres. } in nodulo.
Coquantur in libris sex aquæ pluvialis vel fontanæ ad dimidias, adde colatis
Sacchari libras duas.
Fiat Syrupus.

SYRVPVS EX IVA ARTHRITICA, Seu DE CHAMÆPITY.

℞ Chamæpityos manipul. duos.
Salviæ.
Rorismarini.
Lolii.
Origani.
Calaminthæ.
Mentastri.
Pulegii.
Hyssopi.
Thymi.
Rutæ sativæ & sylvestris.
Betonicæ.
Serpylli, ana manipul. unum.
Radic: Acori.
Aristolochiæ { longæ. rotundæ.
Bryoniæ.
Dictamni.
Gentianæ.
Peucedani.
Phu, ana unciam unam semis.
Radic: Apii.
Asparagi.
Fœniculi.
Petroselini.
Rusci, ana unciam unam.
Stœchados.
Semin: Anisi.
Ammeos.
Carui.
Fœniculi.
Ligustici.
Seseleos, ana drachmas tres.
Radic: Pyrethri unciam semis.
Passularum uncias duas.
Coquantur ex aquæ q. s. posteà cum
Mellis, &
Sacchari, ana libris duabus
Para, & aromatiza
Cinnamomo.
Nuce Moschatâ, &
Cubebis. s. a.

SYRVPVS MAGISTRALIS AD *MELANCHOLIAM.*

℞ Succi Pomorum odoriferorum (vulgò **Pearemaynes**) sesquilibram.
Borraginis.
Buglossi, ana uncias novem.
Fol: Sennæ orientalis mundatæ semilibram.
Semin: Anisi.
Fœniculi dulcis, ana drachmas

Syrupus hic magistralis vadatur ad eam Compositionem ad quam Syrupus de pomis Regis Sapor
(vi pag 38) ut titulus luculenter indicat; sed cum hac differentia, quod
magistralis hic fortius Melancholicam dissolvit, ut considerari licet ex
additione Epythymi et aucta quantitate fol: Sennae, tum etiam universa-
lior esse videtur, ut potè et flavam bilem et pituitam expurgat ut
ex additione Rhabarbari et Agarici manifestum est —

Syrupus de mintha maior ventriculum frigidum roborat, ob id nauseam vomitum, singultum, lienteriam [illegible] sedat

Syrup Melissop: omnium maxime cordis palpationi et syncopae succurrit peculiariter vero pestilentiam et venenatam in morborum malignitatem obtundit et arcet:

mas tres.
Epithymi Cretensis uncias duas.
Agarici albissimi.
Rhabarbari optimi, ana semunciam.
Zingiberis.
Macis, ana scrupulos quatuor.
Cinnamomi scrupulos duos.
Croci semidrachmam.

Agaricus & Senna concisa cum seminibus, Zingibere, atque Mace crassiusculè contusis, macerentur cum Epithymo in succis præscriptis, horas viginti quatuor. Bulliant deinde lento igne, usque ad despumationem, & per manicam Hippoc: colentur. Colaturæ jam factæ adjiciatur Sacchari albissimi sesquilibra, & coquantur s. a. nec sine despumatione, ad consistentiam Syrupi, modò inter coquendum, Crocus panno lineo ligatus infricetur. Tum demùm admisceatur Infusio Rhabarbari concisi, cum Cinnamomo crassiusculè cõtuso, in Vini albi, & succi Pomorum, ana unciis duabus, interim facta, & fortiter expressa. Denuò ferveant parùm commista ad ignem pro syrupo.

SYRVPVS MELISSOPHYLLI, *FERNELII.*

℞ Radic: Dictamni.
Pentaphylli.
Vetonicæ.
Doronici Romani, ana unciam dimidiam.
Folior: Melissophylli.
Stœbes, vel Scabiosæ.
Succisæ, i. Morsus Diaboli.
Florum Buglossi utriusque, &
Rorismarini, ana manipul. unum.
Semin: Oxalidis.
Citrii mali.
Fœniculi.
Cardui benedicti.
Ocimi, ana drachmas tres.

Coquantur in aquæ libris quatuor ad dimidias: expresso adde,
Sacchari albi libras tres.
Succi Melissæ.
Aquæ Rosarum, ana libram dimidiam.

Percoquantur in syrupum condiendum, cum
Cinnamomi &
Santali Citrini, ana uncia dimidia.

SYRVPVS DE MENTHA MAJOR, *MES.*

℞ Succi Cydoniorum dulcium & muzorum, i. acidodulcium.
Succi Granatorum acidodulcium, dulcium, acidorum, ana libram unam semis.

In succis mistis macera per horas viginti quatuor.

Menthæ ſiccæ libram unam ſemis.
Roſarum rubrarum uncias duas.
Coquantur ad dimidias, colentur, & addendo,
Sacchari libras quatuor,
Coquantur ad Syrupum : cùm reponitur, aromatizetur cum
Galliæ Moſchatæ tritæ & in ſyndone ligatæ, & ex orificio vaſis ſuſpenſæ drachma una.

SYRVPVS MYRTINVS *NICOLAI.*

℞ Baccarum Myrti uncias duas ſemis.
Santali albi & rubri.
Sumach ſeu Rhois Culinariæ.
Balauſtiorum.
Berberorum.
Roſarum rubrarum, ana unciā ſemis.
Meſpilorum libram dimidiam.
Contuſa omnia coquantur in libris octo aquæ fontis ad medias, expreſſo adde,
Succi Cydoniorum.
Granatorum acidorum, ana uncias ſex.
Sacchari libras tres.
Coque in Syrupum ſ. a.

SYRVPVS DE POMIS *FERNELII.*

℞ Succi Malorum noſtratium vocatorum
Pearemayns vel **Pippins** libras quatuor.
Succorum Bugloſſi domeſtici, ſylveſtris.
Aquæ Roſarum ſtillatitiæ.
Succi Violarum è foliis, ana libram unam.
Coque ſimul, & depurentur, deinde adde
Sacchari libras ſex.
Percoquantur in Syrupum.

SYRVPVS DE POMIS REGIS SAPORIS. *MES.*

℞ Succi Pomorum dulcium libras duas.
Succi Borraginis,
Bugloſſi, ana libram unā ſemis.
Foliorum Sennæ uncias duas.
Sem: Aniſi unciam ſemis.
Croci drachmam unam.
Senna maceretur viginti quatuor horis in ſuccis, ſemel aut bis fervefiat, coletur, & cum
Sacchari libris duabus,
Percoquatur in ſyrupum ſ. a. Crocus in petia ligatus inter coquendum confricetur.

SYRV-

Syrup de pomis, tetros melancholicos vapores infringit pavores moerores, furoremq sedat et exhilerat:

Syrup Myrtinus efficax ad affectus pectoris et thoracis, ubi indicationes sunt contrariæ, et astringentibus simul et vacuantibus atendum, ut in Hæ= morragiâ pulmonum, tussi callidâ et tenui ventris profluvium sanat: Hæmor ragiam omnem, et pectoris, renum, uteri et abundantia menstrua cohibet Diabetem reprimit, et omnem mosicam sistit, quia refrigerat, siccat et astringit: viscera ab intemperia calidâ calefacta imbecilla et resoluta confirmat, ventriculi subversionem et vomitum compescit tussi ex distillatione acri et calidâ succurrit, præcipuè eam sedat quæ ventris profluvium sequitur.

Syrup de pomis Regis saporis utimur ad omnes affectus melancholicos maniam, melancholiam: Cordis robur plurimum auget. Hic Syrupus Sapori medorum regi a quo captus est Valerianus Imperator) attribuitur et Mesue adscribitur.

Syrup de Prasio validissime incidit, tenuat, detergit, expurgatq Thoracis et pulmonum vitia, strenuè confert inveteratis affectibus, ex crassa lentaq pituita ut asthmati; tussi veteri, empyematis, quin etiam peripneumonia et pleuritidi iam inclinatis confert

Syrup Raphani renes et vesicam validius expurgat, calculos comminuit arenulas exturbat, suppressam urinam deducit

SYRVPVS DE PRASIO. FER.

℞ Prasii albi recentis uncias duas.
Glycyrrhizæ.
Polypodii quercini.
Radic: Apii.
Fœniculi, ana unciam dimidiam.
Adianthi albi.
Origani.
Hyssopi.
Calaminthæ.
Thymi.
Stœbes, vel Scabiosæ.
Satureiæ.
Tussilaginis, ana drachmas sex.
Semin: Anisi.
Bombacis, ana drachmas tres.
Uvarum Passarum expurgatarum, uncias duas.
Caricarum pinguium, numero decem.
Coquantur in libris octo hydromelitis diluti ad dimidias; expressum coquatur in syrupum, cum
Mellis & Sacchari albi, ana libris duabus.
Condiatur,
Radic: Iridis Florentinæ unciâ unâ.

SYRVPVS RAPHANI. *FERNELII.*

℞ Radicum Raphani domestici,
Sylvestris, seu Rusticani, ana unciam unam.
Radic: Saxifragæ albæ.
Rusci.
Levistici.
Eryngii.
Ononidis.
Petroselini.
Fœniculi, ana unciam dimidiam.
Folior: Betonicæ.
Pimpinellæ.
Pulegii.
Cymarum urticæ.
Nasturtii aquatici.
Crithmi.
Callitrichi, seu Capillorum Veneris, ana manipul. unum.
Fructuum Halicacabi,
Zizyphorum, ana numero viginti.
Semin: Ocimi.
Bardanæ.
Petroselini Macedonici.
Seseleos.
Carui.
Dauci.
Lithospermi.
Cortic: Radic: Lauri, ana drachmas duas.
Uvarum passarũ expurgatarũ.
Glycyrrhizæ, ana drachmas sex.
Coquantur secundùm artem in libris duodecim aquæ dum octo supersint, è quibus colatis, cum
Sacchari libris quatuor, &
Mellis expumati libris duabus,
fiat syrupus clarus & conditus.

Cinnamomi unciâ unâ,
Nucis Moſchatæ unciâ dimidiâ.

SYRVPVS DE QVINQVE RADICIBVS, *MES.*

℞ Radic: Apii.
Fœniculi.
Petroſelini.
Ruſci.
Aſparagi, ana uncias duas.
Aquæ fontis libras ſex.
Coquantur ad tertiæ partis conſumptionem, expreſſum coquatur denuò cum
Sacchari libris tribus,
Addendo in fine
Aceti vini albi uncias octo.

SYRVPVS SCABIOSÆ COMPOSITVS MAGISTRALIS.

℞ Radic: Enulæ Campanæ.
Polypodii quercini, ana uncias duas.
Macerentur in vino albo horas 24.
Paſſularum majorum enucleatarum unciam unam.
Sebeſten numero viginti.
Farfaræ.
Pulmonariæ.
Satureiæ.
Calamenthæ, ana ſeſquimanipulum:
Glycyrrhizæ raſæ ſemunciam.
Tabaci optimi folium unum integrum.
Sem: Urticæ,
Bombacis, ana drachmas tres.
Coquantur in ſ. q. aquæ mulſæ dilutæ, ad uncias octo. Quibus adde percolatis
Succi Scabioſæ depurati uncias quatuor.
Sacchari albiſſimi uncias decem.
Fiat ſyrupus ſ. a. clarificatus, ſuperaddendo deinde,
Olei Sulphuris guttas viginti.

SYRVPVS DE SCOLOPENDRIO, *FERNELII.*

℞ Polypodii è quercu.
Radic: utriuſque Bugloſſi.
Cortic: Radic: Capparis.
Cortic: Tamariſci, ana uncias duas.
Scolopendrii veri manip. tres.
Lupi ſalictarii.
Caſſuthæ.
Capillorum Veneris.
Meliſſophylli, ana manip duos.
Coquantur in aquæ libris novem, dum ad quinque redeant, Colato adde
Sacchari albi libras quatuor.
Percoquantur in ſyrupum expurgatum & clarum.

Syrup de quinq radicib: humorem crassum incidit, potenter et apparat obstructionesq magnopere attenuat, febres longas fugat et urinas movet ventriculum, hepar et splenem refrigerium liberat

Syrup de Scolop: crassam atramq melancholicam attenuat mollit fluxamq reddit, lienem obstructione liberat, tumoremq solvit melancholicis quartanis diuturnisq febricitantibus apprimè utilis

Syrup. de Stoecade, cerebri atq nervorum affectibus frigidis et Paralysi Epilepsiæ Convulsioni, tremori et destillationi e capite quovis procumbenti mirè conven

Syrup. R. [illegible] in magnis animi deliquijs multum præstare potest

Syrup. de Symphyto: tabidorum et ulceratorum pulmonum saniem et pu tridam leniter expurgat, sive malè eruptiones sanguinis, pulmonesq pariter corroborat

SYRVPVS DE STOECHADE, *MES.*

℞ Florum Stœchados uncias quatuor.
Thymi,
Calaminthæ,
Origani, ana unciam unã semis.
Salviæ.
Betonicæ.
Florum Rorismarini, ana unciam dimidiam.
Semin: Rutæ,
Pœoniæ,
Fœniculi, ana drachmas tres.
Coquantur ex aquæ libris decem ad dimidias: expressum cum
Sacchari, &
Mellis, ana libris duabus
denuò coquatur in syrupum.
Condiatur cum
Cinnamomi,
Zingiberis,
Calami odorati, ana drachmis duabus.
Quæ raro linteo illigata in syrupum sint appensa.

SYRVPVS DE SYMPHYTO, *FERNELII.*

℞ Radic: & Cymarum Symphyti majoris, minoris, ana manip. tres.
Rosarum rubrarum,
Betonicæ,
Plantaginis,
Pimpinellæ,
Polygoni,
Scabiosæ,
Tussilaginis, ana manipulos duos.
E tusis omnibus recentibus exprimatur succus; coquatur ad libras tres, & expumetur, addendo
Sacchari albi libras duas semis.
Fiat syrupus.

SYRVPVS CARDIACVS, VEL JVLEPVM CARDIACVM, NOR.

℞ Vini generosi Rhenensis libras duas.
Aquæ Rosaceæ uncias duas semis.
Caryophyllorum scrupulos duos.
Cinnamomi drachmam mediam.
Zingiberis scrupulos duos.
Sacchari optimi uncias tres cum dimidiâ.
Decoquantur ad consistentiam Julepi, posteà addantur,
Ambræ grana tria,
Moschi granum unum.

MELITA ET OXYMELITA.

DIACARYON SEU DIANUCUM, *GALENI.*

℞ Succi nucum Juglandium viridium ab externo cortice expressi libras duas.
Coquendo inspissetur, & additâ
Mellis librâ unâ.
Rursus percoquantur ad mellis consistentiam.

DIACODIUM, *GALENI.*

℞ Capita Papaveris albi, nec nimiùm viridia, nec nimiùm matura, numero viginti.
Aquæ pluviæ aut fontanæ libras tres.
Macera horis viginti quatuor, post coque, donec capita contabuerint, dein cola, & colaturæ adde
Mellis libras duas.
Coque ad justam consistentiam.
Fit & cum
Sapæ Vini dulcis libris duabus,
Succi Glycyrrhizæ unciis duabus.

DIAMORON, *NICOLAI.*

℞ Succi Mororum, Celsi & Rubi immaturorum, ana libram unam semis.
Mellis libras duas.
Coquantur lento igne s. a. ad mellis consistentiam.

MEL ANTHOSATUM, *MES.*

℞ Florum Rorismarini libram unam.
Mellis boni benè despumati libras tres.
Misce in Olla vitrea, vel vitreata, oris non valdè patuli; insola & serva ad usus.

MEL è MERCURIALI.

℞ Succi Mercurialis libras tres.
Mellis libras duas.
Coque ad mellis consistentiam.

MEL PASSULARUM, *NICOLAI.*

℞ Uvarum passarum ab acinis purgatarum, libras duas.
Insunde viginti quatuor horas in libris sex aquæ calentis, deinde coque ad medietatem, colaturâ fortiter expressâ, denuò coquantur ad consistentiam mellis, cum libris duabus mellis despumati.

MEL

Diacaryon stomachicum est, medicamentum Armeniacum, [illegible] ad oris phlegmonas et Synanchas, destillationes tenues in fauces et praefocantes, pueris mulieribus et naturis humidis magnopere commodatum occurrit apud Gall: κατὰ τόπους cap: 2

Mel Anthosatum cephalicam vim habet, et nervinam, utiliter miscetur clysmis ad Lethargum, Apoplexiam et Comatosos affectus praescriptis. frigidas intemperies partium calore suo corrigit, et flatus dissipat.

Diacodii Gal: usus est in destillationibus tenuibus e capite in asperam arteriam, ex perpetua tussi et somnum [illegible] parientibus. Quod si magna humoris copia ex capite circa pulmones consisterit: confectio ex melle melior est quemadmodum somno opus habentibus ea quae ex sapa constat dos a ʒij usque ad ℥j

Mel mercuriale vix aliis usibus inservit quam clysteribus parandis ut eorum vis fit magis abstersiva et purgatoria

Mel Passulatum palato admodum gratum est vimque bechicam habet proinde eclegmatum quorundam aptis compositionibus ingreditur ut Eclegmatis de pino apud Mesuem

Diamoron Nicholai phlegmonas oris partium, ut Columellae, faucium et eas a quibus impendit suffocationis periculum sanat, ad serpentia itaque oris ulcera tonsillarum inflammationes, anginaeque principia utimur

Mel Rosa: com. stomachum confortat et mundificat, et est digestiuum materiarum phlegmaticarum in stomacho et mesaraicis contentarum

Mel [illegible] ventriculum roborat, detergit [illegible] humores [illegible] et coctionem [illegible] [illegible] oris phlegmonem, gingiuarum et [illegible]

[illegible] magna [illegible] crassos [illegible], lenta incidendi [illegible] detergendi, obstructa aperiendi [illegible] sine manifesto calore [illegible] [illegible] et nothis, ex [illegible] bile et pituita enatis conuenit humidis natura et frigidis [illegible] pituitosam [illegible] coaceruantibus aptum. [illegible] tamen et [illegible] laedere [illegible], ~~[illegible]~~ [illegible] potius [illegible] quam prouocare: unde in [illegible] in maioribus [illegible] pectoris [illegible] [illegible] in principio [illegible] existente materia propter aceti acrimoniam quod tussim prouocaret, cum tamen ante [illegible] materia [illegible] non [illegible] [illegible] [illegible] [illegible] ad expulsionem, [illegible] viribus decidit et tandem suffocatum [illegible]

[illegible] Mel [illegible] superiore [illegible] praecedentibus et [illegible] materias [illegible] apparat, [illegible] [illegible] ex bile crassa et pituita [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] promouet [illegible] materiam

Mel [illegible] [illegible] a [illegible] nisi quod hoc magis quam [illegible] pituitam abstergat nec non appetitum excitet

MEL ROSARVM COMMVNE, *MES.*

℞ Rosarum rubrarum nondum penitùs apertarum libras duas.
Mellis optimi libras sex.
Insolentur secundùm artem.

MEL ROSARVM *NICOLAI.*

℞ Mellis albissimi optimi despumati libras decem.
Succi recentium Rosarum rubrarum libram unam.
Ponantur in Cacabo ad ignem, & cum bullire incœperint, adde
Rosarum rubrarum recentium cum forcipibus vel cultello incisarum ab unguibus libras quatuor.
Bulliantque ad consumptionem succi, continuè agitando. Colatura ponatur in vase fictili & servetur ad usum.

MEL ROSARVM SOLVTIVUM.

℞ Infusionis rosarum pallidarum multiplicis libras quinque,
Mellis despumati libras quatuor,
Coquantur in Syrupi consistentiam.
Simili modo paretur Mel Rosarum ex infusionibus rosarum rubrarum.

MEL VIOLARVM.

Mel Violarum eodem modo paratur, quo mel rosarum.

OXYMEL SIMPLEX, *MES.*

℞ Mellis optimi, aromatici, & despumati, libras quatuor.
Aquæ purissimæ,
Aceti optimi, ana libras duas.
Coquantur secundum artem, donec Syrupi liquidioris consistentiam acquirant; cavendum ne nimiâ coctione fiat ingratum.

OXYMEL COMPOSITVM, *MES.*

℞ Cortic: Radic: mundat: incisar:
Fœniculi,
Apii,
Petroselini,
Rusci,
Asparagi, ana uncias duas.
Semin: Apii,
Petroselini,
Fœniculi,
Anisi, ana unciam unam.
Aquæ libras sex.
Aceti optimi libram unam semis.
Mellis despumati libras tres.

Coquantur ſecundùm artem, ad Syrupi liquidioris conſiſtentiam.

OXYMEL ELLEBORATUM GESNERI MAJUS.

℞ Rutæ,
Thymi capitati,
Dictamni Cretici,
Comæ Hyſſopi,
Pulegii,
Marrhubii,
Cardui benedicti,
Radicularum Nardi Celticæ ſine foliis,
Cortic: Sambuci interiorum, ana manipul. unum.
Calaminthæ Cattariæ montanæ pugil. duas.
Semin: Aniſi,
Fœniculi,
Ocimi,
Urticæ Romanæ,
Anethi, ana drachmas duas.
Radic: Angelicæ,
Althææ,
Ari,
Scillæ præparatæ.
Ariſtolochiæ, { rotundæ, longæ, clematitidis,
Turpeti,
Iridis noſtræ,
Coſti, qui violas olet, aut Zedoariæ,
Polypodii,
Cortic: Limonum, ana unciam unam:
Ellebori nigri fibrarum integrarum,
Eſulæ, ana drachmas duas.
Cortic: Radic: Ellebori albi unciam dimidiam.
Agarici drachmas duas, quas ſub finem decoctionis injicies.

Omnia ſicca, trita, infundantur in * Poſcæ (factæ ex æquis partibus aquæ & aceti) libris octo, Sapæ unciis duabus; triduo in Sole, vel ad fornacem, in vitreo, aut figulino vaſe obturato: Tum decoquantur in terreo aut lapideo tornato vaſe ad dimidium ferè: cocta colabis modicè exprimendo, addeſque,
Mellis Roſacei, in quo unciæ duæ corticis Citri fuerint infuſæ libram unam ſemis, & ad conſumptionem poſcæ decoques, ut fiat Syrupus, qui ſub finem aromatizetur, cum
Caryophyllorum,
Croci,
Zingiberis,
Galangæ,
Macis, in ſacculo ſuſpenſorum, ana drachmâ unâ.
Servetur in vaſe vitreo, aut fictili vitreato.

OXYMEL JULIANIZANS.

℞ Corticum radicum Capparum,
Radic: Ireos,

Oxymelitis Elleborati majoris Gesneri dosis ʒij idq bis aut ter tantum mirificè abstergit, meatus aperit, humores omnes, omnia excrementa, e corpore pretrudit, omnes meatus intus forasq reserat. A centro ad superficiem pellit, unde fieri solet: exanthemata, aut pustulas aliquibus aliosve tumores excitat, qui alioquin circa interiora forte colligerentur, quamobrem ad praeservationem a peste usum eius perutilem futurum non dubitarem; ulcera habentibus, vim eius statim in ipsis ulceribus penetrantem et aperientem sentiunt: praecipua eius vis in Epilepsia, Asthmate, et omnibus ferè morbis a materia frigida crassa tenace, ex phlegmate aut melancholia dependentibus, in capite, ventriculo, Thorace, Jecore renibus, liena, utero articulis, menses manifeste provocat; expellit, albos si diebus aliquot sumatur, et postea dentur pilulae convenientes, ut de Hiera simplici cum Agarica, et Radicibus Asari; urinam clariorem perficere: sanguinem concretum venis dissipat etiam in thorace, instante suffocationis periculo per se vel cum modico Rhabarbaro: Epilepsiam non confirmatam curat, lumbricos pellit, pueris etiam dari potest cum pauca sapa, aut Rob. Cerasorum, aut utrisq mixtis; sitim aufert cum aliis plerisque tum Hydropicis: spirationem facilitat: Asthma, et orthopnoeam curat. Et sanguinem pellit qui dum abundat per proprios meatus, ut nares vel haemorrhoidas, vel uterum; et hac ratione natura, quod redundat, evacuante a venae sectione abstinere possumus; in debilioribus praesertim et puerperis cum plenitudine aut alio morbo venae sectionem requirente laborent: vide plura de hoc et minore apud Conradum Gesnerum libello de Oxymelite elleborato

Mel Anacardinum Azaragy memoriae iacturam resarcit, labantes sensus reficiat, oblivionem discutit, et mentem exacuit, morbis cerebri frigidis, et humidis confert, nervorumque resolutionibus opitulatur

Mel [illegible] non est in usu, ut nec mel passularum, nam pro eo utimur ~~Lo~~ hoca passularum de quo vide pag. 48

Oxymel [illegible] simp. Mesue ad cerebri, pulmonis, ventriculi affectus pituitosos aut melancholicos etiam contumaces valet. eo utimur in Epilepticorum insultibus, ipsoque paroxysmo Asthmaticis quoque plurimum confert

Oxymel Scill. Democr: Epilepsiam, vertiginem, cephalalgiam, Hemicraniam cerebri et pulmonis obstructiones ab humoribus valentes impacti faciat:

Fœniculi,
Petroselini,
Rusci,
Cichorii,
Asparagi,
Cyperi, ana unciam dimidiam.
Herb: Scolopendriæ,
Scœnanthûs,
Tamaricis, ana manipul: medium.
Semin: Fœniculi dulcis unciam dimidiam.

Coquantur post debitam infusionem in * Poscæ acidioris libris tribus ad libram unam semis: ex colatura cum
Mellis optimi, &
Sacchari despumatorum, ana libra dimidia.
Fiat decoctio ad syrupi consistentiam.

* Posca fit ex Aqua & Aceto, idq; ex re præsenti, vel acidior, vel dilutior, pro intentione Medici.

OXYMEL SCILLITICVM SIMPLEX, *NICOLAI.*

℞ Mellis despumati libras tres.
Aceti Scillitici libras duas.
Coquantur secundùm artem.

OXYMEL SCILLITICVM DEMOCRITI, *MES.*

℞ Origani,
Hyssopi sicci,
Thymi,
Ligustici,
Cardamomi,
Stœchados, ana drachmas quinque.
Coque in libris tribus aquæ ad librarum duarum consumptionem, colaturam percoque cum
Mellis libris duabus.
Mellis Passulati libra dimidia.
Succi Bryoniæ unciis quinque.
Aceti Scillitici libra una semis.
Semper despumando in syrupum.

MEL ANACARDINVM, *AZARAVII.*

℞ Anacardios recentes, tere, & in aqua decoque, donec mellaginem quandam in rubeo colore fuscam remittant, eam aquæ innatantem auferto, ac reponito.

MEL EMBLICARVM, *AVG.*

℞ Myrobalanorum Emblicarum numero quinquaginta..
Contundantur mediocriter, & decoquantur in libris tribus Aquæ ad consumptionem librarum duarum: residuo colato adde Mellis tantundem, & ad justam consistentiam mellis percoque.

ROB



ROB SIVE SAPÆ ET SVCCI.

ROB SIVE SAPA SIMPLICITER.

℞ Vini recenter, ex uvis albis, generosis & maturis expressi, libras duodecim.

Coque igne lento, donec libræ tantùm quatuor supersint, vel ut consistentiam mellis acquirant. Repone in vase vitreo, vel fictili vitreato.

ROB DE BERBERIS.

℞ Succi Berberorum optimè colati libras octo.

Coque igne lento ad consistentiam mellis, repone in vase vitreo aut fictili. Paratur etiam cum sacchаro, addendo pro singulis libris succi, sacchari libram unam, & coquendo ad mellis spissitudinem.

ROB DE CORNIS.

℞ Succi pulpæ Cornorum libras duas.
Sacchari libram unam semis.

Coquantur secundùm artem, ad mellis consistentiam.

ROB CYDONIORVM.

℞ Succi Cydoniorum depurati libras sex.

Coque ad duarum partium consumptionem,, addendo sacchari libras duas, denuò bulliant ad mellis spissitudinem : & potest parari sine Saccharo.

ROB PRVNORVM ACIDORVM.

Fit ex succo Prunorum acidorũ, ut Cydoniorum.

ROB

Rob de cornis: astringit, unde in fluxibus ventris, dysenteria, lienteria, et coeliaca confert, ejusdem propemodum facultatis est, Rob de Agresta cui illud etiam accedit, quod contagiosis morbis confert, et fluxibus colliquantibus ac malignis

Rob sive sapa detergit leniter; syrupis pectori idoneis accomodatur, inde non compositionibus diacodion, ad defluxiones capitis sistendas eadem mensurâ qua saccharum adhibetur

Rob de berberis, ad refrigerandum, adstringendum, et ventriculum caeteraque viscera fervoris intemperie dissoluta recreanda et confirmanda proficuum. Sitim restringit, partim eam quae ex ventriculo concalefacto, tum eam quae ex cordis omniumque partium intemperie siccâ callidâ orta est: Calorem febrilem mitigat ventriculum firmat, vomitum biliosum reprimit, biliosas alvi dejectiones sistit, cholerae medetur, Haemorrhagiam curat. Cardiacis succurrit, pestilente caelo efficax, undique nata exanthemata sanat, et ebrietati resistit

Rob Berberis ventriculum firmat, vomitum biliosum reprimit, sitim restinguit alvique excretiones biliosas sistit; sed frigidis et pectoris angustijs adversatur

Vinum Cydoniorum alvj profluvia biliosa reprimit, ventriculum et caetera viscera firmat, et vomitum reprimit

Succus Glycyrrhizae in omnibus qualitatibus temperata dicitur, ad calorem tamen magis accedit; Asperitates lenit arteriae et vesicae scabrae, tussi convenit, expectoratum movet, et ad pulmonis et Thoracis omnia vitia utilis

ROB DE RIBES.

Paratur ut Rob de Berberis. Ut autem probè ſuccus depuretur, debet priùs calefieri, dein reſideat, ut clareſcat, tum lento igne coquatur. Sic enim ſpiſſitudinem idoneam acquiret.

SVCCVS PRVNELLORVM PRO ACACIA SVBSTITVTVS.

℞ Succi Prunellorum ſylveſtrium ſ. a. depurati q. v. inſpiſſetur lento Balnei calore ad juſtam conſiſtentiam.

Succi inſpiſſati ex Abſinthio,
Eupatorio,
Fumaria,
& reliquis quibuſvis,
fiunt ex herbis ipſis tenellis, non adultis, contuſis, expreſſis, & ad ignem fervefactis, donec bullire incipiunt, denuóq; colatis, & ad juſtam ſpiſſitudinem lento igne evaporatis.

SVCCVS GLYCYRRHIZÆ.

℞ Radicum Glycyrrhizæ boni ſaporis probè mundatarum & parùm contuſarum q. v. macerentur per triduũ in aquæ fontanæ eâ quantitate, ut duobus vel tribus aqua ſupereminceat digitis: dein parùm ferveſiant & colentur: expreſſus denuò liquor levitèr coquatur ad juſtam ſpiſſitudinem, & in placentulas, Trochiſcos, aliaſve ad placitum formas effingatur.

MIVA CYDONIORVM, MES.

℞ Succi Cydoniorum depurati libras duodecim.

Coquantur ad medietatis conſumptionem; tum adde vini albi veteris libras quinque.

Coquantur lento igne, ſæpiùs deſpumentur ad tertiæ partis abſumptionem. Poſtquam reſederint, cola, & adde Sacchari ſat puri libras tres.

Coquantur ad juſtam Mivæ conſiſtentiam.

LOHOCH,



LOHOCH, SIVE ECLEGMATA.

LOHOCH è CAVLIBVS.
GORDONII.

℞ Succi Caulium rubearum depurati & clarificati libram unam.
Croci drachmas tres.
Mellis despumati,
Sacchari, ana libram dimidiam.
Fiat Lohoch s. a.

LOHOCH DE PAPAVERE.
MES.

℞ Papaveris albi drachmas viginti quinque.
Amygdalarum dulcium,
Nucleorum Pineorum,
Gum: Arabici,
Tragacanthi,
Succi Glycyrrhizæ, ana drachmas decem.
Amyli drachmas tres.
Semin: Portulacæ,
Lactucæ,
Cydoniorum, ana unciam dimidiam.
Croci drachmam unam.
Penidiorum alborum uncias quatuor.
Syrupi de Papavere minus compositi (quem vide pag. 28.) libras tres. Omnia contundantur & incidantur & cum syrupo excipiantur secundùm artem.

LOHOCH è PASSVLIS.
AVG.

℞ Radic: Pœoniæ maris unciam dimidiam.
Hyssopi.
Melissæ.

Scolo-

Lohoch e caulibus a vetero numeratur inter ecligmata abstergentia; sed usus eius paene exolevit

Lohoch de papavere efficax est in destillationibus tenuibus, quae acrem salsum tenuem et liquatam materiam in thoracem demittunt, fauces asperant, qui insomnium et febrim pariunt, confert etiam febribus ardentibus dolenti thoraci et pleuritidi.

Lohoch passularum in frequenti usu est nostris ad tussim et pectoris vitia maxime in pueris, iisdemque Epilepticis propter paeoniae radices ingredientes.

Augustan

[illegible] Tussi, doloribus, difficultati spiritus et asthmati succurrit; humores in Thorace crassos incidit et extenuat

Lo[illegible] [illegible] vires abstergit et consolidat ulcera pectoris et pulmonis et praeferendum est aliis remediis in phthisi

[illegible] et expertum tussi [illegible] asperitati et raucedini a frigiditate nata auxilio est. Crassos in Thorace et pulmone humores extenuat et incidit [illegible] calidioribus et tussi calidae suspectum. Datur [illegible] a ʒii ad ʒx

Scolopendrii, sive Ceterach, ana manipul. dimidium.
Glycyrrhizæ unciam dimidiam.

Decoquantur in sufficienti quantitate aquæ pluviæ, Colaturæ cum expressione valida factæ, addatur Passularum exacinatarum in mortario benè contusarum libra una:

Rursum fiat decoctio, & per pannum lineum validè exprimatur, expressioni adde

Sacchari libram unam.

Fiat Lohoch.

LOHOCH è PINO, *MES.*

℞ Nucleorum Pineorum drachmas triginta.
Amygdalarum dulcium,
Avellanarum assatarum,
Gum: Tragacanthi,
Arabici,
Pulver: Glycyrrhizæ, & succi ejusdem,
Amyli,
Capillorum Veneris,
Radic: Ireos, ana unciam dimidiam.
Carnis dactylorum fulvorum drachmas triginta quinque.
Amygdalarum amararũ drachmas tres.
Mellis Passulati,
Sacchari albi tabarzet,
Bûtyri recentis, ana uncias quatuor.
Mellis optimi q. s. aut libras tres.

Dissolvantur quæ dissolvẽda sunt, in sufficienti quantitate decocti Capillorum Veneris, & reliqua addantur secundùm artem, ut fiat Lohoch.

LOHOCH è PULMONE VULPIS, *MES.*

℞ Pulmonis vulpis præparati,
Succi Glycyrrhizæ,
Capillorum Veneris,
Semin: Anisi,
Fœniculi, ana unciam unam.
Sacchari aqua Tussilaginis clarificati uncias quindecim.

Tritis terendis tenuissimè Sacharo excipiantur omnia & ad debitam formam redigantur.

LOHOCH SANUM ET EXPERTUM. *MES.*

℞ Cinnamomi,
Hyssopi siccæ,
Glycyrrhizæ, ana unciam dimidiam.
Jujubarum,
Sebesten, ana numero triginta.
Uvarum passarum enucleatarũ,
Ficuum siccarum,
Dactylorum pinguium, ana uncias duas.
Semin: Lini,
Fœnugræci, ana drachmas quinque.

Capillorum Veneris manipul. unum.
Semin: Anisi,
Fœniculi,
Radic: Iridis,
Calaminthæ, ana unciam dimidiam.
Coquantur s. a. in aquæ clarissimæ libris quatuor ad consumptionem medietatis: colaturæ expressæ adde
Sacchari albissimi libras duas.
Coquantur rursum ad consistentiam syrupi, posteà insperge sequentia minutissimè incisa & contusa,
Nucleorum Pineorum mundatorum drachmas quinque.
Amygdalarum dulcium,
Glycyrrhizæ,
Gum: Tragacanthi,
Arabici,
Amyli, ana drachmas tres.
Radic: Ireos drachmas duas.
Agitentur omnia simul diligenter & celeriter, donec albescant.

ECLEGMA SCILLITICVM.
MES.

℞ Succi Scillæ depurati.
Mellis despumati ana libras duas.
Coquantur simul s. artem ad consistentiam mellis.

CON-

Jrei[illegible] et [illegible] et capu[illegible] [illegible] apparat[illegible] [illegible]ernam [illegible] [illegible] quae
Thoracis cava contrahitur [illegible] internum [illegible] suspirio [illegible] suppuratis
Asthmaticis, difficulter spirantibus in magna puris et lentae pituitae copia spiritus
vias opprimente succurrit, promptèque huiusmodi obstructa liberali [illegible] perpetuò
huiusmodi morbis consuetatis valdè necessarium



CONDITA.

Condiuntur Saccharo diligenter clarificato secundùm artem.

- Caules
  - Angelicæ.
  - Cynaræ.
  - Lactucæ.
- Cortices
  - Aurantiorum.
  - Cinnamomi.
  - Citrorum.
  - Ligni Guaiaci.
  - Limonum.
- Flores
  - Aurantiorum.
  - Borraginis.
  - Citri.
  - Genistæ nondum aperti.
  - Primulæ veris.
  - Rorismarini.
  - Rosarum.
- Fructus ut sunt
  - Amygdalæ.
  - Berberes.
  - Cappares.
  - Caryophylli.
  - Cerasa.
  - Corna.
  - Citria.
  - Cydonia.
  - Mala,
    - Armeniaca.
    - Persica.
    - Vulgaria.
  - Mespila.
  - Myrobalanorum quinque genera.
  - Nuces
    - Avellanæ.
    - Juglandes.
    - Moschatæ.
  - Passulæ.
  - Pineæ.
  - Pistaciæ.
  - Olivæ.
  - Piper in racemis ex India.
  - Poma.
  - Pruna
    - Hortensia.
    - Sylvestria.
  - Pyra.
  - Uvæ.


Pulpæ	Casiæ. Citri. Cucurbitæ. Cydoniorum.
Radices	Acori vulgaris, Calami Aromatici, Galangæ. Angelicæ. Borraginis. Buglossi. Cichorii. Crethami agrestis. Enulæ Campanæ. Eryngii. Pimpinellæ. Satyrii. Scolymi. Sisari, Siseris, Secacul. Symphyti majoris. Zingiberis. Zedoariæ.

Et surculi, & semina præter hæc condiuntur.

Modus condiendi sit, ut quæ magis amara, aut substantiâ duriora fuerint, aliquandiù macerentur, primùm in lixivio claro facto ex cineribus lignorum, deinde in aqua fontana calida, donec amaritudinem deposuerint, aut humectata tenerescant; pòst aquâ leviter expressâ, coquantur in Julepo lento igne, deinde recondantur in vase vitreo, aut fictili vitreato, affundendo. Julepum cui incocta fuerunt; poteruntque condiri aromatibus, ut & moscho, & ambrâ, pro libitû.

Quæ minùs amara, molliora, non opus lixivio ut macerentur, sed leviori ebullitione, Saccharum ut imbibant, & condiantur itidem.

CONSER-



CONSERVÆ & SACCHARA, HERBARUM, FOLIORUM, FLORUM ET FRUCTUUM.

CONSERVAE.

Absinthii.
Acetosæ.
Acetosellæ sive Lujulæ.
Adianthi.
Auranciorum.
Betonicæ.
Borraginis.
Buglossi.
Cardui benedicti.
Centaurei.
Ceterach, Aspleni.
Chamædryos.
Caryophyllorũ, seu Tunicæ.
Cichorii.
Cochleariæ.
Consolidæ majoris.
Citrariæ.
Cynosbati.
Enulæ.
Euphragiæ.
Fumiterræ.
Genistæ non planè maturorum.
Granatorum.
Lavendulæ.
Liliorum alborum.
Lilii Convallium.
Malvæ.
Nymphææ, Nenupharis.
Pœoniæ.
Persicæ.
Primulæ veris.
Prunellæ.
Rosarum { Damascenarũ. Rubrarum.
Rorismarini sive Anthûs.
Salviæ.
Sambuci.
Scabiosæ.
Stœchados.
Tiliæ.
Tussilaginis.
Violarum.
Galegæ siue Rutæ caprariæ.
Gratiolæ.
Hyssopi.
Majoranæ.
Melissæ.
Menthæ.
Rutæ.
Satureiæ.
Scordii.
Symphyti.

Folia & Flores minutissimè incidantur, & singulis libris florum aut foliorum addantur

Sacchari albissimi libræ tres.

Sed ut flores & herbæ, non itidẽ parantur Berberes, Prunella, Fructus acidi in istis, exempli gratiâ.

℞ Fruct: Oxyacanthæ sive Berberorũ q.v. in aquæ fontanæ q.s. super prunas vivaces bulliant, dum pulpa ab arillis per rarum setaceũ convenienter decoletur, deprimẽdo: dein

℞ Pulpæ præcolatæ libras sex, quas

 Pone

Pone in vitreato vaſe terreo (quòd acida ab æreo ingratùm ſapiant) & ad ignem lentum aquoſam humiditatem evapora: bacillo ligneo ſubinde agitando, ne ſuccus aduratur: demùm admiſce

Sacchari albi clari (ut eſt artis) libras decem,

ad conſiſtentiam coquendo debitam.

DIACODIVM SOLIDVM SIVE TABVLATVM.

℞ Capitum Papaveris albi mediocri magnitudine, nec nimis viridium, neque ſuprà modum maturorum numero viginti.

Aquæ pluviæ aut ſontanæ libras tres.

Macerentur horis viginti quatuor, deinde coquantur donec contabuerint capita & colentur, ad extremum adde Sacchari quantitatem ſufficientem, & coquatur ut artis eſt, ut exindè fiant tabulæ.

MANVS CHRISTI SIMPLEX ET PERLATA.

℞ Sacchari optimi libram unam.

Aquæ Roſarum pallidarum ſemilibram.

Coquantur ſecundùm artem, & projiciendo ſuper marmor, fiat Manus Chriſti: Si ſub finem coctionis addatur Margaritarum præparatarum & tritarum uncia dimidia, cum foliis auri octo vel decē, fit Manus Chriſti perlata.

MANVS CHRISTI AD LVMBRICOS.

℞ Rhabarbari electi ſcrupulos quatuor.

Agarici trochiſcati,

Corallinæ,

Cornu Cervi uſti,

Dictamni Cretici,

Sem: Santonici,

Acetoſæ, ana ſcrupulum.

Cinnamomi,

Zedoariæ,

Caryophyllorum,

Croci ana ſemiſcrupulum.

Sacchari albiſſimi tenuiter triti libram unam.

Diſſolvatur Saccharum in aquæ Abſinthii unciis quatuor cum Vini Abſinthites uncia, & aquæ Cinnamomi Cochleari uno, & cum ſpeciebus præſcriptis fiant ſecundùm artem Manus Chriſti.

PENIDIA.

Conſtant ex Saccharo, & aqua Hordei, eâ proportione & arte coctis, ut maſſa quædam exurgat admodùm ſolida, & ita tractabilis, ut digitis non adhæreat, & facilè in

[illegible] solida vel una ut [illegible] capite detrahens, ulceris et acribus
pectoribus. Hedera [illegible] et intemperie calida [illegible] et
visceribus et thoraci medetur.

Manus Christi simplex et perlata [illegible] medetur febribus [illegible]
et deliriis, falsas etiam imaginationes abolet.

Confectio ex [illegible] ad exsiccandos et [illegible]stendos Catarrhos praeparatur

Saccarum rosatum [illegible] [illegible] apud nos est et [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] et [illegible] sistit

in fila ducatur tenuiora, crassiora, breviora aut longiora, contorta pro libitu; Plures addunt nonnihil Amyli.

CONFECTIO DE THVRE, *NOR.*

℞ Sem: Coriandri præparati unciam semis.
Nucis moschatæ.
Thuris albiss: ana drachmas tres.
Glycyrrhizæ.
Mastichis ana drachmas duas.
Cubebarum.
Cornu Cervi præparati ana drachmam unam.
Conser: rosarum rubrarum unciam unam,
Cum sufficienti quantitate Sacchari albiss: fiat confectio in morsellis pondere drachmarum duarum.


SACCHARVM ROSATVM.

℞ Florum Rosarum rubrarũ nondùm plenè maturarũ unciam unam.

Forcipibus omnis albedo amputetur, deinde in umbra siccentur, & terantur posteà optimè in mortario lapideo, tunc cum unciis duodecim Sacchari optimi soluti in aqua Rosarum rubrarum, coquantur secundùm artem, dum aqua fuerit absumpta: deinde projiciatur sensim massa super marmore, & fiant vel Manus Christi, vel placentulæ pro libitu. Sunt qui inter coquendum addunt Conservæ Rosarum rubrarum uncias quatuor optimè immiscendo, unde Saccharum, & magis coloratum, & gustui gratius redditur.

Eodem modo Saccharum conflatur Violatum, tabulatum.
Sic è Buglosso.
Capill: Veneris,
Cichorio.
Iride Flor:
Rad: Enulæ.
Symphyto, & aliis.

SPECIES





SPECIES SIVE PVLVERES.

AROMATICVM CARYOPHYLLATVM, *MES.*

℞ Caryophyllorum drachmas septem.
Macis,
Zedoariæ,
Galangæ minoris,
Santali Citrini,
Trochisc. Diarhodon,
Cinnamomi,
Ligni Aloes,
Spicæ Nardi Indicæ,
Piperis longi,
Cardamomi, ana drachmam unam.
Rosarum rubrarum drachmas quatuor.
Galliæ moschatæ,
Glycyrrhizæ rasæ, ana drachmas duas.
Folii,
Cubebarũ, ana scrupulos duos.
Ambræ griseæ optimæ drachmam unam.
Moschi semiscrupulum.
Sacchari albissimi q. s.
Tritis omnibus diligentissimè fiat Pulvis.
Cum Syrupi è Citro admisti q. s. Electuarium fieri potest.

AROMATICVM ROSATVM GABRIELIS.

℞ Rosarum rubrarum drachmas quindecim.
Glycyrrhizæ rasæ drachmas septem.
Ligni Aloes.
Santali citrini, ana drachmas tres.
Cinnamomi electi drachmas quinque.
Caryophyllorum,
Macis, ana drachmas duas semis.
Gum: Arabici,
Tragacanthi, ana drachmas duas & scrupulos duos.
Nucis moschatæ,

Carda-

Aromaticum Caryophyllatum ... ventriculum et reliqua nutritionis membra roborat nauseam et vomitum reprimit flatus dissipat putredinem humorum in ventriculo arcet

Aromatici Rosati Gab. frequentissimus usus in magno humidorum excrementorum ventriculi proventu: Coctionem iuvat putredinem prohibet stomachi mollitiem corrigit, imbecillitatem firmat ventrem inferiorem totum et nutritionis instrumenta roborat: ventriculum distendentes flatus discutit appetentiam collapsam excitat nauseam sedat et stomachicis mirum in modum confert; prodest convalescentibus et e diuturno morbo emergentibus

Pulvis Cordiacus qui praestat ex ipso nomine intelligitur, quaecunq enim Cordis affectibus resistunt Cardiaca dicta sunt. [illegible] Cor non itaq sollicitus ero de forma resultante eiusq operationibus sed singulorum ingredientium naturas sigillatum explicabo exorsus a cornu cervi

Os e corde cervi hominis cor quadam substantiae similitudine roborat ad Cardiacam affectionem et syncopen imprimis utilis pro quo in eosdem usus cornu Cervi substituitur

Cornu unicornis sive monocerotis Laudatur plurimum adversus venena, et ad partes nobiles exhilerandas et roborandas; proinde solet dare pesti: morbis contagiosis et omnibus venenatis

Margaritae sive uniones (sola siquidem magnitudine distant; ut habet [illegible]) temperaturae sunt frigidae et siccae cor proprietate roborant syncopen tollunt: putridinis cor obsidenti pestiq et veneniis obsistunt

[illegible] facultates habet eximias nam viscera omnia corroborat: moderate refrigerat et astringit stomachi dolores abigit; vomitum cohibet; vermes enecat; diuturnis obstructionibus prodest et huius potu mulieres ad concipiendum foetum aptissime redduntur

Pulvis Cordiacus Maior Fern: Cor mirifice corroborat et munit ne in pestilenti constitutione contagione offendatur; in ardenti febre et aestuoso caelo tutus quo moderato sit calore

Pulvis ad contusos ex casu propinatur praecipitatis, ruptis, Contusis, fractis, ex vino astringente vel [illegible] incoxerint quae stringendi vim habent: ut Rosae balaustia cytini malicorum; Myrti et rubi cacumina sumach, et id genus, alia homine instincta lintea, et expressa, calida laboranti circumvoluta, omnem ex ictu et praecipitio offensionem mirifice curant estq celebre Hispanis nec contemnendum remedium:

Cardamomi minoris,
Galangæ, ana drachmam unã.
Spicæ Indicæ,
Ambræ griseæ, ana scrupulos duos.
Moschi scrupulum unum.

Pulverisentur secundùm artem, & pulvis servetur in vase vitreo, vel fictili vitreato ad usum.

Parari potest sine spica propter ingratitudinem, quo nomine & in reliquis speciebus cordialibus Spica omitti potest.

PULVIS CARDIACUS MINOR, *FERN*.l.5.c.21.

℞ Cornu Cervi,
Unicorni,
Margaritarum splendidarum,
Scobis Eboris, ana grana sex.

Fiat Pulvis tenuis: si reservandus, singulorum quantitas augetur analogicè.

PULVIS CARDIACUS MAJOR, *FERN*.

℞ Radic: Tormentillæ,
Dictamni,
Tunicæ,
Scabiosæ.
Sem: Acetosæ,
Coriandri præp.
Citri,
Cardui Benedicti,
Endiviæ,
Rutæ, ana drachmam unam.
Trium Santalorum,
* Been { albi, rubri, } vel succed: pag. 58.
Doronici Romani,
Cinnamomi,
Cardamomi,
Croci,
Flor: Buglossi utriusque,
Rosarum rubrarum,
Nymphææ,
Ligni Aloes,
Macis ana scrupulos duos.
Rasuræ Eboris.
Spodii,
Ossis è Corde Cervi,
Corallii rubri,
Margaritarum splend:
Smaragdi,
Hyacynthi,
Granati, ana scrupulum unum.
Serici crudi torrefacti,
Boli Armeni,
Terræ Lemniæ, ana semidrachmam.
Caphuræ,
Ambræ griseæ,
Moschi, ana grana sex.

Fiat Pulvis, & ex octuplo Sacchari albi aquâ rosarum soluti, tabellæ concinnentur.

PULVIS AD CONTUSOS EX CASU, *AUGUST*.

℞ Terræ sigillatæ,

Sangui-

Sanguinis Draconis,
Mumiæ, ana drachmas duas.
Spermatis Ceti drachmam unam.
Rhabarbari drachmam dimidiam.
Fiat omnium Pulvis secundùm artem.

SPECIES CORDIALES TEMPERATÆ.

℞ Ligni Aloes,
Spodii, ana drachmam unam.
Cinnamomi,
Caryophyllorum,
Ossis de corde cervi,
Radic: Angelicæ.
*Been utriusque,(vel eorum loco
Radic: Caryophyllatæ & Tormentillæ,) ana drachmam unam semis.
Margaritarum præparatarum drachmas sex.
Serici crudi tosti.
Corallii utriusque, ana drachmas duas.
Hyacynthi,
Smaragdi,
Sapphyri, ana drachmam dimidiam.
Croci scrupulum unum.
Ambræ griseæ,
Moschi, ana drachmam dimidiam.
Folia { Auri, Argenti, ana decem.
Fiat Pulvis secundùm artem.

DIACALAMINTHES SIMPLEX, *GAL.*

℞ Calaminthæ Montanæ,
Pulegii,
Origani.
Sem: Petroselini Macedonici,
Petroselini,
Seseleos, ana drachmas duas.
Sem: Apii,
Cymarum Thymi, ana unciam dimidiam.
Sem: Ligustici,
Piperis nigri, ana unciam unam.
fiat Pulvis secundùm artem.

Fieri etiam potest Electuarium, cum Sacchari albissimi (soluti in aqua Violarum aut Rosarum) libris duabus semis.

SPECIES ELECTVARII DIACALAMINTHES COMPOSITI, *FER.*

℞ Pulveris Electuarii Diacalaminthes simplicis unciam dimidiam.
Folior: Prasii,
Majoranæ,
Melissæ,
Artemisiæ,
Sabinæ, aridorum, ana drachmam unam.
Radic: Cyperi,
Sem: Rubiæ.
Rutæ,
Macis,

Cinna-

Diacalaminthes simplex cum crudorum succorum copia extra venas et in corporis habitu recepta est: utile est medicamentum ad Thoracis et stomachi vitia; et tussim a frigido excitatam praecordiorum et pectoris refrigerationem; senibus et quartanariys confert difficulter cogentes iuvat crassos et lentos humores tenuat, flatus et crassos dissipat; urinam et menses movet qui praecipuè ex vasorum à crassis et lentis humoribus obstructione retinentur. Galen Lib 10 de sanitate tuenda Cap 7

Species Cordiaci Temp: Cor roborant; animi deliquio medentur; et in pestilente lue commendantur:

Elec Diacal: compositum potentèr menstrua omnesq uteri purgationes ciet;

Dianisum intemperiem frigidam ventriculi a pituita cruda vel etiam flatibus sanat et tussim diuturnam a frigida causa genitam

Diagalanga ventriculi et iecoris intemperiem frigidam sanat ob id coctionem iuvat ructus acidos compescit et flatus crassos potenter dissipat; atq ab iis natas inflationes oris halitum commendat ac eiusdem foetorem gigni prohibet:

Diacuminum stomachicis <u>convenit</u>; Thoracis praecordiorum, ventriculi, et viscerum imbecillitati a frigido oxyregmiae opitulatur intestinorum flatus dissipat. Hypocondriorum distentionem a nimia cruditate et flatibus liberat eadem calefacit et coctionem iuvat mirifice. Arteriacis difficultati spirandi et tussi ex frigidis et crassis humoribus inflatis, Colicis, et quartanariis prodest: ventriculi coctionem iuvat

Cinnamomi, ana ſcrupulos duos.
Terantur & miſceantur diligentiſſimè; fieri etiam poteſt Electuarium cum Sacchari in aqua Parthenii ſoluti duodecuplo.

DIANISVM, *MES.*

℞ Sem: Aniſi elect: uncias duas ſemis.
Glycyrrhizæ raſæ,
Maſtiches, ana unciam unam.
Sem: Carui,
Fœniculi,
Galangæ,
Macis,
Zingiberis,
Cinnamomi, ana drachmas quinque.
Trium Piperum,
Caſiæ ligneæ,
Calaminthæ,
Pyrethri, ana drachmas duas.
Cardamomi,
Caryophyllorum,
Cubebarum,
Spicæ Indicæ,
Croci, ana ſeſquidrachmam.
Sacchari albi uncias quinque.
Fiat Pulvis, & cum melle deſpumato Electuarium.

SPECIES ELECTVARII DIACYMINI. *NICOLAI.*

℞ Cymini per diem naturalem infuſi in aceto, & iterum exiccati, unciam unam, & ſcrupulum unum.
Cinnamomi,
Caryophyllorũ, ana drachmas duas ſemis.
Galangæ,
Satureiæ,
Calaminthes, ana drachmam unam & ſcrupulos duos.
Zingiberis,
Piperis nigri, ana drachmas duas, & grana quinque.
Sem: Liguſtici,
Ammios, ana drachmã unã & grana octodecim.
Piperis longi drachmam unam.
Spicæ Nardi,
Nucis Moſchatæ,
Cardamomi, ana ſcrupulos duos ſemis.
Terantur, & diligenter recondantur ad uſum, in forma Pulveris.

SPECIES ELECTVARII DIAGALANGÆ, *MES.*

℞ Galangæ,
Ligni Aloes, ana drachmas ſex.
Caryophyllorum,
Macis,
Semin: Liguſtici, ana drachmas duas.
Zingiberis,
Piperis longi,
albi,
Cinnamomi,
Calami Aromatici, ana drachmam unam ſemis.

Cala-

Calaminthæ ſiccæ,
Menthæ ſiccæ,
Cardamomi majoris,
Spicæ Indicæ,
Sem: Apii,
Aniſi,
Fœniculi,
Carui, ana drachmam unã.
ſiat Pulvis ſecundùm artem.

Fieri etiam poteſt Electuarium cum Sacchari albi, vino Malvatico ſoluti,
vel Mellis deſpumati duodecuplo.

SPECIES ELECTVARII DE GEMMIS CALIDI, MES.

℞ Trochiſcorum Diarhodon,
Ligni Aloes, ana drachmas quinque.
Margaritarum albarum.
Zedoariæ,
Doronici,
Cortic: Citri.
Macis,
Sem: Ocimi Caryophyllati.
Ambræ griſeæ veræ, ana drachmas duas.
Corallii rubri,
Succini albi,
Raſuræ Eboris, ana ſcrupulos quinque.
Sapphyri,
Hyacynthi,
Sardæ,
Granati,
Smaragdi,
Cinnamomi,
Galangæ,
Zurumbet, ana drachmam unam ſemis.
* Been utriuſque (vide ſuccedan: pag. 58.)
Caryophyllorum.
Zingiberis,
Piperis longi,
Spicæ Indicæ,
Folii, vel Spicæ Celticæ,
Croci,
Cardamomi majoris, ana drachmam unam.
Folior: Auri,
Argenti, ana ſcrupulos duos.
Moſchi drachmam dimidiam.

Fiat omnium Pulvis ſecundùm artem, & ſervetur ab aëre concluſus diligentiſſimè.

SPECIES ELECTVARII DE GEMMIS FRIGIDI.

℞ Margaritarum præparatarum drachmas tres.
Spodii,
Raſuræ Eboris,
Corallii utriuſque, ana drachmas duas.
Flor: Roſarum rubrarum drachmam unam ſemis.
Hyacynthi,
Sapphyri,

Sma-

Elect de ~~g[illegible]~~ gemmis calidum ad frigidos affectus cerebri: cordis ventriculi Hepatis uteri efficacissimum melancholicos, tristes sine causa manifesta, timores solitarios sanat; exhilarat et ad mores probos mutat. Cordis tremorem et syncopen Emendat ventriculum a frigida intemperie imbecillum roborat, et coctionem tum eius tum hepatis meliorem reddit. corpus [illegible] reddit universi corporis [illegible] corrigit: imbecillitatem [illegible] hypochondriacis et [illegible] provocationes sanat

Species Electuarij de gem frig. Confert in magnis febrium inflammationibus universis prodest et appetentiae dejectione syncopas: cordis palpitationes Tussiculosis et Asthmaticis.

[illegible] faucium distillationes [illegible] nondum invalescentes impedit

Diacalcia valet ad ventriculi et jecoris frigiditatem: Hepatis obstructiones inflationes et durities [illegible] mollit [illegible] menses [illegible] ciet; scirrhum dissolvit cachexiam depellit [illegible] renum et vesicae duritiat et calculos dissipat

Diamargariton calidum ad [illegible] corporis refrigerationem confert; cardiacos animi deficientes [illegible] frequentes [illegible] cordis syncopen [illegible] omnium [illegible] supra modum [illegible] [illegible] Asthmaticis tussientibus [illegible] Consumptos [illegible] dejectos et imbecillitate [illegible] languentes recreat et ad pristinum robur reducit privatim vero imbecillitati stomachi et crebritati eiusdem corporis ac cordis [illegible] succurrit

Smaragdi,
Sardæ,
Granati,
Santali { albi, rubri, Citrini,
Flor: Borraginis,
Buglossi,
Sem: Acetosæ,
Basilici,
* Been utriusque (vide pag. 58.) ana drachmam unam.
Ossis è corde Cervi drachmam dimidiam.
Folia Auri,
Argenti, ana quindecim.
Fiat Pulvis secundùm artem, diligenter reponatur.

SPECIES ELECTVARII DIAIREOS SIMPLICIS, *NICOLAI.*

℞ Ireos unciam dimidiam.
Sacchari candi,
Specierum Diatragacanthi frigidi, ana drachmas duas.
Fiat Pulvis.

SPECIES DIALACCÆ, *MES.*

℞ Laccæ præparatæ,
Rhabarbari,
Schœnanthi, ana drachmas tres.
Spicæ,
Masticheś,
Succi Absinthii Romani,
Eupatorii, i. Agerati,
Sem: Apii,
Ammeos,
Fœniculi,
Anisi,
Sabinæ,
Amygdalarum amararum,
Myrrhæ,
Costi, seu Zedoariæ,
Radic: Rubiæ tinctorum,
Asari,
Aristolochiæ { longæ, rotundæ,
Gentianæ,
Croci,
Cinnamomi,
Hyssopi siccæ,
Casiæ ligneæ veræ,
Bdellii, ana drachmam unam semi.
Piperis,
Zingiberis, ana drachmam unã.
Fiat Pulvis s. a.
Fieri etiam potest Electuarium cum mellis vel Sacchari vino albo, vel aquâ Cichorii, soluti, q. s.

SPECIES ELECTVARII DIAMARGARITON CALIDI. *AVICEN.*

℞ Margaritarum albissimarum,
Pyrethri, ana drachmam unam.
Zingiberis.

Masticnes, ana unciam dimidiam.
Doronici,
Zedoariæ,
Sem: Apii,
Cardamomi utriusque,
Nucis moschatæ,
Macis, ana drachmas duas.
* Been utriusque vide succedan: pag. 58.
Piperis { nigri, longi, tres. } ana drachmas
Cinnamomi drachmas quinque.
Pulverizentur, reponantur ad usum.

SPECIES ELECTVARII DIAMARGARITON FRIGIDI, *NIC.*

℞ Semin: quatuor frigidorũ majorum mundatorum.
Sem: Portulacæ,
Papaveris albi,
Endiviæ,
Oxalidis,
Citri,
Trium Santalorum,
Ligni Aloes,
Zingiberis,
Flor: Rosarum rubrarum,
Nymphææ,
Buglossi,
Violarum,
Baccarum Myrti,
Ossis è corde Cervi,
Eboris,
Doronici Romani,
Cinnamomi, ana drachmam unam.
Corallii utriusque, ana drachmam dimidiam.
Margaritarum splendidarum drachmas tres.
Ambræ griseæ.
Caphuræ, ana grana sex.
Moschi grana duo.
Fiat Pulvis secundùm artem.
Observandum autem, ut semina frigida Majora & Papaveris mundata non priùs addantur, quàm species requiruntur à Medico ad usum, alioqui compositio fiet rancida: & sic in reliquis speciebus, quarum compositionem hæc semina ingrediuntur.

SPECIES ELECTVARII DIAMBRÆ, *MES.*

℞ Cinnamomi,
Doronici, sive Zedoariæ,
Caryophyllorum,
Macis,
Nucis moschatæ,
Folii,
Galangæ, ana drachmas tres.
Spicæ Indicæ,
Cardamomi majoris,
minoris, ana drachmam unam.
Zingiberis drachmam unam semis.
Ligni Aloes,

Santali

Diamargariton frig. omnem ~~in~~ virium imbecillitatem firmat, syncopen vincat, et Asthmaticos, tabidos, tussientes, longo morbo extenuatos, et imbecillitate languentes recreat, et ad pristinum recuperandum robur conducit.

Diambra ad omnem corporis imbecillitatem et corporum a frigido est efficacissimum: viscera omnia calefacit roborat, frigido stomacho, refrigeratis recreat, et refectionem recreat, affectibus utique contemperie frigida et humida nati prodest, senibus ob[?] et mulieribus salubre medicamentum. Dantur ℈j vel iij

Species diac[illegible] [illegible] prodest ad cerebri affectus frigidos, vertiginem, comitialem, melancholicos: cordis palpitationem, tumultuosa insomnia. paralysin, Convulsionem, pulmonis affectus, et spirandi difficultatem, frigidum calorem nativum excitat, et cachexiam emendat, [illegible] renibus et stomachus succurrit. Dosis a ʒi ad ʒii

Diamoschum amarum efficacius est dulci, et praeterea ventriculi humores etiam frigidos potentius absumit

Species [illegible] diarr[illegible] succurrit praeter rationem ~~[illegible]~~ tristibus animi, etiam laetitiam auget [illegible] cardiacis, et syncopalibus animi defectionibus et cordis Syncopi [illegible] prodest [illegible] et in summa omni cordis et corporis imbecillitati

Santali Citrini,
Piperis longi, ana drachmas duas.
Ambræ griseæ sesquidrachmā.
Moschi drachmam dimidiam.
Misce, fiat omnium Pulvis.

SPECIES ELECTVARII DIAMOSCHV DVLCIS, *MES.*

℞ Croci,
Doronici, seu Galangæ,
Zedoariæ,
Ligni Aloes,
Macis, ana drachmas duas.
Margaritarum albarum,
Serici crudi tosti,
Succini,
Corallii rubri,
Galliæ Moschatæ,
Ocimi Citrati, ana drachmas duas semis.
Zingiberis,
Cubebarum,
Piperis longi, ana drachmam unam semis.
* Been utriusque, vel succedan: pag. 58.
Folii, aut Cinnamomi,
Spicæ Indicæ,
Caryophyllorum, ana drachmam unam.
Moschi scrupulos duos.
fiat Pulvis secundùm artem.
fiet & Electuarium, addendo Sacchari vino albo soluti quadruplū.

SPECIES ELECTVARII DIAMOSCHV AMARI, *MES.*

Ad eadem ingredientia, & pari dosi, adde
Absinthii,
Rosarum, ana drachmas tres.
Aloes optimæ lotæ semunciam.
Cinnamomi drachmas duas semis.
Castorei,
Ligustici, ana drachmam unam.
Fiat Pulvis.

SPECIES ELECTVARII DIANTHON, *NIC.*

℞ Flor: Rorismarini unciam unā.
Rosarum rubrarum,
Violarum,
Glycyrrhizæ, ana drachmas sex.
Caryophyllorum,
Spicæ Indicæ.
Nucis moschatæ,
Galangæ,
Cinnamomi,
Zingiberis,
Zedoariæ,
Macis,
Ligni Aloes,
Cardamomi,
Sem: Anethi,
Anisi, ana scrupulos quatuor.
Fiat Pulvis secundùm artem.

DIAPENIDION, *NIC.*

℞ Penidiorum uncias duas.
Nucum Pinearum,
Amygdalarum dulcium mundatarum,
Sem: Papaveris albi, ana drachmas tres, ſcrupulum unum.
Cinnamomi.
Caryophyllorum.
Zingiberis.
Succi Glycyrrhizæ,
Gum: Tragacanthi,
Arabici,
Amyli candidiſſimi.
Sem: 4. frig: maj: excortic: ana ſeſquidrachmam.
Camphoræ grana ſeptem.
Sacchari albiſſimi q. ſ. vel in forma Electuarii, cum Syrupo Violarum.

DIARHODON ABBATIS, *NICOLAI.*

℞ Santalorum alborum,
rubrorum, ana drachmas duas ſemis.
Gum: Tragacanthi,
Arabici,
Spodii, ana ſcrupulos duos.
Aſari,
Maſtiches,
Spicæ Indicæ,
Cardamomi,
Glycyrrhizæ,
Croci,
Ligni Aloes.
Caryophyllorum,
Galliæ moſchatæ,
Sem: Aniſi,
Fœniculi,
Cinnamomi,
Rhabarbari,
Sem: Ocimi,
Acinorum, Berberis,
Sem: Scariolæ,
Portulacæ,
Cucurbitæ,
Cucumeris,
Citruli,
Melonum,
Papaveris albi, ana ſcrupulum unum.
Margaritarum.
Oſſis è Corde Cervi, ana ſcrupulum dimidium.
Sacchari Candi,
Roſarum rubrarum, ana unciã unam, & drachmas tres.
Camphoræ grana ſeptem.
Moſchi grana quatuor.
Fiat Pulvis ſ. a.

Fieri etiam poteſt Electuarium cum octuplo Sacchari diſſoluti in aqua Roſacea.

DIOSPOLITICVM, *GALENI.*

℞ Cymini præparati,
Piperis longi,
Folior: Rutæ ſiccatorum, ana unciam unam.
Nitri unciam dimidiam.
Fiat Pulvis.

SPECIES

Diapenidion tussiculosis, pleuriticis, peripneumonicis confert: omnem thoracis noxam a frigido, faucium asperitatem, vocis raucedinem et iacturam ex frigido et sicco contractam emendat, tabidis succurrit, crassos humores attenuat, et expulsioni ~~[illegible]~~ aditum facit

Diarhodon Abbatis: valet adversus ventriculi calorem, iecoris, lienis pulmonumque: contra viscerum dolores, et omnem totius corporis noxam a calore proficiscentem: ad febres acutas item, ardentes et tertianas nothas utilissime: phthisicis, hepaticis ictericis, cardiacis et coeliacis auxiliatur, item ~~[illegible]~~ defectionibus animi e corde natis,

Diospoliticum: alvum deijcit: cibos qui in ventre corrupti sunt educendo, usque convenit quibus venter frigidus est: aut ad frigus propensior: siquidem pituitam extenuat, et spiritum flatulentum expellit. describitur a Galeno lib 6 de sanitate tuenda cap 10: sed rationem nominis ibi non ostendit neque post eum Gorraeus: non similiter ex quoque ingredientibus neque de a proportione [illegible] est: scribitur enim Diospoliticum non Diaspoliticum (ut falso volunt): A Diospoli Aegypti oppido, unde procul dubio Graeci acceperint, ubi cuminus frequens est: pharmac. August. ... — —

Diatraga[ca]nth. frig. ad omnem pectoris et pulmonum a calido et sicco noxam, Thoracis gravitatem allevat, tussiculosis ob intemperiem calidâ prodest, pleuriticis, peripneumonicis, tabidis, et marie confectis, linguæ et faucium asperitati succurrit, confert sitim minuet [illegible] a pulmonu[m] calore ortæ

Diatrion santal. prodest febrium biliosarum ardoribus, et viscerum fervoribus, Hepaticis, Cardiacis, Ictericis, phthisicis succurrit, et intemperiem omnem calidam emendant, præcipue usus est in febrium declinationibus, materia iam evacuatâ, residuum [illegible] febrilem extinguens

Diatrion Pipereon commendat Galenus in cruditatum successu et flatuum copiâ a cruditate. Dandum iis qui ob recens fig[illegible] male concoxerunt, et succi plurimum pituitosum in primis venis [illegible] [illegible] coacervarunt: stomachi perfrictionis, ructus acidos [illegible] nidorosos et inflationes innuat: Lib 4 de sanitat. tuend. [illegible] cap.

Pulvis Haly apud [illegible] contra phthisin efficax

SPECIES ELECTVARII DIATRAGACANTHI FRIGIDI, *NICOLAI.*

℞ Gum: Tragacanthi albi uncias duas.
Arabici unciam unam & drachmas duas.
Amyli unciam dimidiam.
Glycyrrhizæ,
Sem: Melonum,
Papaveris albi,
Citruli,
Cucumeris,
Cucurbitæ, ana drachmas duas.
Penidiorum uncias tres.
Caphuræ ſemiſcrupulum.
Fiat Pulvis ſ. a.

Fieri etiam poteſt Electuarium, cum Syrupi Violacei ſufficienti quantitate: At cautio habenda eſt (ut priùs) de ſeminibus frigidis.

SPECIES ELECTVARII DIATRION PIPEREON, *GALENI.*

℞ Trium piperum, ana drachmas ſex, & grana quindecim.
Sem: Aniſi,
Thymi,
Zingiberis, ana drachmam unam.
Fiat Pulvis: & cum Saccharo in aqua florum Roriſmarini ſoluto, vel melle prout res poſtulaverit fieri poteſt Electuarium ſ. a.

SPECIES ELECTVARII DIATRION SANTALON, *NIC.*

℞ Santalorum omnium.
Roſarum rubrarum,
Sacchari candi, ana drachmas tres.
Rhabarbari,
Spodii,
Succi Glycyrrhizæ,
Sem: Portulacæ, ana drachmas duas,& grana quindecim.
Amyli,
Gum: Arabici,
Tragacanthi,
Sem: Melonum,
Cucumeris,
Citruli,
Cucurbitæ,
Scariolæ, ana drachmam unam ſemis.
Camphoræ ſcrupulum unum.
Fiat Pulvis ſ. a.

Fieri etiam poteſt Electuarium cum octuplo Sacchari in aqua Roſacea ſoluti.

PVLVIS HALY.

℞ Sem: Papaveris albi drachmas decem.

Gummi Arabici,
Amyli,
Tragacanthi, ana drachmas tres.
Semin: Portulacæ,
Altheæ,
Malvæ, ana drachmas quinque.
Cucumeris,
Melonis,
Cucurbitæ,
Citruli,
Cydonioru͂ mundatoru͂, ana drachmas ſeptem.
Spodii,
Glycyrrhizæ, ana drachmas tres.
Penidioru͂ ad pondus omnium.
Fiat Pulvis ſ. a.

LÆTIFICANS GALENO ADSCRIPTVS.

℞ Florum Ocimi Caryophyllati aut ſem. ejuſdem.
Croci,
Zedoariæ,
Xyloaloes,
Caryophyllorum,
Corticum Citri,
Galangæ,
Macis.
Nucis moſchatæ,
Styracis Calamitæ, ana drachmas duas ſemis.
Raſuræ Eboris,
Sem: Aniſi,
Thymi,
Epithymi, ana drachmam unam.
Oſſis è Corde Cervi,
Margaritarum,
Camphoræ,
Ambræ,
Moſchi, ana drachmam dimidiam.
Folior: Auri,
Argenti, ana ſcrupulum dimidium.
Fiat Pulvis ſ. a. reſervetur diligenter ad uſum.

SPECIES CONFECTIONIS LIBERANTIS.

℞ Radic: Tormentillæ,
Semin: Acetoſæ,
Endiviæ,
Coriandri præparati,
Citri, ana drachmam unam ſemis.
Santalorum omnium,
Dictamni albi, ana drachmam unam.
Boli Armeni,
Terræ Lemniæ, ana drachmas tres.
Margaritarum,
Corallii utriuſque,
Succini albi,
Raſuræ Eboris,
Spodii,
Oſſis è Corde Cervi,
* Been utriuſque, vel ſuccedan: pag. 58.
Radic: Angelicæ.

Carda-

Confectio liberans contra pestem plurimum valet tutatur corpus ne laedatur
a pestifero aere et praeservat humores a corruptione.

Haec compositio (scil.) laetificans) sub nomine Galeni adulterata est, ex Nicholai
praepositi Antidotario excerpta est ad cordis affectus et palpitationem; ventriculi
et Hepatis intemperiem, coctionem enim iuvat, et corporis maximum robur propellit
Coloris bonitatem et gratiam reddit; oris odorem commendat et vires
debiles reficit;

Electuarium dictum ἀγνωστικὸν lumborum dolores compescit, renum ac vesicae
arenulas extrudit, nephritico dolori et dysuriae succurrit, calculum sensim
comminuit ac proterit. urgente doloris necessitate, aut urina suppressa ~~pulvis~~
pulvis puris datur ex passo ~~[illegible]~~ cretico ~~[illegible]~~ a ℥ij ad ℥i

Cardamomi,
Cinnamomi,
Macis,
Ligni Aloes,
Cassiæ Ligneæ,
Croci,
Zedoariæ, ana drachmam dimidiam.
Penidiorum,
Sacchari candi,
Serici crudi tosti,
Smaragdi,
Hyacynthi,
Granati, ana scrupulos duos.
Flor: Nymphææ,
Buglossi,
Rosarum rubrarum, ana scrupulum unum.
Camphoræ grana septem,
Moschi,
Ambræ griseæ ana grana tria.
Fiat Pulvis secundùm artem.

LITHONTRIBON,
NIC. SEC. FERN.

℞ Spicæ Nardi,
Zingiberis,
Cinnamomi,
Melanopiperis,
Cardamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Costi,
Glycyrrhizæ,
Cyperi,
Tragacanthæ,
Chamædryos, ana scrupulos duos.
Sem: Ammeos,
Apii,
Asparagi,
Ocimi,
Urticæ,
Citri,
Saxifragiæ,
Pimpinellæ,
Carui,
Dauci,
Fœniculi,
Rusci,
Petroselini Macedonici,
Bardanæ,
Seseleos,
Asari, ana drachmam unam.
Lapidis Spongiæ,
Lyncis,
Cancri,
Judaici, ana drachmam unam semis.
Sanguinis Hircini præparati unciam unam semis. Fiat Pulvis secundùm artem.

PVLVIS SAXONICVS.

℞ Radic: utriusque Angelicæ,
Vincetoxici,
Valerianæ domesticæ,
Polypodii quercini,
Radic: Althææ,
Urticæ, ana unciam dimidiam.
Cortic: Mezerei German: drachmas duas.
Granorum herbæ Paridis numero viginti quatuor.
Folior: ejusdem, cum toto, numero triginta sex.
Ex maceratis in aceto radicibus, & siccatis, fiat omnium pulvis.

PVLVIS PALMARII AD MORSVM CANIS RABIDI.

℞ Folior: Rutæ,
Verbenæ,
Salviæ,
Plantaginis,
Polypodii,
Absinthii vulgaris,
Menthæ,
Artemisiæ,
Melissophylli,
Betonicæ,
Hyperici,
Centaurii minoris, ana p. æ.
Legantur singula, quo tempore viribus pollent maximis, quod ad Junii ferè plenilunium assequuntur. Papyraceis dein chartis conclusa siccentur seorsim in loco, ad quem, neque Sol, neque pluvia pertingat: Siccata ad futuros usus asserventur, eâ lege, ut quotannis renoventur:

Quum utendi necessitas incidet, singulorum æquale pondus in pulverem tenuissimum redigito.

PLERES ARCHONTICON, *NICOLAI.*

℞ Cinnamomi,
Caryophyllorum,
Ligni Aloes,
Galangæ,
Spicæ Indicæ,
Nucis Moschatæ,
Zingiberis,
Spodii,
Schœnanthi,
Cyperi,
Rosarum,
Violarum, ana drachmam unã.
Folii, seu Macis,
Glycyrrhizæ,
Mastiches,
Styracis Calamitæ,
Majoranæ,
Balsamitæ seu Menthæ aquaticæ,
Ocimi,
Cardamomi,
Piperis longi,
albi,

Hydrophobia are those that are bitten with a mad dogge

Myrti-

cor calefaciendo liberat et conservat a peste Dosis in adultis ʒj
pulvis saxonicus
in debilibus et pueris ʒß: nominis id habet quia a rustico quodam, qui eius usum contra pestem et venena secretissimum habuit, olim Duci Saxoniae communicata fuit, qui postmodum in secretis eandem habuit, et aliis principibus commendavit

Olea de Arcontico, tristibus, melancholicis, imbecillo ventriculo, deliquio animi a corde nato succurrit, eos qui ex diutino morbo extenuati sunt et imbecilles corroborat. memoriam amissam recuperat sensus acuit, comitialibus et Asthmaticis prodest, omnemque cerebri debilitatem aufert;

B

Postquam Antiquorum curationem de Hydrophobia recensuit, hanc tandem proponit quam acceptam refert Jacobo Sylvano et his insignit encomiis: Alexipharmacum hoc solum neglectis catharticis medicamentis, omissa etiam vulneris cura quocunque a morsu tempore usurpetur certissimum et tutissimum existit: atque nullum unquam animal eius usum viderim, quod non tam [illegible] mortis periculum evitarit, quamque uteretur victus ratione, illaesis tamen capitis partibus quae dentes superant: his enim vulneratis exigua salutis spes est, et ea vulnerata statim a morsu frigida eluta, quum venti necessitas inciderit: Singularum aequale pondus in pulverem tenuissimum redigito cuius ʒß

Demorsus quotidie propinato, vel in vino, vel iusculo, aut melle tribus horis ante cibum quanquam autem sesquidrachma aut drachmae duae satis sint, tum homini tum omni animali quantumvis crudeliter sauciato: nihil tamen obfuerit ad tres quatuorque processisse. quum praesertim vel longo post demorsum tempore, vel nata etiam Hydrophobia curationem aggredimur: Qui hydrophobia iamiam correptus est: arcte vinciendus: et pulverem aliquo liquore solutum, deglutire cogatur: ore etiam si opus sit, vi adaperto satius autem fuerit in furoris intermissione, quum mens integra est remedium propinare: Jam vero quum primum vulnus contractum est, ne in sordidum ulcus degeneret, spongiis aut siccis linteis exsiccatum: vino aut Hydromelite in quo huius pulveris ʒß soluta sit: bis terve quotidie foveto: dein unguentum aut Emplastrum inducito, quale aliis vulneribus conferre est, et ita sanescere sinito; nullo Hydrophobiae metu: haec dum fiant nec consuetam victus rationem mutare: nec domi se continere, nec purgans medicamentum usurpare necesse est: nisi forte ante coeptam curationem nata erat Hydrophobia; ea quippe sublata: qui iam [illegible] fecerant corporis humores partim depurgari, partim idonea victus ratione immutari debent. Sub finem capitis sanius excipit argutulos istos rerum indagatores, qui occultas medicamentorum proprietates pro ignorantium Asylo reputantes: eorum omnium quae in arte fiunt ad manifestas medicaminum qualitates revocare conantur: et sic eos adoritur: Indicent mihi isti quomodo descriptus pulvis calidus quum sit, febrem tamen malignam eamque continuam delirio aliisque perniciosis symptomatis comitatam, nulla evidente qualitate manifesta profligat atque Hydrophobiam tam facile vel praecavere vel persanare possit: Quinam eodem temperiei temperationis gradus, omni animalis aetati, sexui et corporis constitutioni ita respondeat ut eundem effectum in omnibus producat: sed valeant illi, et ad finem usque nil praeter ineptias circumferent. Palmar[ius] in libro suo de Rabidi canis morsu:

Rosata novella ad ventriculi et cordis imbecillitatem
efficax est, his præsertim qui diutino morbo conflictantur, vomitum
stomachi, subversiones et nauseas compescit. præcipue valet ad ventriculi hepatis
et [illegible] intemperiem calidam siccam, quæ febris vehementissimum ardorem inducit
[illegible] dissolutas et relaxatas ventriculi vires
restaurat. sudoribus qui plurimum exsolvunt et totius corporis vires
exhauriunt. sistit unde his qui diutino morbo extenuati sunt plurimum confert.

Myrtilorum baccarum,
Corticum Citri, ana drachmam dimidiam & grana sex.
Margaritarum,
* Been {Albi, Rubri,} {vel succedan. pag. 58.
Corallii rubri,
Serici tosti, ana grana octodecim.
Moschi grana sex.
Camphoræ grana quatuor.
Fiat Pulvis secundùm artem. Poterit etiam cum decuplo sacchari soluti in aqua Melissæ formari in Electuarium.

PVLVIS PRÆSERVATIVVS A PESTE, *MONTAG.*

℞ Santalorum omnium,
Semin: Ocimi, ana unciam unam semis.
Boli Armeni,
Cinnamomi, ana unciam unam.
Radic: Dictamni,
Gentianæ,
Tormentillæ, ana drachmas duas semis.
Semin: Citri,
Acetosæ, ana drachmas duas.
Margaritarum,
Sapphyri,
Ossis de Corde Cervi, ana drachmam unam.
Fiat Pulvis secundùm artem, diligenter reponatur.

SPECIES ELECTVARII ROSATÆ NOVELLÆ, *NICOLAI.*

℞ Rosarum,
Sacchari,
Glycyrrhizæ, ana unciam unã, drachmam unam, scrupulos duos semis.
Cinnamomi drachmas duas, scrupulos duos, grana duo.
Caryophyllorum,
Nardi Indicæ,
Zingiberis,
Galangæ,
Nucis moschatæ,
Zedoariæ,
Styracis,
Cardamomi,
Apii, ana scrupulum unum, grana octo.
Sacchari albissimi q. s.
Fiat Pulvis: inde Electuarium s. a.

PVLVIS AD HÆMORRHAGIAM, *GALENI.*

Meth. l.5.c.4.

℞ Thuris drachmam unam.
Aloes drachmam dimidiam.
Fiat Pulvis. Cùm utendi tempus instat, tantum hujus cum ovi candido subigitur, quantum mellis reddat

reddat crassitudinem; hoc Leporis mollissimis pilis excipitur, deinde tum vasi profluenti, tum ulceri toti liberaliter imponitur, adhibitâ ligaturâ convenienti.

PVLVIS AD SCABIEM.

℞ Sulphuris vivi,
Nitri,
Folior: Majoranæ, ana drachmas duas.
Lithargyri auri,
Radic: Ellebori nigri, ana drachmam unam.
Pimpinellæ drachmam dimidiam.
Fiat Pulvis secundùm artem.

PVLVIS RADVLPHI HOLLAND.

℞ Sem: Anisi,
Carui,
Fœniculi,
Cymini,
Spicæ Nardi,
Cinnamomi,
Galangæ, ana unciam dimidiam.
Glycyrrhizæ,
Milii Solis, ana unciam unam.
Sennæ ad pondus omnium.
Fiat Pulvis.

PVLVIS SANCTVS, BRASAVOLÆ.

℞ Foliorum Sennæ,
Cremoris Tartari, ana uncias duas.
Caryophyllorum,
Cinnamomi,
Galangæ,
Ammeos, ana drachmas duas.
Diagrydii unciam dimidiam.
Fiat Pulvis secundùm artem.

In defectu seminum Ammeos legitimorum aut recentium quibus sæpissime destituimur, substituenda quidem Anisi semina convenimus cum Antidotario Bergomensi.

PVLVIS SENNÆ.

℞ Sennæ optimæ uncias duas.
Cremoris Tartari unciam dimidiam.
Macis scrupulos duos semis.
Zingiberis.
Cinnamomi, ana drachmam unam semis.
Salis Indi drachmam unam.
Fiat Pulvis s. a.

DIATVRBITH MAJVS SINE RHABARBARO.

R Turpeti optimi unciam unam.
Diagrydii,
Zingiberis, ana unciâ dimidiâ.
Cinnamomi,

Caryo-

Pulvis sanctus omnes humores placide [illegible] pauperibus frequenter adhibetur
Dos ʒj

Pulveris senna [illegible] humores Melancholicum ℞ [illegible] pulvere purgamus
[illegible] pituitam salsam et putrilaginem [illegible] eius generis [illegible]
[illegible]
[illegible] Dos ʒj

Pulvis Hollandicus purgat [illegible] humores et crassos [illegible]
[illegible] et a [illegible] pulmones [illegible]
[illegible] humores, nec non [illegible] ~~ex@stam~~ ex purgat [illegible]
efficaciter admodum discutit

[illegible] humores phlegmaticos, et purgat et
calefacit.

Diaturbith cum Rabab flavum bilem et pituitam educit atque saepe inter cutem laborantibus confert mirifice, ad vermes etiam est rarissimum est remedium & valde idoneum Nam ~~[illegible]~~ vermes maxime necat et turbith pituitam ipsam rerum vermium seminalem educit

Caryophyllorum, ana drachmas duas.
Galangæ,
Piperis longi,
Macis, ana drachmam unam.

Fiat Pulvis: Et cum Sacchari albissimi unciis octo & drachmis quinque in aq: Cichorii solutis, fieri potest Electuarium s. a.

DIATVRBITH CVM RHABARBARO, *MONTAGNANÆ.*

℞ Turpeti optimi,
Hermodactylorum, ana unciã unam.
Rhabarbari drachmas decem.
Diagrydii unciam dimidiam.
Santali rubri,
albi,
Violarum,
Zingiberis, ana drachmam unã semis.
Mastiches,
Anisi,
Cinnamomi,
Croci, ana drachmã dimidiam.


Fiat Pulvis: Et cum Sacchari albissimi libra una, unciis duabus, & drachmis duabus in aq: Cichorii solutis, fieri potest Electuarium secundum artem.

PVLVIS AD LVMBRICOS.

℞ Sem: Sanctonici uncias quatuor.
Folior: Sennæ unciam unam.
Coriandri præparati,
Cornu Cervi, ana drachmam dimidiam.
Rhabarbari unciam dimidiam.
Rutæ siccæ drachmas duas.

Fiat Pulvis.

ELECTV-





ELECTVARIA.

ANTIDOTVS ANALEPTICA SIVE ELECTVARIVM RESVMPTIVVM, FERNELII.

℞ Rosarum rubrarum,
Glycyrrhizæ, ana drachmas duas & grana quinque.
Gum: Arabici,
Tragacanthi, ana drachmas duas & scrupulos duos.
Santali albi,
rubri, ana scrupul: quatuor.
Succi Glycyrrhizæ,
Amyli,
Semin: Papaveris albi,
Portulacæ,
Lactucæ,
Scariolæ, ana drachmas tres.
Quatuor Semin: frigidorum majorum.
Sem: Cydoniorum,
Malvæ,
Bombacis,
Violarum,
Strobilorum,
Pistaciorum recentium,
Amygdalarum dulcium,
Pulpæ Sebesten, ana drachmas duas.
Caryophyllorum,
Spodii,
Cinnamomi, ana drachmam unam.
Croci grana quinque.
Penidiorum unciam dimidiam.

Trita omnia excipiantur triplo Syrupi violati, & fiat Electuarium molle.

CONFECTIO ALKERMES, MES.

℞ Succi Pomorum fragrantium.
Aquæ Rosarum odoratissimæ, ana libram unam semis.

Quibus

Antidotus analeptica vires omnes solutas instaurat, cardialgiam, animi defectionem & syncopen tollit. Corpus sanguinis effusione aut generis immodica variatione extenuatam reparcit, tabidis et consumptis succurrit humectans nimiumque ~~nutritiv~~ nutriens et corroborans

Confectio Alkermes in multis efficacissima: medetur enim Cordis palpitationi, animi deliquio, delirio & maerori sine causa manifesta, multamque post languidis longo morbo refficit et ab eo convalescentibus Dos. ʒj

Athanasia Mithridatis valet ad venena, et omnium venatorum morsus quibusq cibus in ventriculo ardescit, sanguinem antiquas in fistulis tusses hepatis, renum, vesicae et uteri morbos sanat
De Antidotis Lib 2dus Cap 8

Electuarium de baccis Lauri valet ad coliam et iliacam passionem et doloribus intestinorum ex causa frigida vel flatuosa.

Quibus infunde per horas viginti quatuor,
Serici crudi uncias quatuor.
Expressioni forti adde,
Succi granorum Kermes ad nos advecti, puri libram unam.
Sacchari libras duas.
Coque ad mellis consistentiam, Mixturæ ab igne sepositæ, adhuc autem calenti, adde
Ambræ griseæ crudæ minutim concisæ unciam dimidiam.
Quibus optimè liquatis, superinjicito sequentia pulverisata.
Cinnamomi electi,
Ligni Aloes optimi,
Lapidis Lazuli usti in Crucibulo,
(dein pulverisati, & loti primum in aqua communi, dein in aqua Rosacea aut Borraginis, idque multoties, ita ut post lotionem exiccetur, denuóque lavetur; & eousque hæc reiteretur operatio, donec aqua limpida post lotionẽ remaneat) ana drachmas sex.
Margaritarum pellucidarũ præparatarum drachmas tres.
Folior: Auri,
Moschi optimi, ana drachmam unam.
Confice secundùm artem.

ELECTVARIVM DE BACCIS LAVRI, *RHASIS*.

℞ Folior: Rutæ aridorum drachmas decem.
Sem: Ammeos,
Cymini,
Ligustici,
Origani,
Nigellæ,
Carui,
Dauci,
Petroselini,
Amygdalarum amararum,
Piperis nigri,
longi,
Menthastri,
Acori, vel Calami aromatici.
Baccarum Lauri,
Castorei, ana drachmas duas.
Sagapeni unciam dimidiam.
Opopanacis drachmas tres.
Mellis despumati libram unam semis.
Tritis diligenter quæ terenda, fiat Electuarium secundùm artẽ, sub finẽ additis vino dilutis lachrymis.

ATHANASIA MITHRIDATIS, è *GALENO*.

℞ Cinnamomi,
Casiæ,
Schœnanthûs, ana sesquiunciã.
Croci,
Myrrhæ, ana unciam.
Costi,
Mei,
Acori,
Agarici,
Scordii,
Dauci,

K Petro-

Petroſelini, ana ſemunciam.
Piperis albi grana undecim.
Mellis q. ſ.
Compone, ut artis eſt.

DIACAPPARIS, *GILBERTI ANGLI.*

℞ Capparis uncias quatuor.
Radic: Agrimoniæ,
Semin: Gith, i. Nigellæ Rom:
Scillæ,
Aſari,
Centaureæ,
Pyrethri,
Piperis nigri,
Apii,
Thymi, ana unciam unam.
Mellis q. ſ.
Fiat Electuarium ſecundùm artem.

DIACINNAMOMUMES.

℞ Cinnamomi tenu: drachmas quindecim.
Caſiæ Ligneæ,
Radic: Helenii, ana ſemunciam.
Galangæ drachmas ſeptem.
Caryophyllorum,
Piperis longi,
Cardamomi utriuſq;
Zingiberis,
Macis,
Nucis Moſchatæ,
Xyloaloes, ana drachmas tres.
Croci drachmam.
Sacchari tabarzet, i.e. criſtallini albiſſ. drachmas quinque.
Moſchi ſcrupulos duos.
Excepta mellis deſpumati libris duabus, unciis octo, Coque;
Fiat Electuarium ſecundùm artem.

DIACORALLION USUAL: *COLON:*

℞ Corallii albi,
rubri,
Boli Armeni veri,
Sanguinis Draconis, ana drachmam.
Margaritarum ſemidrachmam.
Xyloaloes,
Roſarum rubrarum,
Gum: Tragacanthi,
Cinnamomi, ana ſcrup: duos.
Santali albi,
rubri, ana ſcrupulum.
Miſce, fit Pulvis, è pulvere Electuarium ſ. a. cum
Sacchari albiſſimi, & Aq:
Cinnamomi ten: ana q. ſ.

DIACORUM, *MES.*

℞ Radic: Secacul, ſeu Siſeris,
Acori, ſeu Calami aromatici,
Pinearum, ana ſeſquilibram.
Radicibus Secacul mundatis, inciſis, coctis, piſtatis, tritis dum pulti ſimiles, affunde
Mellis deſpumati libras decem.
Coquan-

Diacaparis ad vitia splenis valet

Apud dispensatorium colon   de virtutibus sed videtur eadem praestare, quod diacorallium galeni: scil. auxiliari sanguinem exspuentibus, tabidis purulenta expuentibus, coeliacis et dysentericis sanguinem undicunque emanantem sistere ac supprimere.

Diacinnamomum concoctionem iuvat, cruditates putredinem prohibet, ac alimenti in corpus distributionem promovet.

Diacorum Mes. nervorum aegritudinibus mirifice confert, acuit omnes sensus, et ingenium sedat dolores capitis est peculiare remedium frigidarum aegritudinum senum et maxime catarrhi, hydropicis iuvat.

Diacydonium simplex peculiare remedium est ad afluxus nimios
seu vomitus, quoniam astringit & corroborat membra
debilia, ut est ventriculi, facultatem retentricem et
coquultem iuvat appetitum excitat sed ad fluxum datur
cibum, ad vomitum vero sedandum post illum

Electu succo rosarū leniter purgat, roborat, confert ventriculi
doloribus & lienosis

Diacydonium Gal. astringit stomachum debilem et mollem
certificat

Coquantur agitando, ad justam spissitudinem, tum adde tritas radices Acori, incisas Pineas, mixtas sequenti pulveri;
R Piperis nigri unciam,
longi,
Caryophyllorum,
Zingiberis,
Macis, ana semunciā.
Nucis moschatæ,
Galangæ,
Cardamomi, ana drachmas tres.
Misce cum radicibus, & Melle q. s. agitando ne grumi relinquantur. Fiat Electuarium s. a.

ELECTVARIVM è SCORIA FERRI,
RHASIS.

R Scoriæ ferri aceto infusæ per dies septem, posteà torrefactæ, drachmas tres.
Spicæ Indicæ,
Schœnanthûs,
Cyperi,
Zingiberis,
Piperis,
Ammeos,
Thuris, ana semunciam.
Myrobalanorum { Indarum, Belliricarum, Emblicarum,
Mellis decocti cum apozemate Emblicarum uncias sedecim.
Misce: fiat Electuarium.

DYACYDONIVM SIMPLEX.

℞ Carnis Cydoniorum mundatorum, & in frusta dissectorum, & in aquadulci ad spissitudinem coctorum libras octo.
Sacchari albissimi despumati, & ad justam consistentiam concocti libras sex.
Coque ad spissitudinem.

DYACIDONIVM GALENI CVM SPECIEBVS.

℞ Succi Pomorum Cydoniorum,
Sacchari optimi, ana libras duas.
Aceti vini albi libram semis in fine decoctionis.
Coctis supra prunas modicè & spumâ detractâ, adde
Zingiberis uncias duas,
Piperis albi drachmas decem & scrupulos duos
crassiusculè incisorum, deinde rursus lento igne recoque ad mellis crassitudinem.

DIACYDONIVM LONDINENSE COMPOS.

℞ Sacchari albi libras sex.
Aquæ fontanæ libras quatuor.
Clarificentur cum albumine ovi, & diligenter despumentur: Dein

℞ Cydoniorum maturorum à corticibus exterioribus & seminibus expurgatorum, & in quatuor partes incisorum libras octo.

Coquantur in syrupo prædicto dum carnes teneræ sint, deinde per pannum laneum (sive boulterum vulgò vocatum) coletur succus sive syrupus. Iterum coquantur ad gelatinæ consistentiam cum aceti vini albi unciis quatuor in fine additis, syrupo ab igne remoto, dum adhuc calescit, insperge has species sequentes, crasso modo incisas, scilicet

Zingiberis unciam unam.
Piperis albi,
Cinnamomi,
Nucis moschatæ, ana drachmas duas.

In pyxidibus diversis reservetur.

Eodem modo paretur Diacydonium simplex.

CONFECTIO DE HYACINTHO.

℞ Hyacinthorum,
Corallii rubri,
Boli Armeni,
Terræ sigillatæ, ana unciam dimidiam.
Granorum Kermes.
Radic: Tormentillæ,
Dictamni,
Sem: Citri mundat:
Acetosæ,
Portulacæ,
Croci,
Myrrhæ,
Rosarum rubrarum,
Santalorum omnium,
Ossis è Corde Cervi & Cornu,
Rasuræ Eboris præparatæ, ana scrupulos quatuor.
Sapphyrorum
Smaragdi,
Lapidis Topasii
Margaritarum,
Serici crudi,
Folior: Auri,
Argenti, ana scrupulos duos.
Camphoræ,
Moschi,
Ambræ griseæ ana grana quinque.

Cum syrupo de Limonibus fiat Confectio secundùm artem.

CONFECTIO HVMAINMES.

℞ Euphragiæ uncias duas.
Sem: Fœniculi drachmas quinque.
Caryophyllorum,
Cinnamomi,
Cubebarum,
Piperis longi,
Macis, ana drachmam unam.

Pulverizatis, cribellatis, adde
Mellis despumati libram unam quâ

Confectio Humain videtur ad ea componi ad quae optimum August
spilliret ad quarumque visus imbecillitatem et suffusionem

Confectio de Hiacintho valet ad effectus cordis et partium nobilium
syncopen sanat cor exhilarat, palladium emendat oris halitum
comendat, Melancholiam et ei cognatam tristitiam sine causâ
manifestâ tollit morbis contagiosis et venenatis medetur, atque eosdem
effectus quos cordii bazzi confectio praestat./

Antidotum Hemagogum obstructiones hepatis et induratos lienes sanat: menses et urinam promovet: ac uterum ab humoribus pravis male habentem expurgat, ac ventriculo confert. Datur ad ʒij vel iij cum aqua aliqua conveniente si sine febre affuerit, sin minus cum vino emulso ... sufficit, ... ad nonum vel decimum diem continuatur. multum commendatur a Matthiolo in suis Epist.

Diaireos Salomonis dicitur ad fauces exasperatas et columellam fluxione tentatam ~~dispos~~ dispositis et antecedentibus tuberculo-sis in ~~vocis~~ iactura a perfrigerio contracta est frigida capitis intemperie et destillationi in fauces ...

quâ ſimul coque, & depura
Succ: Fœniculi unciam unam.
Chelidoniæ,
Rutæ, ana ſemunciam.
Cum his confectæ Species in vaſe vitreato reſerventur.

ANTIDOTVM HÆMAGOGVM, *ROM.*

℞ Lupinorum drachmas duas.
Piperis nigri ſcrupulos quinque & grana ſex.
Glycyrrhizæ ſcrupulos quatuor.
Ariſtolochiæ longæ,
Arthemiſiæ,
Caſſiæ ligneæ,
Sem: Petroſelini Macedonici,
Pyrethri,
Sem: Rutæ,
Spicæ,
Myrrhæ,
Pulegii ana ſcrupulos duos & grana quatuordecim,
Sem: Apii,
Sabinæ ana ſcrupulos duos & grana tredecim,
Centaurii majoris,
Dauci Cretici,
Nigellæ,
Carui,
Aniſi,
Caryophyllorum,
Aluminis ana ſcrupulos duos.
Fol: Lauri ſcrupulum unum ſemis & grana tria.
Xyloaloes ſcrupulum unum & grana quatuordecim.
Shœnanthi ſcrupulum unum & grana tredecim,
Aſari,
Acori, id eſt, Calami Aromatici vulgaris,
Amomi,
Pæoniæ,
Centaurei minoris,
Sem: Atriplicis,
Marathri ſive Fœniculi, ana ſcrupulum unum & grana ſex.
Cyperi,
Helenii,
Zingiberis,
Rad: Capparum,
Cumini,
Orobi ana ſcrupulum unum.
Trita omnia in tenuiſſ: Pulverem excipiantur mellis quadruplo, & conficiatur Electuarium ex arte.

DIAIREOS SALOMONIS, *NICOLAI.*

℞ Radic: Iridis unciam unam.
Pulegii,
Hyſſopi,
Glycyrrhizæ, ana drachmas ſex.
Tragacanthæ,
Amyli,
Amygdalarum amararum,
Pinearum Nucum,
Cinnamomi,
Zingiberis,
Piperis, ana drachmas tres.
Caricarum pinguium.

Pulpæ Passularum.
Carnis Dactylorum, ana drachmas tres semis.
Styracis Calamitæ drachmas duas semis.
Sacchari dissoluti in aqua Hyssopi, Mellis despumati, ana duplum ad omnia, fiat Electuarium s. a.

DIASATYRION, *NICOLAI.*

R Radic: Cynosorchios seu Satyrii recentis ac solidæ.
Pastinacæ sativæ,
Eryngii,
Pinearum,
Nucis Indicæ, vel si desit Nux Indica Pinearum duplum.
Pistaciorum, ana unciam unam semis.
Caryophyllorum,
Zingiberis,
Sem: Anisi,
Erucæ,
Linguæ avis, quæ est semen Fraxini, ana drachmas quinque.
Cinnamomi,
Caudarum & Lumborũ Scincorum,
Sem: Bulbi,
Urticæ, ana drachmas duas semis,
Moschi grana septem.
Sacchari optimi dissoluti in vino Malvatico libras tres: fiat Electuarium s. a.

DIASATYRION MAGIS GRATUM. *COLON.*

℞ Radic: Satyrii uncias tres.
Carnium Dactylorum,
Amygdalarum dulcium,
Nucis Indicæ,
Pinearum,
Pistaciorum,
Zingiberis conditi,
Eringii conditi, ana unciam unam.
Zingiberis,
Caryophyllorum,
Galangæ,
Piperis longi,
nigri, ana drachmas tres.
Ambræ griseæ scrupulũ unum.
Moschi scrupulos duos.
Penidiorum uncias quatuor.
Cinnamomi,
Croci, ana unciam dimidiam.
Vini Malvatici uncias tres.
Nucis moschatæ,
Macis,
Granorum Paradisi, ana drachmas duas.
Linguæ avis, i. Sem: Fraxini,
Ventris & lumborũ Scincorũ,
Boracis factitii,
Asæ dulcis, i. e. Benzoini, ana drachmas tres.
Ligni Aloes,
Cardamomi, ana drachmas duas.
* Been albi, vide pag. 58.
rubri,

Dias Mag: Grat: valet ad virga erectionem, multiplicat sperma, et coeundi desiderium

Diasatyrion Nic. analepticon est, medicamentum consumptos et emaciatos reficiens semen auget, et venerem concitans desertam, contra renum et vesica imbecillitatem valet remorantem urinam expellit, et frigidam et velut emortuam genitalium partium intemperaturam corrigit

Elect. Diasp[illegible] et [illegible] [illegible] [illegible] [illegible] et [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

Elect. Pectorale hoc [illegible] commendat in asthmate [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] testatur

[illegible] [illegible] et dysenteriae intestinorum debilitate laborant[ibus]
[illegible] intestinorum et ad omnes alios assertus

rubri, ana drachmam unã semis.

Singula simplicia comminuendo ac miscendo, tandem excipe libris duabus & semis syrupi Zingiberis condîti.

Fiat Electuariũ secundùm artem.

ELECTVARIVM DIASPERMATON, *FERNELII.*

℞ Quatuor semin: Frigidorum, majorum, & minorum.
Sem: Asparagi,
Pimpinellæ,
Ocimi,
Petroselini,
Granorũ Halicacabi, ana drachmas duas.
Milii Solis,
Succi Glycyrrhizæ, ana drachmas tres.
Cinnamomi,
Macis, ana drachmam unam.

Sacchari albi aquâ Althææ soluti octuplum: fiat Electuarium secundùm artem.

MICLETA, *NICOLAI.*

℞ Myrobalanorum omnium, ana drachmas dúas semis.
Sem: Nasturtii,
Cymini,
Anisi,
Fœniculi,
Ammeos,
Carui, ana drachmam unam semis.

Omnia cruda terantur, & aspergantur aceto vini acerrimo, deinde pulverisentur, mox addantur sequentia:
Spodii sive Eboris usti,
Balaustiorum,
Sumach,
Mastiches,
Gum: Arabici, ana drachma una, & grana quindecim.

Omnia misceantur cum Syrupi Myrtini, ad spissitudinem mellis cocti, triplo, id est, unciis decem plùs minus, fiat Electuarium secundùm artem.

ELECTVARIVM PECTORALE AD OCCON *AVG.*

℞ Succi Glycyrrhizæ,
Amygdalarum dulcium,
Avellanarum, ana semunciam.
Pinearum unciam unam.
Hyssopi,
Capillorum Veneris,
Ireos,
Sem: Urticæ,
Aristolochiæ rotundæ, ana sesquidrachmam.
Piperis nigri,
Sem: Nasturtii,
Rad: Enulæ, ana semidrachmã.
Mellis uncias quatuordecim.

Fiat Electuarium s. a.

THERIA-

THERIACA DIATESSARON, *MES.*

℞ Gentianæ,
Baccarum Lauri,
Myrrhæ,
Ariſtolochiæ rotundæ, ana uncias duas.
Mellis libras duas.
Miſce: fiat Electuarium ſecundùm artem.

ANTIDOTVS MAGNA MATTHIOLI ADVERSVS VENENA & PESTEM.

℞ Rhabarbari,
Rha Pontici veri,
Radic: Phu,
Acori, vel Calami aromatici vulgaris.
Cyperi,
Quinquefolii,
Tormentillæ,
Ariſtolochiæ rotundæ,
Pœoniæ maris,
Enulæ Campanæ,
Coſti,
Iridis Illyricæ,
Chamæleontis albi, vel Caryophyllatæ, ana drachmas tres.
Galangæ,
Imperatoriæ,
Dictamni albi,
Angelicæ,
Millefolii,
Filipendulæ,
Zedoariæ,
Zingiberis, ana drachmas duas.
Agarici drachmas tres.
Libanotidis,
Gentianæ,
Morſus Diaboli, ana drachmas duas ſemis.
Sem: Citrei mali,
Viticis,
Granorum Kermes,
Semin: Fraxini,
Acetoſæ,
Paſtinacæ ſylveſtris,
Napi,
Nigellæ,
Pœoniæ maris,
Ocimi,
Irionis, ſive Eryſimi,
Thlaſpeos,
Fœniculi,
Ammeos, ana drachmas duas.
Baccarum Lauri,
Juniperi,
Hederæ,
Smilacis aſperæ, vel illius defectu duplum cubebarum.
Cubebarum, ana drachmam unam ſemis.
Folior: Scordii,
Chamædryos,
Chamæpityos,
Centaurii minoris,
Stœchados,
Spicæ Celticæ,

Cala-

I

Theriaca diatessaron ad venenatos morsus et potus esse ex omnibus vendibus frigidos affectus convulsionem resolutionem morbum comitialem spasmum cancrum ventriculi inflammationem et cortionis tarditatem venenatos ictibus admota et epota benefacit.

Antidotus magni Matthioli scribitur in Commentario suo in praefatione sexti libri Dioscoridis praestantissima est contra omnia venena quae per sumuntur: itemque adversus ea quae morsu vel ictu relinquuntur: insuper in pestilentia mirifice spectatur quotidie experimenta et periculum ad praeservandos sanos. Dos a ʒj ad ʒij pro aetate et constitutione patientis, quomodo ex hac potio fiat vide ibi et ubi tractatur pag 5 in aqua Bezoartina Matthioli.

Calaminthæ,
Rutæ,
Menthæ,
Betonicæ,
Verbenæ,
Scabiosæ,
Cardui benedicti,
Melissophylli, ana drachmam unam semis.
Dictamni Cretici drachmas tres.
Majoranæ,
Hyperici,
Schœnanthi,
Marrhubii,
Galegæ,
Sabinæ,
Pimpinellæ, ana drachmas duas.
Caricarum pinguium,
Juglandium,
Pistaciorum, ana uncias tres.
Myrobalanorum Emblicarum unciam dimidiam.
Flor: Violarum,
Borraginis,
Buglossi,
Rosarum,
Lavendulæ,
Salviæ,
Rorismarini, ana scrupulos quatuor.
Croci drachmas tres.
Casiæ ligneæ drachmas decem.
Caryophyllorum,
Nucis moschatæ,
Macis, ana drachmas duas semis.
Piperis nigri,
longi,
Santalorum omnium,
Ligni Aloes, ana drachmam unam semis.
Rasuræ Cornu Cervi unciam dimidiam.
Unicornu, vel ejus loco,
Lapidis Bezoartici drachmam unam.
Ossis è Corde Cervi,
Rasuræ Eboris,
Virgæ Cervinæ,
Castorii, ana scrupulos quatuor.
Terræ Lemniæ drachmas tres.
Opii drachmam unam semis.
Perlarum orientalium,
Fragmentorum Smaragdi,
Hyacinthi,
Corallii rubri, ana drachmã unam semis.
Camphoræ drachmas duas.
Gum: Arabici,
Mastiches,
Thuris,
Styracis,
Terebinthinæ,
Sagapeni,
Opopanacis,
Laserpitii, sive Myrrhæ, ana drachmas duas semis.
Moschi odorati,
Ambræ griseæ, ana drachmam unam.
Olei Vitrioli unciam dimidiam.
Specierum Cordialium Temperatarum,

tarum,
Diamargaritôn,
Diamoſchi,
Diambræ,
Electuarii de Gemmis,
Trochiſcorum de Camphora,
de Scilla, ana drachmas duas ſemis.
Trochiſcor: de Vipera uncias duas.
Succorũ Acetoſæ,
Sonchi,
Scordii,
Ecchii,
Borraginis,
Meliſſophylli, ana libram dimidiam.
Hypociſtidis drachmas duas.
Theriacæ electæ,
Mithridatii optimi, ana uncias ſex.
Vini antiqui odorati libras tres.
Sacchari optimi, vel
Mellis electiſſimi libras octo & uncias ſex.

Ex his omnibus ſummâ diligentiâ, & arte conquiſitis, mundatis, & electis, fiat Electuarium eodem modo, quo componitur Theriaca aut Mithridatium.

DIASCORDIVM, *FRACASTORII.*

℞ Cinnamomi,
Caſiæ ligneæ, ana unciam dimidiam.
Scordii veri unciam unam.
Dictamni Cretici,
Tormentillæ,
Biſtortæ,
Galbani,
Gum: Arabici, ana unciam dimidiam.
Opii drachmam unam ſemis.
Styracis Calamitæ drachmas quatuor ſemis.
Semin: Acetoſæ drachmam unã ſemis.
Gentianæ unciam dimidiam.
Boli Armeni unciam unam ſemis.
Terræ Sigillatæ Lemniæ unciã dimidiam.
Piperis longi,
Zingiberis, ana drachmas duas.
Mellis albi deſpumati libras duas ſemis.
Conſervæ Roſarum libram unam.
Vini Canarini Aromatici libram dimidiam.
Fiat Electuarium ſ. a:

MITHRIDATIVM, *DAMOCRATIS.*

℞ Myrrhæ Arabicæ
Croci,
Agarici,
Zingiberis,
Cinnamomi,
Spicæ Nardi,
Thuris,
Sem: Thlaſpeos, ana drach: decem
Seſeleos,
Opobalſami, ſeu ol: Nuc: moſc:
per

Mithridatium adversus venena et morbos contagiosos laudatissimum est praesidium. Alia sunt eiusdem ponderis innumera vires, quae cum sint Hippocrati et Theoribus nota, in his describendis non diutius immorabor tenendo.

Diascordio feliciter utimur in iis, quibus Theriaca locum non habet ut pueris et gravidis, in peste Conceptui ac ... desperatis convenit hoc modo, Schrekstorius lib. 3 cap. 7 de morbis Contagiosis. ℞

Succi limonum ℥ij
citri ℥j
Diascord. ℥ij
Spiritus Card.
e gemmis ana ℈j
aceti ℥j
omnia misceto et totum haurito.

Phi. Per. Confert ad uteri hæmorrhagiam, fluxum providentiam, hæmorrhoidas cruentas, excretiones prius serosas, sanguinis sputum, menstruorum nimium effluvium compescit, ac datur in vehiculo convenienti a ℈i ad ʒß

per expreſſ:
Iunci odorati,
Stœchados,
Coſti veri,
Galbani,
Terebinthinæ,
Piperis longi,
Caſtorei Pontici,
Succi Hypociſtidos,
Styracis optimæ,
Opopanacis.
Folior: Malabathri recentium, vel in ejus defectu, Macis, ana unciam unam.
Caſiæ Ligneæ veræ,
Polii,
Piperis albi,
Scordii.
Sem: Dauci Cretici,
Carpobalſami, vel Cubebarum.
Trochiſc: Cypheos,
Bdellii, ana drachmas ſeptem.
Nardi Celticæ purgatæ,
Gummi Arabici,
Sem: Petroſelini Macedonici,
Opii,
Cardamomi minoris,
Sem: Fœniculi,
Gentianæ,
Folior: Roſarum rubrarum,
Dictamni Cretenſis, ana drachmas quinque.
Sem: Aniſi,
Aſari,
Acori, ſeu Calami Aromatici,
Ireos,
Phu majoris,
Sagapeni, ana drachmas tres.
Mei Athamantici,
Acaciæ,
Ventrium Scincorum,
Summit: Hyperici, ana drachmas duas ſemis.
Vini quantum ſufficit ad ſolutionem gummi & ſuccorum,
Mellis deindè triplum ad omnia, præter vinum.

PHILONIVM PERSICVM, MES.

℞ Piperis albi,
Hyoſcyami albi, ana drachmas viginti.
Opii,
Terræ Lemniæ, ana drachmas decem,
Lapid: Hæmaritæ præp:
Croci, ana drachmas quinque.
Caſtorei,
Spicæ Indicæ,
Euphorbii,
Pyrethri,
Margaritarum,
Succini,
Zedoariæ,
Doronici,
Trochiſcor: Ramich, ana drachmam unam.
Camphoræ ſcrupulum unum.
Mellis roſati optimi triplum. Miſce: fiat Electuarium ſecundùm artem.

PHI-

PHILONIVM ROMANVM, *NICOLAI.*

℞ Piperis albi,
Sem: Hyoſcyami albi, ana drachmas quinque.
Opii drachmas duas ſemis.
Caſiæ ligneæ drachmam unam ſemis.
Semin: Apii drachmam unam.
Petroſelini Macedonici veri,
Fœniculi,
Dauci Cretici, ana ſcrupul. duos, grana quinque.
Croci ſcrupulum unum ſemis.
Spicæ Indicæ,
Pyrethri,
Zedoariæ, ana grana quindecim.
Cinnamomi drachmam unam ſemis.
Euphorbii,
Myrrhæ,
Caſtorei, ana drachmam unam.
Mellis deſpumati pódus triplum.
Miſce: fiat Electuarium ſ. a.

ELECTVARIVM DE OVO, *MAXIMILIANI IMPER.*

℞ Ovum gallinæ recens, & extracto albumine, parvo foramine facto, impleatur vacuum Croco optimo non pulveriſato, relicto intùs vitello. Poſteà cum alio putamine rurſum obturetur, & lento igne, vel ad fornacem, tamdiù aſſetur, donec tota teſta ovi incipiat nigreſcere, diligenter attendendo, ne Crocus comburatur (alioqui corrumpit totum medicamentum) Exempta materia exiccetur, ut minutiſſimè poſſit contundi, & in pulverem redigi, addatur pulveris Sinapeos albi quantum prædicta omnia ponderant. Deinde
℞ Pulver: Radic: Dictamni albi, ſive Fraxinellæ,
Tormentillæ, ana drachmas duas.
Myrrhæ,
Cornu Cervini,
Radic: Petaſitæ, ana drachmam unam.
Radic: Angelicæ,
Pimpinellæ.
Granor: Juniperi,
Zedoariæ,
Camphoræ, anà unciam dimidiam.
Miſceantur univerſa ſimul in mortario, & adjiciatur denique Theriaca optima ad pondus omnium: & iterum piſtillo benè miſceantur per tres fermè horas ſemper agitãdo, & affundendo Syrupi limonũ, q. ſ. donec fiat Electuarium ſ. a.

REQVIES

Phil: Dom: Colicos dolores, alterutriusq; partium lateralis cruciatus ventris, hypocondriorum, ventriculi et hepatis lienis eorum ab intemperie frigidâ, flatibus crassis, aut crudis humoribus excitatos sedat, tusses intensissimas suffocationis periculum minantes, ex cordis aut pulmonis incendiaq; [illegible] singultum etiam vehementem & prima difficultatem liberat; sanguinis exactionibus, tabidos, suspiriosis, pleuriticis confert, hemorrhagiam sistit, insomnium levat, et somni conciliatione vires reficit et renovat, dolores omnes abigit, sed in colicis affectibus praecipuam habet dignitatem, eiq; affectui adhibet Gal. lib. 2 de locis affectis, doloris enim magnitudo saepe totam in se curationem intendit, et in miseram vitae desperationem plerosq; inducit. Adhibet datur avellanae quantitate in morbis febre quando venit in potu convenientes/

Usus electuarij de ovo maximus est in peste, et in praeservatione a debilitate ventris. — vide de vom

Requies Nic[olai] sic appellata ab effectu, quod dolorem obtundat et mitiget, et alterum [illegible] meliorem reddat et ipsis qui eam sumunt requiem afferat, est etiam utilis temporibus et pestibus maximum ~~[illegible]~~ cordis dolorem ~~mitigat~~, somnumque conciliat,

Theriaca Andromachi adversus maxima mala medicamentum aliquoties est expertum, datur in [illegible] ~~[illegible]~~ contra venenatorum plagas, [illegible] magnitudine cum vino, capitis dolores internos vertigines auditus [illegible], hebetudinis oculorum, gustus instrumenti debilitatem,

REQVIES, NICOLAI.

℞ Rosarum rubrarum ab unguibus purgatarum,
Flor: Violarum purpurearum ana drachmas tres.
Opii Thebaici vino soluti,
Sem: Hyoscyami albi,
Papaveris albi,
nigri,
Cort: Radic: Mandragoræ,
Sem: Scariolæ, sive Intybi,
Portulacæ,
Lactucæ sativæ,
Psyllii,
Spodii vel Antispodii ex Ebore usto,
Gum: Tragacanthi, ana scrupulos duos, & grana quinque.
Nucis moschatæ,
Cinnamomi,
Zingiberis, ana drachmam unam semis.
Santali citrini,
albi,
rubri ana drachmam unam semis.
Sacchari in aqua rosacea dissoluti triplum, misce, fiat Electuarium secundùm artem.

THERIACA ANDROMACHI.

℞ Trochiscorum Scilliticorum drachmas quadraginta octo.
Trochiscorum è Viperis,
Piperis longi,
Opii Thebaici,
Magmatis Hedychroi sicci, ana drachmas viginti quatuor.
Rosarum siccarum, resectis unguibus,
Iridis Illyricæ odoræ,
Succi Glycyrrhizæ,
Sem: Napi dulcis,
Comarum Scordii,
Opobalsami,
Cinnamomi,
Agarici, ana drachmas duodecim.
Myrrhæ,
Costi odorati seu Zedoariæ,
Croci,
Casiæ ligneæ veræ,
Nardi Indicæ,
Schœnanthi,
Piperis albi,
nigri,
Thuris masculi,
Dictamni Cretici,
Rhei,
Stœchados,
Marrhubii,
Sem: Petroselini Macedonici,
Calaminthes siccæ,
Terebinthinæ,
Radic: Pentaphylli,
Zingiberis, ana drachmas sex.
Comarum Polii Cretici,
Chamæpityos,
Nardi Celticæ,
Amomi,

Styracis Calamitæ,
Rad: Mei,
Com:Chamædryos,
Rad: Phu Pontici,
Terræ Lemniæ,
Folior:Malabathri,
Chalcitidis assæ, vel ejus loco Chalcanthi Romani usti.
Radic: Gentianæ,
Gum: Arabici,
Succi Hypocistidis,
Carpobalsami, vel Nucis moschatæ, vel Cubebarum,
Sem: Anisi frict:
Cardamomi,
Sem: Fœniculi,
Seseleos,
Acaciæ, vel ejus loco, succi inspissati Prunellorum acerborum.
Sem: Thlaspeos,
SummitatumHyperici,
Sem: Ammeos,
Sagapeni, ana drachmas quatuor.
Castorei,
Radic: Aristolochiæ longæ,
Bituminis Judaici,
Sem: Dauci,
Opopanacis,
Centaurii minoris,
Galbani pinguis, ana drachmas duas.

Vini antiqui Canarini q. s. quo dissolvantur simplicia humida & liquabilia.

Mellis optimi triplum ad pondus specierum aridarum, misce secundùm artem.

THERIACA LONDINENSIS.

℞ Cornu Cervini limâ derasi uncias duas.
Sem: Citri,
Oxalidis,
Pœoniæ,
Ocimi, ana unciam unam.
Scordii,
Corallinæ,ana drachmas sex.
Radic: Angelicæ,
Tormentillæ,
Pœoniæ,
Folior: Dictamni,
Baccar: Juniperi,
Lauri, ana unciam dimidiam.
Florum Calendulæ,
Caryophyllorum, seu Vetonicæ rubræ,
Anthos,
Summitat: Hyperici,
Nucis moschatæ,
Croci, ana drachmas tres.
Radic: Gentianæ,
Zedoariæ,
Zingiberis,
Macis,
Myrrhæ,
Folior: Scabiosæ,
Succisæ,
Cardui benedicti, ana drachmas duas.
Caryophyllorum,

Opii,

Cerasi [illegible] pituitosos et Cholericos humores ab externis partibus evocat ideo Commodissimus huiusce usus est in arthritide et eiusdem [illegible] morbis.

Benedicta Laxativa humores pituitosos ad articulos potissimum decumbentes elicit, a renibus quoque et vesica purgat.

Cassiae extractae usus est potissimum in inflammationibus eadem [illegible] [illegible] frequenter exhibita tamen cavendum est flatulenta ipsa alvum laxat et magis emollit ac humectat. Augusti

Opii, ana drachmam unam.
Vini Canarini quantum ſatis.
Mellis triplum. Miſce ſecundùm artem.

BENEDICTA LAXATIVA, NICOLAI.

℞ Turpeti electi drachmas decem.
Diagrydii,
Cort: Radic: Eſulæ præparatæ,
Hermodactylorum,
Roſarum rubrarum, ana drachmas quinque.
Caryophyllorum,
Spicæ Nardi,
Zingiberis,
Croci,
Saxifragiæ veræ,
Piperis longi,
Amomi, vel ejus defectu Calami aromatici,
Cardamomi minoris,
Semin: Apii.
Petroſelini,
Carui,
Fœniculi,
Aſparagi,
Ruſci,
Milii Solis,
Salis gemmei,
Galangæ,
Macis ana drachmam unam.
Mellis deſpumati triplum, fiat Electuarium ſecundùm artē. Poſſunt etiam ſpecies per ſe in officinis commodè reſervari.

CARYOCOSTINVM, *Bayr: è Gal.*

℞ Caryophyllorum,
Coſti candidi, ſeu Zedoariæ,
Zingiberis,
Cymini, ana drachmas duas.
Hermodactylorum,
Diagrydii ana unciam dimidiam.
Mellis deſpumati in vino albo duplum. Miſce, fiat Electuarium ſecundùm artem.

CASSIA EXTRACTA PRO CLYSTERIBVS, *AVG.*

℞ Foliorum Violariæ,
Malvæ,
Mercurialis,
Betæ,
Parietariæ,
Flor: Violarum, ana manipul. unum.
Fiat decoctio in ſufficienti quantitate aquæ, cujus beneficio Caſſia extrahatur, & Cannæ ejus interiùs laventur, deinde,
℞ Caſſiæ cum hac decoctione extractæ, & ad conſiſtentiam coctæ, libram unam.
Sacchari libram unam ſemis.
Coquantur ad perfectionem ſecundùm artem.

ELECTVARIVM AMARVM MAGISTRALE MAJUS.

℞ Agarici albiſſimi,
Turpeti electi,
Specier: Hieræ ſimp: Galen:
Rhabarbari optimi, ana drachmam unam.
Aloes electæ, illotæ, drachmas duas.
Zingiberis,
Cremoris Tartari, ana ſcrupulos duos.
Iridis Florentinæ,
Farinæ Semin: Fœniculi dulcis ana ſcrupulum.
Syrupi Roſarum ſolutivi q. ſ.
Fiat Electuarium amarum.

ELECTVARIVM AMARVM MINVS.

℞ Epithymi ſemunciam.
Radic: Angelicæ drachmas tres.
Gentianæ,
Zedoariæ,
Acori, ana drachmas duas.
Cinnamomi ſeſquidrachmam.
Caryophyllorum,
Macis,
Nucis moſchatæ,
Croci, ana drachmam unam.
Aloes uncias ſex.
Cum Syrupo Fumariæ,
Scabioſæ,
Saccharo, ana q. ſ.

Fiat Electuarium molle, ſ. a.

DIACASSIA CVM MANNA.

℞ Prunorum Damaſcenorum uncias duas.
Florum Violarum manipul. unum ſemis.
Aquæ fontanæ libram unam ſemis.
Bulliant ſecundùm artem ad medietatis conſumptionem. In colatura diſſolve,
Pulpæ Caſſiæ uncias ſex.
Sacchari violati,
Syrupi violati, ana uncias quatuor.
Pulpæ Tamarindorum unciam unam.
Sacchari candi unciam unam ſemis.
Mannæ optimæ uncias duas.
Commiſceantur, & fiat Electuarium ſecundùm artem.

CASSIA EXTRACTA SINE FOLIIS SENNÆ.

℞ Prunorum numero duodecim.
Florum Violarum manipul. unum.
Hordei mundati,
Sem: Aniſi,
Carthami,
Polypodii quercini, ana drachmas quinque.

Capil-

Diacassia cum manna, mite cum sit et suave medicamentum leniens confert iis qui durâ sunt alvo, hanc enim leniter et citra molestiam subducit, ac flavam educit bilem, febresque inde natas mitigat

Cassia extracta sine foliis sennae, eadem praestat quae cum foliis, sed mitius et clementius, vide de foliis sennae vide pag. proxima.

Diaphœnicum bilem crassamq; pituitam atq; etiam lentam clementer expurgat compositio atq; etiam diuturnis febribus, & morbis ex cruditate ortis et colico flatulentoq; dolori aptum dosis est ʒ iij ad ʒß tota compositio et [illegible] lib iiij dosis autem usurum [illegible] et [illegible] [illegible]

Cassia extracta cum foliis sennæ, facile soluit leniter asperitatem intestinorum, emendat siccitatem, et ventrem omnibus subducit et morbis cholericis & melancholicis auxilia præbet.

Diacarthamum flauæ bili & pituitæ educendæ mirifice confert et de manus [illegible] ex bile et pituita mixtos conuenit, mixtis podagris podagricis paralysi & cephalalgiæ commodat.

Capillorum Veneris.
Thymi,
Epithymi ana manipul: semis.
Passularum mundatarum ab acinis unciam dimidiam.
Sem: Fœniculi drachmas duas.
Portulacæ,
Malvæ, ana drachmas tres.
Glycyrrhizæ unciam dimidiam.
Fiat horum decoctio in sufficienti quantitate aquæ, colentur, & in colatura dissolve
Pulpæ Cassiæ libras duas,
Tamarindorum vnciam unam.
Cinnamomi drachmas tres.
Sacchari optimi libram unam.
Coquantur ad perfectionem s. a.

CASSIA EXTRACTA CVM FOLIIS SENNÆ.

℞ Electuarii Cassiæ extractæ sine foliis Sennæ libras duas.
Pulveris folior: Sennæ uncias duas.
Misce secundùm artem.

DIACARTHAMVM SEV DIACNICVM *ARNOLDI DE VILLA NOVA.*

℞ Specierum Diatragacanthi frigidi unciam dimidiam.
Pulpæ Cydoniorum conditorum unciam unam.
Pulpæ Semin: Carthami unciam dimidiam.
Zingiberis albi drachmas duas.
Diagrydii per se triti drachmas tres.
Turpeti albi drachmas sex.
Mannæ granatæ uncias duas.
Mellis Rosati colati solutivi,
Sacchari candi, ana unciam unam.
Hermodactylorum unciam dimidiam.
Sacchari albissimi uncias decem semis.
Fiat Electuarium liquidum secundùm artem.

DIAPHOENICON, *MES. juxtà FERN.*

℞ Pulpæ Palmularum mundatarum ex hydromelite coctæ & cribro cretæ,
Penidiorum recentium, ana libram dimidiam.
Amygdalarum dulcium expurgatarum uncias tres semis.
Contusis & permistis omnibus adde,
Mellis despumati libras duas.
Paulùm coquantur, ac deinde insperge,
Zingiberis,
Piperis,
Macis,
Cinnamomi,
Fol: Rutæ siccorum,
Sem: Fœniculi,
Dauci, ana drachmas duas.
Turpeti tenuissimè triti uncias quatuor.

Diagrydii unciam unam ſemis.
Fiat Electuarium ſ. a.

DIAPRVNVM SIMPLEX, RECTIVS LENITIVUM, *NICOL.*

℞ Pruna Damaſcena recentia & matura numero centum.
Coquantur in ſ. q. aquæ donec tabeſcant. Pulpa per cribrum trajiciatur & reſervetur. In percolato jure incoque clementiùs
Florum Violarum unciam unã, & in colatura diſſolve,
Sacchari libras duas, &
Coque in Syrupum; deinde adde Pulpæ prædictæ & per ſe inſpiſſatæ, libram unam.
Medullæ Caſſiæ,
Tamarindorum, ana unciam unam.
Tum permiſce pulveres ſequentes,
Santali Albi,
Rubri,
Spodii,
Rhabarbari, ana drachmas tres.
Roſarum,
Violarum,
Sem: Portulacæ,
Scariolæ,
Berberis,
Tragacanthæ,
Glycyrrhizæ,
Cinnamomi, ana drachmas duas.
Semin: quatuor frigidorum majorum, ana drachmam unam.
Fiat Electuarium ſecundùm artem.

DIAPRVNVM SOLVTIVUM, *NICOLAI.*

℞ Diapruni Lenitivi adhuc recentis & calidi libras quatuor.
Scammonii præparati uncias duas & drachmas quinque.
Miſce, fiat Electuarium ſecundùm artem.
Cum in hoc medicamento Scammonii doſis ſit aucta ſecundùm authorem, minori pondere exhiberi poterit.

DIACATHOLICON, *NICOLAI.*

℞ Pulpæ Caſſiæ,
Tamarindorum,
Folior: Sennæ, ana uncias duas.
Polypodii,
Violarum,
Rhabarbari,
Sem: Aniſi,
Penidiorum,
Sacchari candi, ana unciam unam.
Glycyrrhizæ raſæ,
Sem: Cucurbitæ,
Citruli,
Cucumeris,
Melonum, ana drachmas duas.
Conterenda conterantur, & ſume

Diaprunum lenitivum commendatur ad febres acutas, ardentesque omnesque alias tertianas continuas, [illegible], [illegible] lipyrias causam et synocham, et ad omnem febrilem affectum in principio augmento & statu aegritudinis. solutivum vero in eiusmodi morbis cavendum:

Diaprunum solutivum confert morbis a bile genitis, in febribus tamen cavendum.

Diacatholicum confert acutis et non acutis morbis emollit alterat, [illegible] addit [illegible] et [illegible] arthriticis, tertianis, quartanis, et quotidianis doloribus item capitis succurrit, omnesque denique corporis humores blande et innoxie educit, et est in multiplici apud nos usu

Electuarium e citro solutivum ob multiplicem illius vim, purgatoriam nullis est inferius; habet enim tertianis et quartanis valde prodest, stomachum optime purgat, pituitam colluviem in eoque hypochondriis stabulantem expellit, cibi appetitum ponit et malum corporis habitum corrigit, ... et ventriculum roborat et viscerum excrementitiam humiditatem absumit,

Diacrocuma (falso diacurcuma) datur ad viscerum internorum, ventris, hepatis, lienis morbos frigidos et diuturnos, cachexiam et hydropem, colorem corporis foedum et totum corporis habitum frigidum, obstructiones internas, stomachi intemperiem frigidam sanat et humidam, flatus crassos discutit, ... corruptelis medetur, renum vitia et obstructiones crassorum et viscidorum humorum, vesicae medetur causa frigida generatae.

Electuarium e psyllio quod et diapsyllium appellatur, flavam bilem potenter ducit, flatus et excrementa e toto corpore educit, ob id doloribus articulorum et hypochondriorum prodest, item colicis cruciatibus ... humores ad renes et vesicam decumbentes expurgat.

Polypodii recentis uncias tres.
Sem: Fœniculi drachmas sex.
Fiat decoctio in libris quatuor aquæ pluvialis vel communis ad tertiæ partis consumptionem, colentur & colaturæ adde
Sacchari optimi libras duas.
Coquantur iterùm cum pulpis Cassiæ & Tamarindorum, & in fine additis reliquis pulverizatis, fiat Electuarium s. a.

DIACROCVMA SIVE SPECIES ELECTVARII DE CROCO. *MES.*

℞ Croci,
Radic: Asari,
Sem: Petroselini,
Dauci,
Anisi,
Apii, ana unciã dimidiã.
Rhabarbari,
Radic: Mei,
Spicæ Indicæ, ana drachmas sex.
Cassiæ ligneæ veræ,
Costi,
Myrrhæ,
Schœnanthûs,
Cubebarum,
Radic: Rubiæ,
Succ: Absinthii, &
Agerarati, inspissatorum,
Opobalsami, seu Olei Nucis Moschatæ, ana drachmas duas.
Cinnamomi,
Calami Aromatici, ana drachmam unam semis.
Scordii,
Ceterach,
Succi Glycyrrhizæ, ana drâchmas duas semis.
Tragacanthi drachmam unam.
Fiat Electuariũ cum octuplo Sacchari albi in aqua Endiviæ soluti & clarificati s. a.

ELECTVARIVM DE CITRO SOLVTIVUM.

℞ Corticis Citri conditi,
Conservæ florum Violarum,
Buglossi,
Pulveris Diatragacanthi frigidi,
Diagrydii, ana unciam dimidiam.
Turpeti drachmas quinque.
Zingiberis drachmam dimidiam.
Folior: Sennæ drachmas sex.
Sem: Fœniculi dulcis drachmam unam.
Sacchari albissimi in aqua rosarum soluti, & ex arte cocti uncias decem.
Fiat Electuarium solidum secundùm artem.

ELECTVARIVM ELESCOPH, *MES.*

℞ Scammonii,
Turpeti optimi, ana drachmas sex.

Cary-

Caryophyllorum,
Cinnamomi,
Zingiberis,
Myrobalanorum Emblicarum,
Nucis moschatæ,
Polypodii, ana drachmas duas semis.
Sacchari uncias sex.
Mellis despumati uncias decem.
Misce, fiat Electuarium secundùm artem.

CONFECTIO HAMECH, *FERNELII.*

℞ Corticis Myrobalanorum citrinarum uncias duas.
Myrobalan: Chebularum,
Nigrarum.
Violarum,
Colocynthidos.
Polypodii quercini, ana unciam unam semis.
Absinthii,
Thymi, ana unciam dimidiam.
Sem: Anisi,
Fœniculi,
Flor: Rosarum rubrarum, ana drachmas tres.
Tusa omnia macerentur per diem in seri lactis libris duabus, deinde coquantur ad libram unã, fricentur manibus, & exprimantur, Colatis adde
Succi Fumariæ,
Pulpæ Prunorum, &
Uvarum Passularũ, ana libram dimidiam.
Sacchari albi,
Mellis despumati, ana libram unam.
Coquantur ad mellis crassitiem, inspergendo sub finem
Agarici trochiscati,
Sennæ, tritorum, ana uncias duas.
Rhabarbari triti unciam unam semis.
Epithymi unciam unam.
Diagrydii drachmas sex.
Cinnamomi unciam dimidiam.
Zingiberis drachmas duas.
Sem: Fumariæ,
Anisi,
Spicæ Nardi, ana drachmam unam.
Fiat Electuarium s. a.

ELECTVARIVM INDVM MINVS, *MES:*

℞ Turpeti,
Sacchari, ana drachmas centum.
Macis,
Piperis,
Zingiberis,
Caryophyllorum,
Cinnamomi,
Cardamomi,
Nucis moschatæ, ana drachmas septem.
Scammonii præparati drachmas duodecim.
Misce cum mellis despumati triplo, ad reliqua præter Saccharum, fiat

Confectio Hamech bilem atram ad retorridam salsamque pituitam detrahit maxime scabie lepra impetiginibus cancri et elephantiasis ceterisque remedium vestis [illegible] tota compositio est librarum trium dosis vero in forma [illegible] octo.

11 Electuarium mirum potentes pituitam ac bilem flavam expurgat, experimento humorum maxime pituitosorum ac putridorum e ventriculo et aliis nutritivis intercommunicantibus partibus educit, eosque in ipso statu dissolvit et in de morbis genitos et in flatuosum ventriculi dolores colicos et omnem repellit.

Electu. lenitivum usus est in febribus ex humorum putredine natis et pleuritide, emollit alvum, et utramq. bilem sine molestia et labore educit;

Electua. succo Rosarum commendatur ad omnes affectus, in quibus bilis flava redundat, aut biliosi sordes gerant: Convalescentes ex ægritudine quotidianas et tertianarios purgat, sine molestiâ malorumq. humorum reliquias potenter educit, Tertiana simplici duplici, febribus continentibus et biliosis malis q. omnibus a calore natis prodest probatur in calidis capitis affectibus ad purgandam materiam calidam et bilios

fiat Electuarium secundùm artem.

ELECTVARIVM LENITIVVM.

℞ Passularum enucleatarum.
Polypodii quercini,
Sennæ orientalis, ana uncias duas.
Mercurialis manipul. unum semis.
Jujubarum,
Sebesten, ana numero viginti.
Capillorum Veneris,
Violarum,
Hordei mundi, ana manipul. unum.
Prunorum Damascenorũ enucleatorum,
Tamarindorum, ana drachmas sex.
Glycyrrhizæ unciam dimidiã.
Coquantur s.a. colentur, in colatura dissolve
Pulpæ Cassiæ fistularis,
Tamarindorum,
Prunorum recentium,
Sacchari violati, ana uncias sex.
Sacchari optimi libras duas.
Ultimò adde Pulveris Sennæ unciam unam semis, pro qualibet libra Electuarii,
sicque in formam redigantur s. a.

ELECTVARIVM PASSVLATVM.

℞ Polypodii quercini uncias tres.
Foliorum Sennæ,
Radic: Althææ recentium, ana uncias duas.
Sem: Anisi drachmas duas.
Omnia infundantur in aqua fontana q. s. in vase vitreato, & coquantur s. a. deinde fiat expressio, Colaturæ adde,
Pulpæ Passularum per seraceum transmissarum libram dimidiam.
Sacchari albi,
Mannæ, ana uncias quatuor.
Coquantur rursus ad Cydoniati crassitudinem, quater in anno renovetur.

ELECTVARIVM è SVCCO ROSARVM, *NICOLAI. MYREPS.*

℞ Sacchari,
Succi Rosarum rubrarum, ana libram unam & uncias quatuor.
Trium Santalorum, ana drachmas sex.
Spodii drachmas tres.
Diagrydii drachmas duodecim.
Camphoræ scrupulum unum.
Fiat Electuarium s. a.
Succus cum Saccharo coquatur ad justam consistentiam, dein addantur tritæ Species.

ELEC-

ELECTVARIVM REGINÆ COLONIENS.

℞ Sem: Saxifragiæ,
Milii Solis,
Suc: Glycyrrhizæ, ana ſemunciam.
Sem: Carui,
Aniſi,
Apii,
Fœniculi,
Petroſelini Macedonici,
Geniſtæ,
Dauci,
Ruſci,
Aſparagi,
Leviſtici,
Cymini,
Juniperi,
Rutæ,
Sileris montani,
Rad: Acori veri,
Pulegii,
Pentaphylli,
Bacc: Lauri, ana drachmas duas.
Spicæ Indicæ,
Schœnanthûs,
Peucedani,
Valerianæ,
Carabes,
Lap: Lyncis, ana ſeſquidrachmam.
Galangæ,
Zingiberis,
Turpeti, ana drachmas duas.
Sennæ Alex: unciam unam.
Sanguinis Hirci præp. ſemunciã.
Miſce: fiat Pulvis, inde Electuarium ſecundùm artem, cum ſacchari in vino albo ſoluti triplo.

HIERA PICRA SIMPLEX, GALENI.

℞ Cinnamomi,
Xylobalſami, ſeu Ligni Aloes,
Aſari,
Spicæ Nardi,
Maſtiches,
Croci, ana drachmas ſex.
Aloes (non lotæ) uncias duodecim ſemis.
Mellis deſpumati libras quatuor & uncias tres.
Miſce, fiat Electuarium ſ. a.
Species etiam per ſe reſervantur in officinis.

HIERA CVM AGARICO.

℞ Specierum Hieræ ſimplicis ſine Aloe,
Agarici trochiſcati, ana unciam dimidiam.
Aloes non lotæ, unciam unam.
Mellis deſpumati uncias ſex.
Miſce, fiat Electuarium ſ. a.

HIERA LOGADII, NICOL: MYREPS:

℞ Pulpæ Colocynthidos.
Polypodii, ana drachmas duas.
Euphorbii,
Polii montani,

Sem:

Electuarium Reginæ a medicis coloniensibus descriptum adnumeratur a corbeo inter (~~[illegible]~~) electuaria calculum frangentia.

Hiera picra simpl: optimum est medicamentum ad vitiosos succos qui in ventriculi tunicis hærent, utiliter exhibetur iis qui suffusionis imagines et alia symptomata ex stomachi vitio patiuntur et præterea iis qui alvo sunt astricta et mulieribus quæ non probe purgantur: Dosis ad drachmas duas speciarum in Elect: ad ℥j

Hiera cum agarico bilem et pituitam citra molestiam educit
Dosis ℥j

Hiera Logadii in morbis diuturnis et melancholicis facta [illegible] et propulsat appetentiam excitat et colorem corporis reddit, ægrumque hilarem reddit comitiali laborantibus vertiginosis subito concidentibus spumantibus linguam mordentibus et convulsis confert, biliosis et elephantia correptis intermittentibus convenit; facit item impetiginibus ~~lethargicis et involuntarie alui excrementa emittentibus~~ confert potissimum iis qui renum calculo laboraverint, dolorem sedat et [illegible] ulceribus [illegible] Datur pleuriticis et quibus peripneumonia laborant, educit enim vitiosos humores et movet mulierum menstrua; ischiadicis et lumborum dolore infestatis commodum recepta creditur et omnibus diuturnis vitiis seu singulis invisibus sumpta. Datur ad summum drachmis quatuor ad minimum duabus et plurimum tribus.

Hiera Pachy sanat morbo comitiali correptos, furiosos vertigine laborantes
diuturno capitis dolore infestatos. Item ad lateris dolores facit asthmaticis
[illegible] [illegible] [illegible] perforationes: membrum convulsionem [illegible]
voratam ad eos qui ex alto lapsi sunt, nervorum tensiones resolutiones
[illegible] [illegible] [illegible] ad spinae et lumborum dolores item podagrae [illegible]
auxiliatur [illegible] in mulierum mammis cum dolore consistentes levat et
interdum ex [illegible] sanat, stomachi [illegible] in [illegible] confert, vomitus
et qui [illegible] in ventriculo [illegible] qui a nauseâ assidue infestantur
et [illegible] [illegible] melancholicis autem praecipue conferit:

Triphera minor Persicon ventriculum hepar: [illegible] vesicam roborat [illegible]
Almansoris [illegible] haemorrhoidum [illegible] [illegible] cohibet sanguinem
corruptionem et cruditates et in ventriculo putredines humorum
emendat colorem bonum reddit, [illegible] forma [illegible] capta [illegible]
dormitum datur a ʒj ad ʒiij

Sem: Thymelææ, ana drachmam unam ſemis & grana ſex.
Abſinthii,
Myrrhæ, ana drachmam unam & grana duodecim.
Centaurij minoris,
Agarici,
Gum: Ammoniaci,
Folii ſeu Macis,
Spicæ Nardi,
Scillæ præparatæ,
Diagrydii, ana drachmã unam.
Aloes,
Comarum Thymi,
Chamædryos,
Caſiæ ligneæ,
Bdellii,
Marrubii, ana ſcrupulum unum & grana quatuordecim,
Cinnamomi,
Opopanacis,
Caſtorei,
Ariſtolochiæ longæ,
Trium Piperum,
Croci,
Sagapeni,
Petroſelini, ana drachmã ſemis.
Hellebori nigri, & albi, ana grana ſex.
Mellis deſpumati libram unam ſemis.
Miſce, fiat Electuarium, ſ. a.
Species etiam per ſe reſervantur in officinis.

HIERA PACHII, SEV DIACOLOCYNTHIDOS, *NICOL: ALEX:*

℞ Colocynthidos,
Agarici,
Chamædryos,
Marrhubii,
Stœchados, ana drach: decem.
Opopanacis,
Sagapeni,
Sem: Petroſelini,
Rad: Ariſtolochiæ rotundæ,
Piperis albi, ana drachmas quinque.
Spicæ Nardi,
Cinnamomi,
Myrrhæ,
Folii,
Croci, ana drachmas quatuor.
Gummi trita mortario, cribrata cætera, excipiantur mellis deſpumati libris tribus, unciis tribus, & drachmis quinque, ut fiat Electuarium ſ. a.

TRYPHERA MINOR, *FOENON MES:*

℞ Myrobal: { Chebularum, Belliricarum, Indarum, Emblicarum,
Nucis moſchatæ, ana drachmas quinque.
Sem: Naſturtij,

Rad: Aſari,
Origani Perſici, ſeu Cretici Dictamni,
Piperis nigri,
Olibani,
Ammeos,
Zingiberis,
Tamariſci ſativæ,
Nardi Indicæ,
Schœnanthûs,
Cyperi rad: ana ſemunciam.
Limaturæ Chalybis præp: drachmas viginti.

Myrobalani aſſentur modicùm butyro non ſalito: pulverizata reliqua amygdalino dulci oleo involvantur: demùm adjicito
Moſchi electi drachmam unam.
Mellis deſpumati triplex pődus.


Fiat Electuarium debitâ conſiſtentiâ, ſecundùm artem.

TRYPHERA SOLVTIVA, *RENODÆI.*

℞ Diagrydii drachmas decem.
Turpeti optimi ſeſquiunciam.
Cardamomi minoris,
Caryophyllorum,
Cinnamomi,
Macis, ana drachmas tres.
Santali citrini,
Glycyrrhizæ raſæ,
Sem: Fœniculi dulcis, ana ſemunciam.
Acori,
Schœnanthûs, ana drachmam
Cortic: Citri condîti,
Roſarum, ana drachmas tres.
Violarum drachmas duas.
Penidiorum uncias quatuor,
Sacchari tabarzet ſelibram.
Mellis albiſſimi in ſucco Pomorum bene deſpumati libram unam.

Fiat Electuarium ſ. a.

PILVLÆ



Tryphera solut. est potissimum remedia qui multis experimentis biliosis pituitosis fruentur, et qui vix medicamenta purgantia nisi gratis sumunt. Est enim confectio parum in sapore est et potenter alvum subducit obstructiones tollit, crassos humores lentos, & viscidos incidendo et extenuando purgat febribus compositis congruit, et ipse omnibus morbis qui a pituita & bile efficiuntur; urgentibus tamen aestatis ardoribus minus nisi cum decocto quodam aut alio liquore multum refrigerante exhibetur:

Catapotia de Aromatibus omnia maxime stomachica sunt et partium nervosarum roborativa nam simul et humores crassos pituitosos biliosos q; ventriculo et partibus vicinis purgant et odorem flatus discutiunt cruditates tollunt appetitum reficiunt [illegible] et colico dolori Conferunt senibus autem et frigidis omni tempore conveniunt iuvenibus et biliosis raro atq; tantum hieme Commode sumuntur dosi communi [illegible] a ʒi usq; ad ʒiv apud quem tamen et [illegible] aliter componuntur.

Pil. de Aloe Rosata parum purgant sed magis ventriculum roborant sumendae sunt ante cibum quantitate ʒi



PILVLAE

PILVLÆ ALEPHANGINÆ SIVE AROMATICÆ,

MES: juxta RENOD.

℞ Cinnamomi,
Caryophyllorum,
Cardamomi,
Nucis Moſchatæ,
Macis,
Calami Aromatici,
Carpobalſami, aut ſem: Angelicæ,
Schœnanthûs,
Ligni Aloes,
Santali Citrini,
Roſarum rubrarum,
Abſinthii ſicci, ana unciam dimidiam.

Hæc craſſiuſculè trita, macerentur per horas duodecim in aquæ libris quatuor: Deinde igne lento bulliant ad tertiæ partis abſumptionem, In colatura nutriatur
Aloes libra una.
Tum abſumptâ aqueâ humiditate ſuper cineres calidos, aut in hypocauſto, adde
Myrrhæ,
Maſtiches, ana unciam dimidiam.
Croci drachmas duas.
Syrupi de Abſinthio q. ſ.
Fiat Maſſa ſ. a.

ALOE ROSATA,

Hier: Fabr: ab Aquap.

℞ Aloes Succotrinæ lucid: pulveriz: uncias quatuor.
Succi Roſarum Damaſc: depurati libram unam.
Miſce, digere ad Solem vel in Balneo, dum exhalaverit omnis humiditas: id quater repetatur, paribus evaporatione, [illegible]â, doſi. Maſſa in pyxidem repoſita, in pilulas ſit reducenda.

PILVLÆ DE ALOE LOTA, *AVG.*

℞ Aloes lotæ cum ſucco Roſarum pallidarum unciam unam.
Agarici Trochiſcati drachmas tres.
Maſtiches drachmas duas.
Specierum Diamoſchi dulcis drachma[m] dimidiam.
Syrupi è roſis pallidis q. ſ.
fiat Maſſa ſ. a.

PILVLÆ ASSAIRETH, *AVICENNÆ.*

℞ Specierum Hieræ picræ Galeni unciam unam.
Aloes vncias duas.
Maſtiches,
Myrobalanorum Citrinarum, ana unciam dimidiam.
Cum Syrupo de Stœchade q. ſ.
Miſce, fiat Maſſa ſ. a.

PILVLÆ DE BDELLIO, *MES.*

℞ Bdellii drachmas decem.
Myrobalan: { Belliricarum, Emblicarum, Nigrarum, ana drach: quinque.
Scoriæ ferri,
Sem: Porri, ana drachmas tres.
Conchulæ (Veneris) aduſtæ,
Corallii uſti,
Carabes, ana ſeſquidrachmam.
Margaritarum ſemunciam.
Infunde Bdellium in ſucco Porri.
Fiant Pilulæ, ſ. a. Cum Syrupo è ſucco Porri.

PILVLÆ DE EVPATORIO, *MES.*

℞ Myrobalanorum Citrinarum,
Succi Eupatorii, i. Agerati,
Abſinthii, ana drachmas tres.
Rhabarbari drachmas tres ſemis.
Maſtiches drachmam unam.
Croci, drachmam dimidiam.
Aloes optimæ drachmas quinque.
Syrupi è ſucco Endiviæ q. ſ.
Fiat Maſſa ſ. a.

PILVLÆ DE HIERA CVM AGARICO EX *AVGVST. MES.*

℞ Specierum Hieræ Picræ Galeni,
Agarici Trochiſcati, ana unciam dimidiam.
Aloes optimæ unciam unam.
Mellis roſati q. ſ.
Fingantur in maſſam ſ. a.

PILVLÆ IMPERIALES, *FERNELII.*

℞ Aloes optimæ uncias duas.

Rha-

Pilulae de Aloe lota cerebrum ventriculum, uterum et alia viscera a putridis humoribus purgant.

Pilulae de Eupatorio viscerum obstructionibus, et febribus conferunt febribus periodicis, complexis autumnalibus, diuturnis et antiquis valent lienis et hepatis obstructiones reserant biliosos tollunt, et crassos humores educunt,

Pilula Assairethi bilem flavam et pituitam purgant quae ventriculo insidet ideoque capitis affectibus ab impuro ventriculo ortis et obiectis stomachi quibus Hiera succurrit conducit propinatur in renibus et auribus fluxionibus capitis et liquidam materiam facile decumbentem sistunt

Pilulae de Hiera cum Agarico conducunt stomachicis Asthmaticis aliisque ventriculi et thoracis vitiis a crassis et pituitosis humoribus natis Dos ʒi

Pilulis de Bdellio optimae ad fluxus haemorrhoidum et uterinum in suos et menses immoditos Dos ʒiß.

Pilulae imperiales alimenta elaborata omnes humores e visceribus expurgant, ac pariter corroborant infarcta liberant omniumque interiorum partium concoctionem iuvant Dosis

Pilulæ Mastichinæ quod agaricum contineant validius bilem crassamque pituitam expurgant quam quæ sola aloe constant Dosis

Pilulæ de Rhabarbaro humores [illegible] educunt [illegible], tentos [illegible] et iecur [illegible] febres diuturnas et alias quasque ex humoribus natas iecoris item dolorem, obstructionem, duritiem ac hydropem incipientem Mandendus [illegible] in [illegible] Rufo in febribus [illegible]

Pilulæ Pestilentiales Rufi ita dictæ quod pesti conveniant, ~~[illegible]~~ sed potius arcendæ et præcavendæ quam curandæ rationem [illegible] corpus ab excrementis liberatur, [illegible] a putredine vindicatur [illegible] et facultates vitales roborantur, pesti tamen facta prosunt, et quæ medicamenta magis cardiaca [illegible] et alexipharmaca ad curationem [illegible]

Pilulæ de Stomachicæ si hora una vel altera ante pastum sumantur blande [illegible] educunt pituitam aliamque pravam colluviem in ventriculo et vicinis partibus contentam expurgant stomachum roborant et appetitum [illegible], vel sopitum excitant.

Rhabarbari electi unciam unã semis.
Agarici trochiscati,
Folior: Sennæ mundatorum, ana unciam unam.
Cinnamomi drachmas tres.
Zingiberis drachmas duas.
Nucis moschatæ,
Caryophyllorum,
Spicæ Nardi,
Mastiches, ana drachmam unã.
Cum Syrupo Violato subacta cogantur in Massam s. a.

PILVLÆ MASTICHINÆ, *FERNELII.*

℞ Mastiches uncias duas.
Aloes uncias quatuor.
Agarici trochiscati,
Pulveris Hieræ simplicis, ana unciam unam semis.
Cum vino Malvatico cogantur in Massam s. a.

PILVLÆ PESTILENTIALES, *RVFFI.*

℞ Aloes optimæ uncias duas.
Myrrhæ electæ,
Croci, ana unciam unam.
Excipiantur syrupo ex succo Limonum. fiat Massa s. a.

PILVLÆ STOMACHICÆ, *MES.*

℞ Aloes drachmas sex.
Mastiches,
Rosarum rubrarum, ana drachmas duas.
Cum Syrupo Absinthii cogantur in Massam, s. a.

PILVLÆ DE SVCCINO, *ANDREÆ AVRIFABRI.*

℞ Succini albi,
Mastiches, ana drachmas duas.
Aloes drachmas quinque.
Agarici drach: unam semis.
Aristolochiæ longæ drach: semis.
Syrupi ex Absinthio q. s.
Fiat Massa s. a.

PILVLÆ DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas tres.
Myrobal: Citrinarum,
Trochisc: Diarhodon, ana drac: tres semi.
Succi Glycyrrhizæ,
Absinthii,
Mastiches, ana drachmam unam.
Sem: Fœniculi,
Apii, ana semidrachmam.
Spec: Hieræ picræ simpl: Galeni drach: decem.
Excipe succo Fœniculi non depurato, & Melle q. s.
Fiat Massa.

PILVLÆ EX TRIBVS, *FERNELII.*

℞ Masticheſ uncias duas.
Aloes uncias quatuor.
Agarici trochiſcati,
Pulveris Hieræ ſimplicis, ana unciam unam ſemis.
Rhabarbari electi uncias duas.
Cinnamomi unciam dimidiam.
Cum ſyrupo è Chicorio fiat Maſſa ſ. a.

PILVLÆ DE AGARICO, *MES.*

℞ Agarici drachmas tres.
Radic: Ireos.
Maſtiches,
Marrhubii, ana drachmam unam.
Turpeti drachmas quinque.
Specierum Hieræ Picræ Galeni unciam dimidiam.
Colocynthidos,
Sarcocollæ, ana drachmas duas.
Myrrhæ drachmam unam.
Sapæ q. ſ.
Fiat Maſſa ſ. a.

PILVLÆ AGGREGATIVÆ SIVE POLYCHRESTÆ, *MES.*

℞ Myrobalanorum Citrinarum,
Rhabarbari optimi, ana unciam dimidiam.
Succ: Eupatorii, i. Agerati, & Abſinthii inſpiſſatorum, ana drachmas duas.
Diagrydii drachmas quinque.
Myrobal: { Chebularum, Indarum,
Agarici,
Colocynthidos,
Polypodii, ana drachmas duas.
Turpeti optimi,
Aloes, ana drachmas ſex.
Maſtiches,
Roſarum,
Salis gemmei,
Epithymi,
Aniſi,
Zingiberis, ana drachmam unã.
Cum ſyrupo Roſarum pallidarum q. ſ. fiat maſſa ſ. a.

PILVLÆ ARABICÆ, *NICOLAI.*

℞ Aloes optimæ uncias quatuor.
Radic: Bryoniæ,
Myrobal: { Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Maſtiches,
Diagrydii,
Aſari,
Roſarum, ana unciam unam.
Caſtorei drachmas tres.
Croci drachmam unam.
Cum ſyrupo Abſinthii, fiat maſſa ſecundùm

Pilulæ ex tribus constant ex ijsdem ex quibus mastichinæ addendo Rhabarbari ʒj Cinamomi ʒß cumque in hoc vero drog. eadem pillæ præstant sed fortius dicuntur Pilulæ ex tribus (et licet compositurum faciunt) quoniam licet ex pluribus constent tamen ex tribus tantum purgantibus constant scilicet Aloe Agarico et Rhabarbaro.

Pilulæ de Agarico thoracem purgant pituita crassa et putri ob id antiquæ tussi et Asthmati conferunt atque thoracis vitijs crassis et pituitosis humoribus ortis.

Pilulæ Arabicæ omnes humores mediocriter purgant lætitiam generant tristitiamque depellunt, Mentis vigorem conservant visum acuunt auditum amissum reparant memoriam roborant vertiginem hemicraniam, et dolori capitis succurrunt

Pilulæ Aggreg. sive Polychrestæ dicuntur Polychrestæ quod ad multos effectus corporis præter naturam sint utiles et omnes humores purgant ad varios capitis ventriculi jecorisque affectus sunt efficaces purgant enim ex ijs sensorijs pituitam et bilem utramque quapropter ad diuturnas febres complicatas vitia capitis ventriculi et jecoris plurimum valent.

Pilulæ Arthriticæ optimæ ad podagram aliosque articulorum dolores a frigidis crassis et pituitosis humoribus

Pilulæ Cochiæ pituitam biliososque humores a capite educunt. Hos a
N. 21 non solum e capite propter stœchadem quæ magis cephalica
quam hepatica est sed etiam ab aliis partibus in quibus dicti humores
continentur eos omnes a quarumque partibus potenter educunt. Addito
Helleboro nigro melancholicum etiam educunt.

Pilulæ Aureæ caput expurgant sensus omnes præcipue oculorum
etiam [illegible] flatus ventriculi et intestinorum dissolvunt
ac citra molestiam alvum dejiciunt. Ad stomachicos colicos
nephriticos et inflatos valde probantur

secundùm artem.

PILVLÆ ARTHRITICÆ, *NICOLAI.*

℞ Hermodactylorum,
Turpeti,
Agarici, ana unciam dimidiam.
Casiæ ligneæ,
Spicæ Indicæ,
Caryophyllorum,
Xylobalsami, vel Ligni Aloes,
Carpobalsami, vel Cubebarum,
Macis,
Galangæ,
Zingiberis,
Masticches,
Asæ fœtidæ,
Sem: Anisi,
Fœniculi,
Saxifragiæ,
Asparagi,
Rusci,
Rosarum,
Milii Solis,
Salis gemmei, ana drachmas duas.
Scammonii unciam unam.
Aloes optimæ ad pondus omnium.
Succi ex Iua Arthritica inspissati cum Sacchari q. s. vel syrupi ex succo ejusdem q. s. Fiat massa.

PILVLÆ AVREÆ, *NICOLAI.*

℞ Aloes,
Diagrydii, ana drachmas quinque.
Rosarum rubrarum,
Sem: Apii, ana drachmas duas semis.
Fœniculi,
Anisi, ana drachmam unam semis.
Masticches,
Croci,
Trochiscorum Alhandal, ana drachmam unam.
Trita excipiantur Mellis Rosacei colati q. s. Fiat massa secundùm artem.

PILVLÆ COCHIÆ, *RHASIS.*

℞ Specierum Hieræ Picræ Galeni drachmas decem.
Pulpæ Colocynthidos drachmas tres, & scrupulum unum.
Diagrydii drachmas duas semis.
Turpeti,
Stœchados, ana drachmas quinque.
Syrupi de Stœchade q. s. Fiat massa s. a.

PILVLÆ COCHIÆ CVM HELLEBORO.

℞ Species Pilularum Cochiarum,
Pul: Cort: Rad: Hellebori nigri unciam unam.
Cum Syrupo de Stœchade fiat massa s. a.

PILVLAE FOETIDAE MAJORES, *MES.*

℞ Sagapeni,
Ammoniaci,
Opopanacis,
Bdellii,
Colocynthidos,
Sem: Rutæ agrestis, vel siccæ hortens:
Aloes,
Epithymi, ana drach: quinque.
Turpeti unciam dimidiam.
Scammonii drachmas tres.
Esulæ præparatæ,
Hermodactylorum, ana drachmas duas.
Zingiberis drachmam unam semis.
Cinnamomi,
Spicæ Indicæ,
Croci,
Castorei, ana drachmam unam.
Euphorbii scrupulos duos.

Dilue gummi succo Porri, & finge Massam cum Syrupo facto è succo Porri & Sacchro s. a.

PILVLÆ DE FVMARIA, *AVICENNÆ.*

℞ Myrobal: { Citrinarum, Chebularum, Indarum,
Diagrydii, ana drachmas quinque.
Aloes, drachmas septem.

Trita omnia ter imbuantur succo Fumariæ, terque siccari sinantur, ac demùm cogantur in massam cum syrupo de Fumaria s. a.

PILVLÆ DE HERMODACTYLIS MAJORES, *MES.*

℞ Sagapeni drachmas sex.
Opopanacis drachmas tres.

Liquentur in succo Brassicæ calefacto q. s. & idoneo linteo transmittantur, deinde parum coquantur, Tum

℞ Hermodactylorum,
Aloes,
Myrobalanorum Citrinarum,
Turpeti,
Colocynthidos,
Bdellii mollis, ana drachmas sex.
Castorei,
Sarcocollæ,
Euphorbii,
Sem: Rutæ sylvestris vel sativæ,
Apii, ana drachmas tres.
Croci drachmam unam semis.

Cum syrupo è succo Caulium facto cum Melle fiat massa s. a.

PILVLÆ INDÆ, *MES. ex HALY.*

℞ Myrobalanorum Indarum,
Ellebori nigri,
Polypodii, ana drachmas quinque.

Epi-

Pil: Sal. Maiores evacuant pituitam crassam eandem obiter confirmant affectibus inde natis, arthritidi podagrae gonagrae dolori spinae et aliarum juncturarum conducunt, colico Alphis Elephantiae aliisque cutis vitiis. Dosis a ʒj ad ʒi sed in morborum declinatione potius quam principio exhibendae, propter [illegible] cum sint enim valentes admodum ideoque plurimum habe quod minime expressa purgantur vitae supportabiles reddat.

Pilulae de Hermodactylis Ma. crassos viscidos et frigidos humores ex remotissimis partibus educunt quo minime articulariis morbis conveniunt, et arthritidi.

Pilulae de fumaria solvunt humores atros biliosos pituitam salsam et alios adustos, a quibus pruritus et scabies.

Pilulae Indae vitia ex humore melancholico profecta sanant Elephantiasim, alphos nigros curatu difficiles, melancholiam et inde ortum timorem et moerorem Quartanam febrem, ingenue [illegible] vitio lienis procreatum eiusdemque dolorem tollunt, potentiores sunt quam ut inter morbi initia exhibeantur.

Pil. Lucis Ma. pro optica, visum roborant et conservant excrementa evacuant a cerebro et oculis pituitosa

Pil. de lapide Lazuli ad atra e melancholia humore nata conferunt cancrum [illegible] Elephantiasmi et Quartanam

Epithymi,
Stœchados, ana drachmas ſex.
Agarici,
Lapidis Lazuli ſæpius loti,
Troch: Alhandal,
Salis Indi, ana unciam dimidiam.
Succi Eupatorii, i. Agerati inſpiſſati,
Spicæ Indicæ, ana drachmas duas.
Caryophyllorum drachmam unam.
Specierum Hieræ picræ ſimpl. Galeni drachmas duodecim.
Cum Syrupo è Succo Apii fiat maſſa ſ. a.

PILVLÆ DE LAPIDE LAZVLI, *MES.*

℞ Lapidis Lazuli ſæpiùs loti drachmas quinque.
Epithymi,
Polypodii,
Agarici, ana unciam unam.
Scammonii,
Hellebori nigri,
Salis Indi, ana drachmas duas ſemis.
Caryophyllorum,
Sem: Aniſi, ana unciam dimidiam.
Hieræ picræ drachmas quindecim.
Cum ſyrupo è ſucco Cichorii, fiat maſſa ſ. a.

PILVLÆ LVCIS MAJORES, *MES.*

℞ Roſarum,
Violarum,
Abſinthii,
Colocynthidos,
Turpeti,
Cubebarum,
Calami Aromatici,
Nucis Moſchatæ,
Spicæ Indicæ,
Epithymi,
Carpobalſami, vel Cardamomi,
Xylobalſami, vel Ligni Aloes,
Sem: Seſeleos,
Rutæ,
Aniſi,
Fœniculi,
Apii,
Schœnanthûs,
Maſtiches,
Radic: Aſari,
Caryophyllorum,
Cinnamomi,
Caſiæ ligneæ,
Croci,
Macis, ana drachmas duas.
Myrobal: Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Rhabarbari, ana unciam dimidiam.
Agarici,
Sennæ, ana drachmas quinque.
Euphra-

Euphragiæ drachmas ſex.
Aloes Succotrinæ ad pondus omnium; confice cum ſyrupo de ſucco Fœniculi, ſ. a.

PILVLÆ MECHOACANÆ, *RENODÆI.*

℞ Mechoacanæ unciam dimidiã.
Turpeti drachmas tres.
Folior: Thymelææ in aceto maceratorum & ſiccatorũ.
Semin: Ebuli,
Agarici trochiſcati, ana drachmas duas.
Radic: Eſulæ præparatæ,
Maſtiches, ana drachmam unam ſemis.
Macis,
Cinnamomi,
Salis gemmei, ana ſcrupulos duos.
Fiat omnium pulvis, & cum Syrupo facto cum ſaccharo & ſucco radicum Iridis fiat maſſa pro Pilulis ſecundùm artem.

PILVLAE RVDII.

℞ Colocynthidis drachmas ſex.
Agarici optimi,
Diagrydii,
Elebori nigri,
Turpeti ana drachmas quatuor.
Aloes ſucco Citrini, unciam unam.
Specier. Diarhodon,
Abbatis unciam ſemis.

Contundantur omnia (exceptis ſpecieb: Diarhod: Abbatis) craſſo modo, & infundantur ad Solem in aqua vitæ opt. per octo dies, ita ut aqua vitæ ſupereminent octo digit: Deinde infundantur quoque ſpecies Diarhod. Abbat: in aqua vitæ ſimili modo per quatuor dies, & facta colatura atque expreſſione forti, utriuſque miſceantur illæ colaturæ, & (fere abjecta).ponatur liquor in alembicum vitreum, ut ſeparata (per diſtillationem) humiditate, remaneat materia denſa, uti mel ex quâ Pilulæ.

PILVLÆ SINE QVIBVS ESSE NOLO, *NICOLAI.*

℞ Aloes lotæ drachmas quatuordecim.
Myrobal: { Citrinarum, Chebularum, Belliricarum, Emblicarum, Indarum,
Rhabarbari,
Maſtiches,
Abſinthii,
Roſarum rubrarum,
Violarum,
Sennæ,
Agarici,
Caſſuthæ ana drachmam unã.
Diagrydii drachmas ſex ſemis.
Cum ſyrupo ex ſucco Fœniculi facto

Pilulæ de Mechoacana quod aqueos et crassos humores efficaciter evacuant hydropi et omnibus ejus speciebus sanandis conveniunt quia pituita tenui originem sortiuntur.

Pil: sine quibus efficaces valde sunt ad purgandos omnes humores partium superiorum quoniam fluxionibus oculorum caliginibus et visionis conferunt, aurium dolorem sanant purgantque, nec caput a pituita bile flava et atra flava juvant Dos: 21

Pilulæ Rudii commendantur ad sedandum capitis dolorem Dos: 31 hoc istud secretum est Rudii quod in eo omnis sit eius potanij eiusdem omnes vero propemodum latuit descriptio quod Itali sui fere omnes Galeni mancipia sunt nunquam secretos Authorem sciverint. Quod enim non a Galeno Avicenna et similibus præscribitur istis humoralibus Doctoribus non arridet tamquam de paradiso nil quicquam sciant neque scripta eius legerint nunquam cum eo non transportentur verba sunt Mulieri in opere inscripto

Catholicam Paracelsi

Miracula et Mysteria Chymico-Medica

Pilulæ e Esula hydropicorum aquas ab alvo deducunt non levi perturbatione
et idcirco solis robustis atque ijs non febricitantibus conveniunt
dantur ʒj

Pilulæ ex Euphorbio valentissimus et contumacibus tantum morbis
usurpandæ quæ pituitam crassam et ex partibus remotissimis
potentissime evacuant, sed non nisi robustis et præcipiti malo
exhibendæ usus earum in resolutione nervorum et ischiatico
articulariisque affectibus et aquæ suspitionibus.

Pilulæ Turbith aureæ ~~[illegible]~~ stomachicis, doloris, nephriticis et inflatis,
valentiores tamen sunt propter magnam turpeti Copiam:/

Pilulæ de Opopan. pituitam, crassam, bilem, et melancholicam cerebro
nervosisque partibus vacuant. Utiles sunt in articulorum doloribus
a pituita creatis resolutionem nervorum et incontinentiam spiritus
seminum gonagram, podagram, aliorumque articulorum dolores
morbosque partium nervosarum frigidos levant hæ tamen parum
usus iam obtinent.

cto cum Melle, fiat massa secundùm artem.

PILVLAE EX ESVLA, *FERNELII.*

℞ Cortic: Radic: Esulæ minoris maceratæ horis viginti quatuor in aceto & succo Portulacæ, drachmas duas.
Grana Ricini expurgata, torrefacta, numero quadraginta.
Myrobalanorum citrinarũ sesquidrachmam.
Chamædryos,
Chamæpityos,
Spicæ Nardi,
Cinnamomi, ana scrup: duos.
Trita tenuissimè excipiantur unciâ una Tragacanthæ aquâ Rosarum solutæ, Addito syr: Rosarum q. s. ut cogantur in massam s. a.

PILVLÆ EX EUPHORBIO, *MES.*

℞ Euphorbii,
Colocynthidos,
Agarici,
Bdellii,
Sagapeni, ana drach: duas.
Aloes drachmas quinque.
Cum Syrupo ex Succo Porri fiat massa s. a.

PILVLÆ DE OPOPANACE, *MES.*

℞ Opopanacis,
Hermodactylorum,
Sagapeni,
Bdellii,
Ammoniaci,
Colocynthidos, ana drachmas quinque.
Croci,
Castorei,
Myrrhæ,
Zingiberis,
Piperis nigri,
longi,
Casiæ ligneæ,
Myrobal: Citrinarum,
Belliricarum,
Emblicarũ, ana drac: unam.
Scammonii drachmas duas.
Turpeti semunciam.
Aloes drachmas duodecim.
Infusis lachrymis in aqua Cauliũ, formetur massa s. a. cum Syrupo ex Succo Caulium.

PILVLÆ TVRPETI AVREÆ, *MES.*

℞ Turpeti gummosi drachmas sedecim.
Aloes sesquiunciam.
Myrobalanorum citrinarum drachmas decem.
Rosarum rubrarum,
Mastiches, ana drachmas sex.
Croci drachmas tres.
E pulverizatis cum Syrupo Absinthii q s. fiat massa.

PILV-

PILVLÆ DE CYNOGLOSSO, *FERNELII.*

℞ Myrrhæ drachmas ſex.
Thuris maſculi drachmas quinque.
Opii,
Sem: Hioſcyami,
Radic: Cynogloſſi aridarum, ana unciam dimidiam.
Croci,
Caſtorei, ana drachmam unam ſemis.
Cum Syrupo ex Stœchade fiat Maſſa ſecundùm artem.

LAVDANVM.

℞ Opii Thebaici extracti in ſpiritu Vini unciam unam.
Croci ſimiliter extracti drachmam unam ſemis:
Caſtorei drachmam unam.
Excipiantur tincturâ ſemiunciæ ſpecierum Diambræ recentium in ſpiritu Vini factâ.
Addendo (ex gratia) Ambræ griſeæ & Moſchi, ana grana ſex.
Olei Nucis Moſchatæ guttas decem.
Tum evaporatione factâ ad balnei calorem tepidum fiat Maſſa.


PILVLÆ SCRIBONII.

℞ Sagapeni,
Myrrhæ, ana drachmas duas.
Opii,
Cardamomi,
Caſtorei ana unciam dimidiam.
Piperis albi drachmam dimidiam.
Sapæ quantum ſufficit.
Fiat Maſſa ſecundùm artem.

PILVLÆ è STYRACE *MES.*

℞ Styracis liquidæ,
Thuris,
Myrrhæ,
Succi Glycyrrhizæ,
Opii, ana partes æquales.
Miſce, fiat maſſa pro pilulis cum ſufficienti quantitate Syrupi de Papavere ſecundùm artem.

TROCHIS-



Pilulæ Cynoglossæ non ad purgandum quidem sed ad omnes distillationes cohibendas comparatæ sive in thoracem et pulmones cum tussi, sive in dentes aut alio procumbant dantur a ℈i ad ʒß

Pilulæ Scribonij phthisicis sanguinem reiectantibus suppurates eo nunt pellicula et repurgant sufficienter verum summarum pharmacopoeorum oportet Galenus lib. 7 Cap. 5 de compositione medicam. secundum locos Dos. a ℈i ad ʒi

Laudanum confert citra molestiam et cerebri ullam perturbationem adversus omnis generis dolores a quacunque causa habentes contra haemorrhagias sive fluxus sanguinis in quacunque corporis parte fuerint contra omnes defluxiones et fluores ventris dysentericos hepaticos lientericos et similes et ad inducendam gratam tranquillitatem in febribus ardentibus in quibus ipsa ratione sensus læditur et in phrenesin æger plerumque delabitur. Dosis ad magnitudinem piperis grani aliter componitur apud Quercitanum cui cur illi non accedunt qui opij essentiam eliciunt cum spiritu vini simul ac de corpis opij Correctivis eiusdemque preparationis: in hac et unde opio vim hanc soporiferam et narcoticam nanciscatur vide eundem Capite 24 pharmacopoeæ suæ dogmat. restitutæ accuratissime et doctissime disserentem.

Pilulæ è styrace faciunt ad tussim recentem hæmoptoicos somnumque conciliant: sed eadem utiles ac quæ Scribonij Dos. ad ℈i

Trochisci de Absinthio longis et diuturnis febribus sunt saluberrimi obstructiones ventriculi hepatis et dolores eorundem levant partesque naturales omnes roborant, dejectamque appetentiam suscitant.

Trochisci Alyptæ moschatæ valent pueris laborantibus asthmate et iis qui angusto sunt thorace, nec [illegible] haustum vel [illegible] præstatque fumi optimi et odoriferi suffitus

Trochisci Alexiterii sive contra pestem posti [illegible] præservandæ multis commendantur eorum enim tantillum in ore detentum saporem quendam non ingratum relinquit et odorem qui aeris inquinati malignitatem arcet et emendat atque impedit, ne id intro subiens spiritus inficiat quæ enim insipida sunt et inodora ut cornu unicorni, lapis Bezaar Margaritæ lapilli [illegible] et alia multa venenis obsistentia suas tantum vires exerunt in corpora ingesta vel saltem eorum infusa in ore enim contenta fere inefficacia sunt ut quæ nec saporem ullum emittant aut halitum efflent a quibus aeris foeditas possit domari hi autem Trochisci seu in ore tantum detenti seu inferius ad ventriculum delapsi vires habent eximias et adversus pestilens [illegible] efficacissimas R



TROCHISCI.

TROCHISCI DE ABSINTHIO, *MES.*

℞ Rosarum rubrarum,
Absinthii Pontici,
Anisi, ana drachmas duas,
Rhabarbari,
Succi Eupatorii, i. Agerati,
Asari,
Sem: Apii,
Amygdalarum amararum.
Spicæ Nardi Indicæ,
Masticħes,
Folii, vel Macis, ana drachmam unam.
Succi Cichorii, q. s. fiant Trochisci secundùm artem.

TROCHISCI ALEXITERII, *RENODÆI.*

℞ Radic: Gentianæ,
Tormentillæ,
Ireos Florentinæ,
Zedoariæ, ana drac: duas.
Cinnamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Zingiberis drachmam unam.
Radic: Angelicæ drachmas tres.
Sem: Coriandri præparatorum,
Rosarum, ana drachmam unã.
Corticis Citri sicci drachmas duas.
Fiat omnium Pulvis subtilissimus & cum Succi Glycyrrhizæ vino Hippocratico parùm emolliti, & liquefacti, unciis sex, fiat pasta mollis, de qua formentur Trochisci, vel potiùs Bacilli oblongi, s. a.

TROCHISCI ALIPTÆ MOSCHATÆ, *NIC.*

℞ Labdani puriss: triti uncias tres.
Styracis

Styracis Calamitæ unciam unā semis.
Benzoini unciam unam.
Ligni Aloes drachmas duas.
Ambræ grisеæ drachmam unā.
Camphoræ drachmam dimidiam.
Moschi scrupulum dimidium.
Aquæ Rosarum q. s. Misce, fiant Trochisci, s. a.

TROCHISCI DE ANISO, *MES.*

℞ Anisi,
Succi Eupatorii, i. agerati inspissati ana drachmas duas.
Sem: Anethi,
Spicæ Indicæ,
Mastiches,
Folii, vel Macis,
Folior: Absinthii,
Asari,
Apii,
Amygdalarum amararum, ana drachmam dimidiam.
Aloes drachmas duas.
Succi Absinthii q. s. fiant Trochisci, s. a.

TROCHISCI BECHICI ALBI, VEL ROTULÆ PECTORALES.

℞ Sacchari albissimi libram unam.
Sacchari candi albi,
Penidiorum, ana uncias quatuor.
Glycyrrhizæ drachmas sex.
Radic: Iridis Florentinæ unciam dimidiam.
Amyli sesquiunciam.
Mucilaginis Tragacanthæ ex aqua Rosarum factæ, q. s.
Fiant Trochisci, & additis Moschi granis tribus, & Ambræ griseæ granis quatuor,
poterunt formari in Rotulas, quas vulgò vocant Rotulas Pectorales.
Vel si visum fuerit sine Moscho aut Ambra.

TROCHISCI BECHICI NIGRI, *RHASIS.*

℞ Succi Glycyrrhizæ,
Sacchari albi, ana drachmas decem.
Tragacanthi,
Amygdalarum dulc: mundat: ana drachmas sex.
Mucilaginis Cydoniorum q. s.
Misce: fiant Trochisci, s. a.

TROCHISCI DE BERBERIS, *MES.*

℞ Berberorum Baccarum siccarū.
Succi Glycyrrhizæ,
Spodii,
Sem: Portulacæ, ana drachmas tres.
Rosarum rubrarum drachmas sex.
Spicæ Indicæ,
Croci,

Amyli.

Trochisci de Aniso obstructiones hepatis, et alios eius morbos et inveteratas febres sanant, corporisque flatus discutiunt /

Trochisci Becchici nigri ad tussim siccam et materia acri et calida et vocis raucedinem difficilesque pectoris expurgationes adhibentur /

Troc. de Berberis ingrediuntur electuarium Rosatum mesuae in cuiusque usum parantur per se et usurpari possunt ad intemperiem calidam et febrilem iecoris, linguae siccitatem et sitim sedandam /

Troc. Bech. albi optimi ad faciliorem expectorationem faciendam tussiculosos et suspiriosos

Trochiscus de Capparibus ad lienis et hepatis obstructiones a crassa et melancholica materia quam potenter discerant & attenuant, natamque inde duritiem emolliunt flatus hypocondriacos calefaciendo partim discutiunt

Troch: de Camphora ad febres ardentes bilis et sanguinis fervorem ventriculi et hepatis intemperiem calidam et ab his sitim inexpletam siccam quoque phthisim et hecticam conferunt /

Cyphi Damocratis describitur a Galeno 2 de Antidotis in Mithridatio Damocratis, cujus compositionem ingreditur Quamquam per se rarius quoque ipse datur qui jecur aut pulmonem aut renes aut aliquod aliud viscus exulceratum habent /

Amyli.
Tragacanthi, ana drachmam unam.
Sem: Citruli drachmas tres semis.
Camphoræ drachmam dimidiam.
Confice cum Manna succo Berberorum diluta, f. a.

TROCHISCI DE CAMPHORA, *MES.*

℞ Rosarum rubrarum drachmas quatuor.
Spodii,
Glycyrrhizæ, ana drachmas duas.
Sem: quatuor frigidorum majorum.
Tragacanthæ,
Croci,
Gummi Arabici,
Spicæ Nardi Indicæ, ana drachmam unam.
Santali Citrini drachmas duas semis.
Ligni Aloes,
Cardamomi majoris,
Amyli,
Camphoræ, an: scrupulos duos.
Sacchari albissimi,
Mannæ, ana drachmas tres.
Mucilaginis Sem: Psyllii cum aqua Rosarum factæ q. s. ad formandos Trochiscos.

TROCHISCI DE CAPPARIBUS, *MES.*

℞ Corticum radicum Capparum
Sem: Agni Casti, ana drachmas sex.
Gum: Ammoniaci,
Sem: Nigellæ,
Calaminthæ,
Acori,
Succi Eupatorii, i. Agerati inspissati,
Amygdalarum amararum,
Foliorum Rutæ,
Radic: Aristolochiæ rotundæ.
Sem: Nasturtii, ana drachmas duas.
Scolopendrii, id est, Ceterach.
Cyperi rotundi, ana drachmam unam.
Ammoniaco in aceto accerrimo soluto pulveres cæteri misceantur, & formentur Trochisci s. a.

TROCHISCI CYPHEOS, *DAMOCRATIS.*

℞ Pulpæ uvarum passarum pinguium.
Terebinthinæ coctæ, ana uncias tres.
Myrrhæ,
Schœnanthûs, ana unciam unã semis.
Calami Aromatici, drachmas novem.
Cinnamomi unciã dimidiam.

Unguium Bdellii,
Spicæ Indicæ,
Casiæ Ligneæ,
Cyperi,
Baccarum Juniperi, ana drachmas tres.
Aspalathi, sive Ligni Aloes drachmas duas semis.
Croci, drachmam unam.
Mellis despumati q. s.
Vini optimi modicum.

Bdellium, Vinum & Myrrha mortario immittantur, benè terantur, donec redierint ad crassitudinem liquidi mellis; posteà Mel addatur, cum Pulpa Passul: contritum, postremò reliqua omnia lævigata, sicque fiant Trochisci s. a. siccentur in umbra.

TROCHISCI DIARHODON, *MES:*

℞ Folior: Rosarum rubrarũ drachmas sex.
Spicæ,
Ligni Aloes, ana drachmas duas.
Glycyrrhizæ drachmas tres.
Spodii drachmam unam.
Croci drachmam dimidiam.
Mastiches drachmas duas.
Cum Vino albo fiant Trochisci secundùm artem.

TROCHISCI DE EUPATORIO, *MES.*

℞ Mannæ,
Succi Eupatorii, i. Agerati inspissati, ana unciam unam.
Rosarum rubrarum unciam dimidiam.
Spodii ex Ebore drachmas tres semis.
Spicæ Indicæ drachmas tres.
Rhabarbari,
Asari,
Anisi, ana drachmas duas.
Cum aqua Cuscutæ fiăt Trochisci.

Manna autem cum succo est solvenda: deinde pulveres cæteri paulatim succo adjiciantur: in umbra exiccati reponantur.

TROCHISCI DE GALLIA MOSCHATA, *MES.*

℞ Ligni Aloes crudi drachmas quinque.
Ambræ griseæ drachmas tres.
Moschi drachmam unam,
Cum Mucilagine Tragacanthæ extracta cum sufficienti quantitate aquæ Rosarum, fiant Trochisci, siccentur in umbra.

TROCHISCI GORDONII.

℞ Semin: 4. frigidorum, { majorũ, minorũ, } mundatorum.

Sem:

Trochisci de Eupat: efficaces sunt ad omnem lienis et hepatis obstructionem tumoremque praeter naturam febres antiquas earumque rigorem sanant morbo regio et hydropi incipienti succurrunt, stomachicos iuvant et corporis flatus digerunt/

Trochisci de Gallia moschata cerebrum cor et spiritus recreant et corporis totius odorem commendant ventriculum [illegible] imbecillum et vomiturientem roborant et viris longo morbo fractis conferunt

Troch: Diarhodon Mes: efficacissimi ad febres pituitosas antiquatas alvi[illegible] ventriculi dolorem [illegible] et humores ipsi adhaerentes detergentes/

Imperantur a Gordonio ad ulcera renum utiliter quoque conferuntur ad alia partium internarum ulcera lenient enim detergent acrimoniam contemperant et roborant. Ad internas ulcerationes si lacte exhibita plurimum prodest et si fuerit ulceratio in vesica dissolvatur item cum lacte (inquit Rondeletius) et propinatur per syringam

Trochisci — Hysterici medentur foedis virginum et viduarum coloribus et iis omnibus symptomatis quae a tetris vaporibus e semine vel menstruo sanguine corrupto et ab utero sursum ad praecordia prorumpentibus oriunt auxiliantur.

Trochisci — Hydicroi describuntur a Galeno L. de Antidotis et ingrediuntur compositionem Theriacae.

Sem: Papaveris albi,
Malvæ,
Bombacis,
Portulacæ,
Cydoniorum,
Myrtillorum,
Gum: Tragacanthi,
Arabici,
Pinearum mundatarum,
Pistaciarum,
Sacchari candi,
Penidiorum,
Glycyrrhizæ mundatæ,
Hordei mundati,
Mucilaginis Psyllii,
Amygdalarũ dulcium, ana unciam unam.
Boli Armeni,
Sanguinis Draconis,
Spodii,
Rosarum,
Myrrhæ, ana uncias duas.
Conficiantur cum Hydromelite.
Fiant Trochisci s. a.

TROCHISCI HEDYCHROI ANDROMACHI EX *GALENO*.

℞ Mari,
Asari,
Amaraci,
Aspalathi, sive Santali Citrini, ana drachmas duas.
Scœnanthûs,
Calami odorati,
Phu Pontici,
Xylobalsami, aut Ligni aloes,
Opobalsami, aut olei Nucis Moschatæ per expressionem,
Cinnamomi,
Costi ana drachmas tres.
Myrrhæ,
Folii Malabathri vel Macis,
Nardi Indicæ,
Croci,
Casiæ ligneæ, ana drachmas sex.
Amomi, aut Cardamomi minoris, unciam unam semis.
Mastiches drachmam unam.
Vini Hispanici optimi q. s.

Primùm Crocus pulverisatus in pila studiosè teratur cum Vino, deinde Myrrha & Mastiche probè trita adjiciantur, dein Opobalsamum, postremò reliqua pulveris formâ inspergantur, simulq; permisceantur, vino subinde affuso, & tenues Pastilli formentur, s. a. & in umbra siccentur.

TROCHISCI HYSTERICI, *RENODÆI*.

℞ Asæ fœtidæ,
Galbani, ana drachmas duas semis.
Myrrhæ drachmas duas.
Castorei drachmam unã semis.
Asari,
Aristolochiæ,
Sabinæ,
Matricariæ,
Nepetæ, ana drachmam unam.
Dictamni drachmam dimidiã.

Cum ſucco aut decocto Rutæ fiant Trochiſci ſ. a.

TROCHISCI DE LACCA, *MES.*

℞ Laccæ mundatæ.
Succorum Glycyrrhizæ,
Eupatorii, (i) Agerati.
Abſinthii,
Berberorum,
Rhabarbari,
Ariſtolochiæ longæ,
Coſti,
Aſari,
Amygdalarum amararum,
Rubiæ tinctorum,
Aniſi,
Apii,
Scœnanthûs, ana drachmam unam.

Cum decocto Ariſtolochiæ & Schœnanthûs, vel ſucco Eupatorii aut Abſinthii, fiant Trochiſci ſecundùm artem.

TROCHISCI DE TERRA LEMNIA, *MES. ſec. FERNEL.*

℞ Sanguinis Draconis,
Gummi Arabici aſſati,
Trochiſcorum Ramich,
Roſarum rubrarum,
Sem: Roſarum,
Amyli aſſati,
Spodii,
Acaciæ,
Hypociſtidis,
Lap: Hæmatitæ,
Balauſtiorum,
Boli Armeni,
Terræ Lemniæ,
Corallii rubri,
Succini, ana drachmas duas.
Margaritarum,
Tragacanthæ,
Sem: Papaveris nigri, ana drachmam unam ſemis.
Sem: Portulacæ parum toſt:
Cornu Cervi uſti,
Thuris,
Nucum Cupreſſi,
Croci, ana drachmas duas.

Cum ſucco, aut aqua Plantaginis fiant Trochiſci, ſ. a.

TROCHISCI è MYRRHA, *RHASIS.*

℞ Myrrhæ drachmas tres.
Farinæ Lupinorum drachmas quinque.
Foliorum Rutæ,
Mentaſtri,
Pulegii,
Sem: Cymini,
Radic: Rubiæ,
Aſæ fœtidæ,
Sagapeni,
Opopanacis, ana drachmas duas.

Diſſolvantur gummi in aceto Scillitico, & cum ſucco Artemiſiæ fiant Trochiſci.

TRO-

Trochiscis de Lacca utimur ad scirrosos et lienosos hydropicos febricitantes ex
viscerum obstructionibus natos, urinas potenter movent quo
nomine Ictericis conferunt.

Troch: e Myrrha tarditatem menstruam sollicitant quae ex crassiorum
et frigidorum copia aut sanguinis concreto orta sit attenuant
incidunt et infarctos meatus aperiunt foetum mortuum sed
praecipue secundinam tardantem praesenti remedio expellunt
exhibentur ex decocto gran: Juniperi

Trochisci de terra lemnia irritatos et ferventes humores praesertim
tenues compescunt immodicum alvi fluorem sumpti sedant
sanguinis sputum vomitionem atque mictionem sumpti
quoque compescunt et aliam sive ex naribus sive ex utero
sive ex hemorroide et venis factam sanguinis
effusionem admoti supprimunt

Trochisci Ramich usurpantur in intestinorum et alui totius laxitate
iacturaque humorum, et sedem effluvio inhibent enim
acrimoniam obtundunt et impetum sistunt deque non
[illegible] morbo succurrunt; haemorrhagiam omnem
sistunt naribus admissi aut medicamentis admoti

Trochisci e Rosis ingrediuntur pil. de Rhabarbaro efficaces sunt ad hydropis
obstructionem, febres antiquas, icterum et aquam
intercutem ventriculi et intestinorum partium imbecillitate

Trochisci de ligno Aloes ventriculum cor et Hepar, imbecilla
roborant ob id valent, ad oris foetorem, pulsum cordis et
syncopen, hydropen et in pestilenti constitutioni prosunt

Pastilli Andronis commendantur a Galeno lib. 5
de Methodo Medendi cap. 3 in ulceribus pedis longitudinem
aut transfossionem pulveratis ac conspersis ~~pastillis~~

Pastilli Musae adhibentur iis qui ora aures fortidos
illinuntur cum sapa et exiguo aceto diluti Gal. de Med
Comp. Med. sec. loc. lib. 3 cap. 1mo

TROCHISCI POLYIDÆ SPHRAGIS, ANDROMACHI EX *GALENO*.

℞ Florum Mali Punici, id eſt, Balauſtiorum drachmas duodecim.
Aluminis Sciſſilis drachmas tres.
Thuris,
Myrrhæ, ana unciam dimidiã.
Chalcanthi drachmas duas.
Fellis Taurini drachmas ſex.
Aloes unciam unam.
Vini auſteri q. ſ. fiant Trochiſci ſecundùm artem.

PASTILLI ANDRONIS, *GALEN.*

℞ Cytinorum Balauſtior: drach: decem.
Chalcanthi drach: duodecim,
Gallæ omphacitis.
Ariſtolochiæ,
Thuris, ana unciam,
Aluminis Sciſſilis,
Myrrhæ, ana ſemunciam.
Miſy, drachmas duas.
Cum vini auſteri heminis duabus fiant Trochiſci, ſ. a.

TROCHISCI MVSÆ, *GALEN.*

℞ Aluminis ſciſſi,
Aloes,
Chalcanthi,
Myrrhæ, ana drachmas ſex.
Crocomagmatis,
Croci, ana drachmas tres.
Cytinorum ſemunciam.
Vini odorati.
Mellis, ana q. ſ. ut formentur Paſtilli, ſ. a.

CROCOMAGMA DAMOCRATIS, *GALEN.*

℞ Croci drachmas centum,
Roſarum rubrarum,
Myrrhæ, ana drachmas quinquaginta,
Amyli,
Gummi, ana drachmas triginta.
Vini q. ſ. fiant Trochiſci, ſ. a.

TROCHISCI DE LIGNO ALOES, *MES.*

℞ Xyloaloes,
Roſarum rubr: ana drachmas duas
Maſtiches,
Cinnamomi,
Caryophyllorum,
Nardi Indicæ,
Nucis Moſchatæ,
Cardamomi majoris,
minoris,
Cubebarum,
Galliæ Moſchatæ,
Paſtinacæ,
Cortic: Citri,

Macis, ana ſeſquidrachmam.
Ambræ griſeæ,
Moſchi, ana ſemiſcriptulum,
Cum Melle Paſſularum fiant Trochiſci.

TROCHISCI RAMICH, *MES.*

℞ Succi Acetoſæ uncias ſedecim.
Foliorum Roſarum rubrarum unciam unam.
Baccarum Myrti uncias duas.
ſemel ſerveſiant & colentur, adde colatis
Gallarum recentium accuratè tritarum uncias tres.
Coque iterum aliquantiſper, deinde inſpergatur ſequentium ſpecierum minutiſſimus & optimè commixtus Pulvis.

℞ Roſarum rubrarum unciam unam.
Santali Citrini drachmas decem.
Gummi Arabici unciam unam ſemis.
Sumach,
Spodii, ana unciam unam.
Granorum Myrti uncias quatuor.
Ligni Aloes,
Caryophyllorum,
Macis,
Nucis Moſchatæ, ana unciam dimidiam.
Omphacii ſeu Agreſtæ drachmas ſeptem.
Miſce omnia ſimul, & extende in ſcutella lapidea, dum exiccentur, exiccata rurſus in tenuiſſimum pulverem terantur, & formentur Trochiſci parvi cum Camphoræ drachma una, & q. ſ. aquæ Roſarum, & Trochiſcos hos aromatizant Moſchi grana quindecim.

TROCHISCI DE ROSIS, *MES.*

℞ Roſarum rubrarum unciam dimidiam.
Ligni Aloes drachmas duas.
Maſtiches drachmam unam ſemis.
Abſinthii Rom:
Cinnamomi,
Nardi Indicæ,
Caſiæ ligneæ,
Schœnanthûs, ana drachmam unam.
Vini veteris, & decocti quinque radicum aperitivarum ana q. ſ. fiant Trochiſci ſ. a.

TROCHISCI DE SCILLA, *GALENI.*

Scillam initio Julii collectam mediæ magnitudinis, plenam, candidam, cortice primo detracto, & parte duriore, cui radiculæ adhærent abjecta, farinâ tritici ſubactâ involves, & eouſque in clibano coques, donec farina probè ſiccata

Trochiscos Ramich: expurgamus in intestinorum et alui solutis lenitate acrimonia humorum, et sedant profluvio infusi enim acrimoniam obtundunt et impetum sistunt, neque non cholerae morbo succurrunt hemorrhagiam eundem sistunt naribus admissi aut medicamentis admoti

Trochisci de Rosis ingrediuntur pil. de Rhabar. efficaces sunt ad hepatis obstructionem, febres antiquas, dolorem et aquam intercutem ventriculi et ~~[illegible]~~ interiorum partium imbecillitatem.

Trochisci de Scilla Theriacam ingrediuntur describuntur a Galeno l. de Antidotis et in Theriaca ad Pisonem.

Trochisci de halicabo adv. febrem ardentem ventriculi et hepatis intemperiem calidam et sitim valent.

Trochisci de spodio in febribus biliosis cum alvi fluore [illegible] sunt inflammationem ventriculi et hepatis et sitim continuam sedant.

Baccis ut Thomas [illegible] raro [illegible] eius usus [illegible] ad [illegible] et oculorum caliginem atque obscuritatem [illegible] [illegible] [illegible] erit ut et Trochisci hi ex earum carnibus parati

cata ſit, & ea perforata, ſtilo ligneo (vel potiùs feſtucâ) tentabis an Scilla undique tenera ſit. Eâ exemptâ, ipſam in mortario diligenter teres, cui admiſcebis farinæ Erui albi, vel ejus loco Ciceris rubri tenuiſſimè cribrati uncias octo ad ſingulas Scillæ libras, & formabis in Trochiſcos ponderis drachmarum duarum (manibus roſaceo inunctis) & ſiccabis in ſuperiore parte ædium meridiem ſpectante, in umbra, ſæpiùs obvertendo, donec probè ſiccati ſint, deinde repone in vaſe ſtanneo puro, vel vitreo vitatis plumbeis.

TROCHISCI DE SPODIO, *MES.*

℞ Roſarum rubrarum drachmas duodecim.
Spodii drachmas decem.
Sem: Acetoſæ drachmas ſex.
Portulacæ,
Coriandri in aceto maceratorum & torrefactorum.
Pulpæ Sumach, ana drachmas duas ſemis.
Amyli toſti,
Balauſtiorum,
Berber: ana drachmas duas.
Gummi Arabici aſſati drachmā unam ſemis.
Agreſtæ q. ſ. fiant Trochiſci.

TROCHISCI DE SANTALIS MAI. *MES.*

℞ Santalorum trium ana unciam.
Sem: Cucumeris.
Cucurbitæ,
Citruli,
Portulacæ,
Spodii, ana ſemunciam.
Roſarum drachmas ſeptem.
Succi Berber: drachmas ſex.
Boli Armeni drach: quatuor.
Camphoræ drach: unam.
Cum aqua Portulacæ fiant Trochiſci.

TROCHISCI DE VIPERA ANDROMACHI EX *GALENO.*

℞ Carnis Viperinæ detractâ cute, exemptis interaneis & adipe, abjectis capitibus & caudis, cum Anetho, ſale pauco & aquâ coctæ uncias octo.
Panis triticei puriſſimi, aut potiùs biſcocti triti & cribrati uncias duas.
Formentur Trochiſci, cum jure in quo decoctæ fuerint carnes Viperinæ, ſi opus ſit liquore, & inungantur Opobalſamo vel Oleo Nucis Moſchatæ per expreſſionē. Siccentur loco umbroſo libero, ventoque perflabili per dies quindecim, aut eo ampliùs, ſæpe autem ſunt convertendi, donec probè

bè exiccati fuerint, deinde in pyxidem vitream, aut figlinam vitreatam, benè obturatam reponendi. Annum integrum perseverent, quanquam longè meliùs fuerit haud multo postquam ipsos confeceris Theriacam adornare. Qui porro diutiùs conservare velit, subinde eos à pulvisculo abstergat, qui illis obnasci consuevit, qui si diutiùs inhæreat Pastillos perforabit; hoc modo conservari possunt integri ad tertium annum.

TROCHISCI VITICIS SIVE AGNI CASTI, *RENODÆI.*

℞ Sem: Viticis, seu Agni casti,
Lactucæ,
Rosarum,
Balaustiorum, ana drachmam unam.
Scobis Eboris,
Electri, ana drachmam unam semis.
Boli Armeni in Aqua Centinodii loti drachmas duas.
Sem: Plantaginis scrup: quatuor.
Sassafras scrupulos duos.
Cum Mucilagine sem: Cydoniorum in Aqua Nenupharis extracta fiant Trochisci s. a.

TROCHISCI ALBI, *RHASIS.*

℞ Cerussæ Aqua Rosarum lotæ drachmas decem.
Sarcocollæ crassioris drachmas tres.
Amyli drachmas duas.
Gum: Arabici,
Tragacanthi, ana drachmam unam.
Caphuræ,
Opii, ana drachmam dimidiã.
Lacte excipiantur singula, & fiant Trochisci s. a.

Parari etiam possunt hi Trochisci sine Opio.

TROCHISCI ALKEKENGI, *MES.*

℞ Baccarũ Alkekengi drach: tres.
Sem: Melonum,
Cucumeris,
Citruli,
Cucurbitæ, ana drachmas tres semis.
Gum: Arabici,
Tragacanthi,
Thuris masculi,
Sanguinis Draconis,
Pinearum,
Amygdalarum amararum,
Sem: Papaveris albi,
Amyli,
Succi Glycyrrhizæ,
Boli Armeni, ana drachmas sex.
Sem: Apii,
Hyoscyami,
Carabes,
Terræ sigillatæ,
Opii, ana drachmas duas.

Cum

Trochisci viticis ad utramque gonorrhaeam usurpantur, sed cum utilitate; ad simpliciorem quidem, sola sanguinis detractione praemissa; ad virulentam incipientem vel nondum inveteratam corpore semel atque iterum repurgato & sanguine imminuto. Dantur cum decoctione seminum papaveris & melonum, vel cum aqua rosarum. Dosis est a ʒi ad ʒiss aut ʒij ad summum.

Trochisci hi non retinent nomen ab authore primo positum eo (suspicor) consilio ne libellus ipse vires usurpet quod erat inscriptus et empiricus a Rondelio enim dicuntur Troch. ad Gonorrhaeam.

Trochiscus Alkakengi ad urinae ardorem, urinam exulceratam, fistulam urinariam, vesicam aut renibus aut ulceribus ulcera detergent, glutinant & cicatrice tegunt, loti urinariam mitigant, unusque stringmenta mucosa aspera & dolorosa complanant et leniunt, indeque urinae tarditatem & difficultatem mutam tollunt.

Trochisci albi Rhasis valde conducunt contra affectibus oculorum, dolores mitigant, inflammationes temperant, fluxiones sistunt, materiam detergunt, exsiccant, cicatrizant & partem roborant.

Trochisci de Carabe most applicantur sanguinem expuentibus tabidis purulentam expuentibus cœliacis & dysentericis sanguinem proditunque emanationem sistunt et supprimunt /

Trochisci Diaspermatum dantur ex passo aut aquâ ad omnes internos fluxus pleuriticis & sanguinem rejectantibus conferunt dolorem sedant :/

Hemoptoici Pastilli sanguinem rejectantibus conveniunt ut ex nomini apparet.

Trochisci Diacoral: Gal: sanguinolenta expuentibus dysentericis cœliacis cibum fastidientibus mirè subveniunt :/

Sief: de Plumbo replet et consolidat vulnera et ulcera oculorum Collyria sicca Arabibus Sief appellantur /

Cum succo recentium Baccarum Halicacabi, aut decocto earundem fiant Trochisci s. a.

Parantur etiam sine Opio.

TROCHISCI DE CARABE, *MES.*

℞ Carabes drachmas sex.
Cornu Cervi usti,
Gum: Arabici assati,
Corallii rubri usti,
Tragacanthi,
Acaciæ,
Hypocistidos,
Balaustiorum,
Mastiches,
Laccæ lotæ,
Sem: Papaveris nigri assat: ana drachmas duas.
Thuris,
Croci,
Opii, ana drachmam unam semis.

Mucilaginis Sem: Psyllii q. s. formentur Trochisci secundùm artem.

TROCHISCI DIACORALLIV. *GALENI.*

℞ Boli orientalis,
Corrallii rubri, ana unciam unam.
Balaustiorum,
Amyli,
Terræ Lemniæ, ana unciam dimidiam.
Hypocistidos,
Sem: Hyoscyami,
Opii, ana drachmas duas.

Succi Plantaginis quantitatem sufficientem: formentur Trochisci, secundùm artem.

TROCHISCI DIASPERMATΩN, *GALENI.*

℞ Sem: Apii,
Ammeos, ana unciam unā.
Anisi,
Fœniculi, ana unciam dimidiam.
Opii,
Casiæ Ligneæ, ana drachmas duas.

Cum aqua pluviali fac Pastillos secundùm artem.

HÆMOPTOICI PASTILLI, *GALEN.*

℞ Amyli,
Balaustiorum,
Terræ Samiæ,
Succi Hypocistidos,
Gummi,
Croci,
Opii, ana drachmas duas.

Excipe succo Plantaginis, fiant Trochisci s. a.

SIEF DE PLVMBO, *MES.*

℞ Plumbi usti & loti,

AEris

AEris usti,
Antimonii,
Tutiæ lotæ,
Gum: Arabici,
Tragacanthi, ana unciā unam.
Opii drachmam dimidiam.
Aquæ pluviæ quantitatem sufficientem. Fiant Trochisci.

TROCHISCI è SUCCINO, *GALEN.*

℞ Iridis Illyricæ,
Ramentorum Succini,
Mastiches,
Croci ana drachmas duas.
Opii drachmas quinque.
Excipiantur omnia Mucilagine ex Sem: Psyllii. Fiant Pastilli.

SIEF DE THURE, *RHASIS.*

℞ Cadmiæ,
Pompholigos,
Thuris ana drachmas decem.
Cerussæ drachmas quadraginta.
Gum: Arabici,
Opii, ana drachmas sex.
Aquæ pluvialis q. s. Fiant Pastilli, siccandi & servandi.

AGARICUS TROCHISCATUS, *MES.*

℞ Agarici electi uncias quatuor.
Infusionis Zingiberis in vino generoso factæ quantitatem sufficientem. Fiant Trochisci.

TROCHISCI DE AGARICO.

℞ Agarici electi uncias tres.
Salis gem: drachmas sex.
Zingiberis, drachmas duas.
Cum Oxymelite simplici q. s. Fiant Trochisci secundùm artem.

TROCHISCI ALHANDAL, *MES.*

℞ Pulpæ Colocynthidos albæ, levis, à seminibus repurgatæ uncias decem.
Forcipibus incide & frica aliquoties cum olei rosati unciâ unâ, & trochiscos finge, cum parte,
Mucilaginis, extractæ ex
Gum: Arabici,
Tragacanthi,
Bdellii, ana drachmis sex.
Macerentur per quatriduum in aqua Rosarum. Siccati in umbra, denuò terantur, & cum reliqua Mucilagine refingantur secundùm artem.

TROCHISCI DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas decem.
Succi Eupatorii, i. Agerati condensati.

Amyg.

Trochisci de Agarico purgant ex cerebro et capite phlegma crassum cum cholera mixtum & præcipuè educunt ex pectore crassos humores, putridos et viscosos v: August.

Troch: e succino ad sputū sanguinis commendantur de medicinis facile parabilibus Cap. 27

Trochis Alhandal pituitam et humores crassos glutinosos ex profundis partibus longeque distantibus et cerebro nervis musculis juncturis pulmone, thorace extrahunt quo nomine in cephalagia hemicrania capitis dolore inveterato, Apoplexia, Epilepsia vertigine Asthmate, tussi diuturna dyspnœa, thoracis angustia, Ischiade morbis articularibus frigidis aliisque affectionibus huiusmodi, exquirimus præcipuus bonus esse est in dolore cholico et flatulento viscera et viscidam pituitam ex intestinis deturbat.

Sief de Thure ad fluxiones oculorum et chemosin celebratur

Trochis de Rhabarbaro in febrium declinationibus incipiente malo corporis habitu ex intemperie hepatis frigida plurimum prosunt Ictericis hydropicis Hepaticis et cachecticis ex depravata hepatis actione bone sunt obstructiones tumores præter naturam, dolores et affectus iecoris inveteratos tollunt, aquæ atris, et serosi humoris deiectione.


Agaricus Trochiscatus multum efficax ad purgandos crassos et viscidos humores pituitamque ipsam bili permixtam multo minore ventriculi noxa cum vino infusionis zingeberis quam si solus proponatur; is enim cum lenitate sua et transitus tarditate ventriculum turbat, non semper acria et penetrantia admittit, ad viciniæ transitat per viscera obstructa celeritatem.

Trochisci e violis solent usurpantur in expurgandâ pituitâ lentâ et viscida, quae thoracis vias intercipit et suspiriosos facit biliosque, atillinâ bile permixta deturbanda./


Amygdalarum amararum, ana
unciam dimidiam.
Rosarum drachmas tres.
Spicæ Indicæ,
Absinthii,
Sem: Anisi,
Apii,
Rad: Rubiæ tinctorum,
Asari, ana drachmam unã.
Cum aqua Cuscutæ vel ejus loco succi Eupatorii depurati fiant Trochisci secundùm artem.

TROCHISCI è VIOLIS SOLUTIVI, *MES.*

℞ Violarum modicè siccatarum drachmas sex.
Turpeti optimi semunciam.
Succi Glycyrrhizæ,
Scammonii,
Mannæ, ana drachmas duas.
Cum Syrupo violarum formentur Trochisci.



OLEA



Ole. Amygdal. dul: pectoris ac gutturis asperitatem Bronchiarum ac
spiritualium partium ac saltem earum etiam leniendam duritiem omnem
ac siccitatem articulorum corrigit, cutem emungat scabra & aspera
polit lenit emollit, contentia digerit et complanat Phthisicis et
atrophia laborantibus et consumptis aliis alimentis cum humido
et lentore mediocri diuturnam praestat, extenuatum corpus reficit et
impinguat, calore est temperatus, humidoque secundum ordinem
attingit qui nomine intemperiem omnem sedat semen genitale
generat lateri posita et urinae dolores mitigat. Cholicos et nephriticos
tenuiatus cum pari portione olei amygdal: amararum mirifice
sedat, et mulctionem sola est materia qua fetus laboriosos
edunt Nephtiticus et Tolij acrimonia laborantibus & Syphonem
mortuum tepidum mire confert intemperiem omnem moderata
sua substantia profligando.

Ole. Amygdal. amar. primo ordine calidum est humido & sicco temperat.
calefacit attenuat, incidit et digerit, unde aurium tinnitus et
flatus ex crassa et frigida materia ortos dissipat auditumque
frigore obtusum restaurat obstructa expedit cutis maculas
et asperitates tam reliquarum partium quam faciei quas ephelidas
et panos vocant extersit: manantia capitis ulcera furfuresque
ex vino detergit. Nervorum affectus frigidos duros et dolentes calore
minuante et digerente sanat. Amarore lumbricos necat
frigidis uteri malis post vulvarum dolores strangulatus
convulsiones suppositum sanat capitis doloribus instillatum
meditur urinae angustiis pubi illitum calculosis cum ortis
stranguriosis in fistulam urinariam infusum medetur suspiriosis
lienosis renosis & tabidis subvenit./

Ole. Avellanarum dolores nervorum et arthriticos sanat./



OLEA SIMPLICIA PER EXPRESSIONEM.

OLEVM AMYGDALARVM DVLCIVM. *MES.*

℞ Amygdalarum dulcium siccarum, sed non rancidarum confricatarum q. v. terantur optimè, & è prælo exprimatur oleũ sine vi caloris.

OLEVM AMYGDALARVM AMARARVM, *MES.*

Eodem modo fit, ut Amygdalarum dulcium.

OLEVM AVELLANARVM, *MES.*

℞ Avellanarum mundatarum quantitatem sufficientem, terantur optimè, & relinquantur per horas quinque vel sex in Balneo tepido, deinde torculari exprimatur oleum.

Et eodem modo fiunt,

OLEVM BALANINVM vel DE BEEN,

EX BALANO MYREPSICA, *MES.*

Oleum

- Macis.
- Nucis Indicæ.
- Nucis Moſchatæ.
- Nucum Juglandium Caryinon.
- ex Nucleis
  - Ceraſorum.
  - Mali Armenii, Chryſomelinum.
  - Mali Perſici.
  - Pinearum.
  - Prunorum.
  - Piſtaciarum.
  - Strobylorum.
- ex Seminibus
  - Aurantiorum.
  - Cannabis.
  - Carthami & dicitur Cnicinum.
  - Citri.
  - Cucumeris.
  - Cucurbitæ.
  - Citruli.
  - Ebuli.
  - Hyoſcyami.
  - Lactucæ.
  - Lini.
  - Melonum.
  - Papaveris.
  - Petroſelini.
  - Raphani.
  - Rapi.
  - Ricini, & dicitur Oleum de Cherva, Cicinum, Ricininum.
  - Seſami, dicitur Seſaminum.
  - Sinapi.
  - Ex Uvarum acinis.

OLEVM

Dies et spatium deficerent si singulorum vires enumerarem, neque opere pretium foret, si conarer, simplicia enim haec olea cum natura simplicium imitentur vide Herbarios./

Oleum Balaninum tergit expurgat, obstructa liberat, auri inditum tinnitui et surditati confert strumas hepatis et lienis scirrum emollit et digerit affectibus frigidis nervorum et juncturarum spasmo et arthritidi medetur Alphos lentigines, varos, maculas cicatrices nigras et reliqua foeda cutis vitia corrigit alvum potu solvit, sed stomacho adversatur/

Ol: de cerasis articularijs morbis confert tergit et expurgat calculos et renibus et vesica pellit, panos faciei lentigines et cetera foeda cutis vitia delet, efficatius est quod ex nucleis cerasi sylvestris paratur :/

Ol: ex pistacijs & pineis hepatis et renum dolores potenter lenit, impinguat semen auget ventriculo non nigratum tussim et thoracis dolorem mitigat et intemperiem emendat

Ol: Cinnamomum aqua interveniente ~~laborantibus~~ viscerum obstructionibus ventriculi et coli cruciatibus flatuositate genitis efficax est suspiriosis unice prodest et vocem clarificat Epotum tum pituitam vomitionibus elicit tum per inferna ducit/.

Ol: Sem: lini viribus proximum chamaemelino et anethino, anodinum est convulsionem curat articulorum musculorum nervorum et ~~cervicis~~ durities mitigat ani affectibus unice confert sedis afflictus et haemorrhoidum dolores sedans ani fissuras & rimas lenit Manatorum pleuriticis linctu aut potu exhibeat quod magnopere probavit Conradus Gesnerus in epistola quadam ad [illegible] quod vide apud Augustanorum medicamentarium/

Ol: Ricininum Galeno et plinio Cicinum Arabibus de Alkerva dicitur prodest pilorum capitis ulceribus manantibus pruritui et morphaeae muliebribus locis et sedis inflammationibus cicatricibus sedis decorum addit aurium doloribus efficax potu alvum & hydropicorum ciet & ventris animalia pellit prodest articulorum morbis et ambustis./

Oleo Laurino pro calefactoria vehemens, molliens, attenuans, aperiens, discutiens, excitans intemperiem omnem partium frigidam solam aut cum pituita et flatibus sanat. Cerebri nervorum articulorum ventriculi intestinorum praesertim coli hepatis lienis renum uteri affectibus frigidis, et doloribus his succedentem abolet. Rigori febrili spinae dorsi stillatum prodest paralisi nervorum algoribus, sciadicis, capitis doloribus inveteratis, distillationibus auribus illinitur, omnium morbis frigore contractis succurrit, lassitudines discutit, venarum spiracula aperit, scabie infestatis et aspera impetigine laborantibus in balneo inunctum medetur. fugiendum tamen in scabie aut impetigine inflammationem minante calidis et biliosis naturis, frigidis namque et pituitosis est commodum. vermes et pediculos necat. Capitis furfures, ophiasim, alopeciam delet, Capiti tamen calido non admovendum.

Oleum Olivarum commune medium quodammodo naturam temperandi et leniendi vi praeditam obtinet. Omphacinum frigidae et astringentis facultatis.

Oleum vitellorum ovorum cutis foeditatem mire aufert, cicatricibus decorem addit, iis praecipue quae ambustis relictae sunt. aurium dentium sedis doloribus eiusque reliquis affectibus convenit. pilos auget. impetiginem, serpiginem et alia cutis vitia delet, lentigines et foedas cutis maculas detergendi et resolvendi valet. rhagadiis praesertim fissuras manuum pedum et ani sedat, dolores plerumque articulorum et omnium locorum nervosorum sedat, prodest quoque ad aurium dolores et ulcera ambustis praesertim et in membranis cerebri partes contusas a sanis miro modo separat.

Oleum Rosaceum omphacinum inflammationes extinguit, roborat, cogit, densat, fluxiones sistit et materiae per corpus fluxum cohibet.

OLEUM LAURINUM, MES.

℞ Baccarum Lauri maturarum & recentiũ q. ſ. contundantur, & cum aquæ quantitate ſufficienti coquantur, donec pingue ſupernataverit, deinde exprimatur torculari, & oleum ſupernatans aquæ ſeparetur ſ. a.

OLEUM OLIVARUM COMMUNE.

Exprimitur ex Olivis maturis.

OLEUM OLIVARUM OMPHACINUM.

Ex Olivis immaturis fit per expreſſionem.

OLEUM EX VITELLIS OVORUM, MES.

℞ Vitellorum ovorum ad duritiem in aqua coctorum, & poſteà in vaſe vitreato ad lentum ignem probè calefactorum quantum vis. Cavendo ne inter calefaciendum adurantur, è quibus deinde prælo exprimatur oleum.

Obſervandum, quod ſi irrorentur aromatico & calido Vino dum caleſiunt & ſubiguntur, commodius elicietur oleum.

OLEA SIMPLICIA PER INFUSIONEM VEL DECOCTIONEM.

OLEUM ROSACEUM OMPHACINUM.

℞ Olei Omphacini libram unam.
In qua infunde,
Roſarum rubr: immaturarum contuſarum uncias quatuor.

Pone in vaſe vitreo, vel vitreato, & diligenter obtura, & expone Soli per dies ſeptem, & quotidie agita, ita ut undiquaque incaleſcat: deinde leviter decoque in duplici vaſe: poſteà exprime & illas Roſas abjice, & ſecundò alias Roſas infunde, & ut prius expone Soli per dies ſeptem, rurſum decoque: iteretur infuſio Roſarum tertiâ vice, & decoquatur leviter ſecundùm artem, & reponatur oleũ & uſui ſervetur.

OLEUM ROSATUM COMPLETUM, *MES.*

Fit eodem modo, ex oleo dulci & maturo sæpe loto, & Rosis rubris expansis contusis, & Soli expositis, & leviter decoctis in duplici vase, ita tamen ut tertia insusio sit per quadraginta dies; quibus peractis (si placet) reponatur oleum cum Rosis sine expressione.

Eodem modo fiunt,

Oleum Absinthites, ex comarum Absinthii unciis quatuor & Olei libris tribus; ter repetendo comarum infusionem, & ultimâ infusione addendo Succi Absinthii uncias quatuor, & coquendo leviter ad Succi consumptionem.

Oleum Anethinum, ex olei completi libra una, florum & frondium Anethi unciis quatuor, cum triplici infusione.

Oleum de Castoreo, ex Castorei uncia una, olei libra una, Vini q. s. coctis ad Vini consumptionem.

Oleum Chamæmelinum, ex oleo completo & floribus q. s. per 40 dies insolentur.

Eodem modo & oleum è Meliloti Summitatibus.

Oleum Cheirinum, ex floribus Leucoii Lutei i. Keiri, & oleo veteri claro, ut oleum Anethinum.

Oleum Cydoneorum, ex carnis immaturæ cum cortice, & Succi Cydoniorum, ana unciis sex. Olei omphacini libris tribus. Insolentur in vase vitreo per dies quindecim: tum coque vase duplici per horas quatuor: post fiat permutatio carnis & succi eorum ter: demùm cola, & reconde.

Oleum Enulatum, ex Enulæ radicum contusarum, & Succi ejusdem, & olei Amygdalarum, ana libra dimidia, Vini dulcis unciis tribus, coctis ad Vini consumptionem.

Oleum Euphorbii, ex Euphorbii uncia dimidia, olei Cheirini, Vini odoriferi, ana unciis quinque, coctis in duplici vase ad Vini consumptionem.

Oleum Formicarum *Nic:* ex Formicarum alatarum unc: ij: & olei unc: viij. maceratis, insolatis per dies 40. excolatis, repositis.

OLEUM

Oleum Rosatum Completum roborat, resolvit, lenit, & dolorem insuper sedat./

Oleum Cheirinum calidum est temperate tenuat lenit digerit suppositum doloribus eo flatibus, materia frigida pituitosa mitigat ventrem & tormentibus medicè subveniet nervorum & juncturarum dolores sedat thorati, pectori, vesica, et renibus confert menses ciorat et uteri suffocationes interimit lumbricos, partus facilitat arthriticis et resolutis prodest./

Oleum Cydoniorum stringit et refrigerat, ventriculi et jecoris imbecillitati utile, ventrem totum inferiorem et nervos laxos cogendo roborat, retentricem partium facultatem confirmat stomachum in vomitionibus effusum in se cogit: ventri defluxionibus infestato, lienteriae diarrhaeae dysenteriae medetur, spinae illitum et thoraci sudores modicos, et diaphoreticos cohibet./

Oleum Absinthites calefacit et refrigerata roborat, stomachum ventriculum cibi aviditatem excitat, obstructa levat, lumbricos necat viscerum phlegmonis confert, frigidis ventriculi affectibus mirifice conducit, flatusque ibidem conceptos dissipat./

Oleum Emulatum calfacit tenuat, digerit, ob id affectibus nervorum + Colo: uteri, et vesicae frigidis confert, et febrium rigori at colico a flatibus dolenti./

Oleum Anethinum Anodynum est, tumores crudos concoquit resolvit et laxat somnum conciliat regionem febrilem spinae et partibus nervosis unctiones initio illitum vincit, cephalalgiam mitigat, uteri duritiem emollit. menstrua ciorat et vulnerum calvis fere omnis componit Atropis familiarem lassitudinem discutit, dolores articulorum sublevat venarum spiracula laxat calefacit et emollit, nervis gratum et convulsionibus amicum./

Oleum Euphorbij, haemorranicis, cephalalgicis et lethargicis adhibetur et Naribus immittitur ad discutiendum vitium. Epispasticis medicamentis utiliter admiscetur praestantissimum enim attrahendo est remedium in frigidis vitijs, est enim tenuium partium Alopeciae et capillorum defluvia sanat in Contractis inveteratis et profundis articulorum querelis, ex alto evocandis laudatissimum Remedium Calidum et siccum ideo de piperibus, ideoque non nisi vehementer frigidijs vitijs adhibendum In auribus tinnitu sibilo et hebetiori sensu ex frigiditate contracto, tepidum adhibet Galenus 2do Compos Med secundum loca./

Oleum formicarum valet ad conservandum coitum

Oleum Chamaemelinum phlegmones mitigat, moderate resolvit fluxiones cohibet visua modice astringentes. ideoque colicis articularijs caeterorumque dolorum initijs salubre est lassitudines juvat dolores sedat et mitigat tensa laxat, febres discutit et dissolvit, praesertim quas stipata cutis premunt. Melancholicas et pituitosas hypochondriorum tensionibus utile cuiusvis dolores mitigat, meatus namque laxat vapores discutit, et acrimoniam temperat: Atropum est et anodynum: ideoque non temere inspiciunt, initio Colici cruciatus, ut quae sunt ~~Colica~~ a flatibus distensa relaxentur et emolliantur:/

Oleum Hyperici calefacit & siccat, essentiaque est tenuis: unde ad omnes dolores frigore contractos adhibetur et est Anodynum herbi adiciis, et variibus utiliter adhibetur contra dentium dolorem podagram chiragram et articulorum dolores prodest: Nervorum puncturis et vulneribus est efficax et illitum ac fotu convulsiones prohibet Ambustis Cicatrices ducit et vulnera glutinat:/

Oleum hoc supra omne balsamum effert Gerardus nec inmerito/

Oleum Lumbricorum nervos in frigidatos Confortat, et utile est dolori juncturarum/

Oleum Sampsuchinum Stopumest et lassitudinibus utile, frigidis cerebri et nervorum affectibus prodest: spinæ, in balneo inunctum paralysim iuvat et spasmum cyminum naribus immissum, aut ore detentum et sternutamentum

Oleum Jasminum iis quæ calefactionem desiderant et relaxationem utile frigidis etiam affectibus non obscurum adfert remedium

Oleum Irinum vim habet excalefactoriam et emollientem roborat tenuat resolvit potenter purgat concoquit maturat et alta penetrat convulsionibus efficax aurium solutus tollit quæ in thorace sunt et pulmone concoquit Asthmaticos iuvat, tussim compescit, strumas dissipat aliosque tum ores duros hepatis et splenis articulorum dolores et duritias emendat, facit ad intestinorum tormina et illi cruciatus naribus illitum destillationibus et ozænis medetur Datur iis qui cicutam, Coriandrum aut fungorum venenum hauserunt præstantissimo Alexipharmaco

Oleum Menthæ ventriculo imbecillo & refrigerato adhibetur eum namque calefacit roborat nauseam firmat, vomitionem sistit, appetentiam excitat concoctionem evocat/

Oleum Myrtillorum astringit refrigerat, densat: cerebrum nervos et ventriculum adstrictione roborat pyrorum phlegmones utile Gingivis medetur dentium dolori dysenteriis, cæliacis vulnera excoriata ulceribus vetustis vel manantibus minus affluxu humentibus cum squamariis et cera Attrita sanat hydræ contracta furfures rhagades condylomata articulos luxatos & omnia quæ abstrictionem desiderant hæmoptoicis et sanguinis ex pectore rejectioni confert & ad arcendam phlegmonem in ulcere pulmonis Galen: illinit capillos retinet eorum defluvium sistit addito præstantissimo ladano Galen: de Compos Med: gerendum locos/

OLEVM HYPERICI.

℞ Summitatum Hyperici uncias quatuor: Macerentur in olei Olivarum veteris libra una, & Vini odoriferi unciis sex, per triduum ad Solem vel in Balnei calore, & exprimantur: Eodem modo renovetur infusio summitatum Hyperici secundâ & tertiâ vice: Ultima infusio coquatur ad vini ferè consumptionem, & exprimatur; Expressioni adde Terebinthinæ uncias tres, Croci scrupulum unum. Parum iterum coquatur & reponatur.

Oleum Jasminum.
Ex floribus & oleo veteri claro, ut Rosaceum.

OLEVM IRINVM.

℞ Radicum Iridis Flor: librā unā.
Florum Liliorum alborum libram dimidiam.
Aquæ cui incoctæ sunt aliæ Iridis Flor: radices q. s.
Olei dulcis libras sex.
In vase duplici coque, radices & flores recentes iterum immitte, prioribus expressis & abjectis, ut in oleo Rosato.

OLEVM LVMBRICORVM.

℞ Lumbricorum terrestrium libram dimidiam.
Probè laventur in vino, deinde adde
Olei Olivarum libras duas.
Vini uncias octo.
Coque in duplici vase ad Vini consumptionem.

Oleum Sampsuchinum vel Majoranæ simplex, Ex herbæ unciis quatuor, infusis in Vini unciis sex, & olei libra una, cum insolatione & duabus aliis infusionibus repetitis, & tandem evaporatione Vini in Balneo.

OLEVM MASTICHINVM

℞ Olei Rosati Omphacini libram unam.
Mastiches uncias tres.
Vini odoriferi uncias quatuor.
omnia in vase vitreato imposita, coquantur in duplici vase ad Vini consumptionem.

Oleum Menthæ. Ex herbis & oleo Omphacino, ut Rosaceum.

Oleum Myrtillorum, ex Baccarum Myrtillorum confractarū & vino adstringente aspersarum

 libra

libra una (ut Myrtinum è foliis)
Olei Omphacini libris tribus.

Macerentur & insolentur per octiduum; dein coquantur & repetatur tertiò Baccarum nova infusio, & insolatio, & coctio in vase duplici: tum exprimatur Oleum & reservetur usui.

OLEVM MYRRHÆ.

Aliquot ova recentia coquantur donec induruerint; per mediam longitudinem incidantur, vitelli eximantur, cavitates Myrrhâ tritâ ad medietatem impleantur; & denuò conjungantur albumina, filoque parum constringantur, & craticulæ inter duas paropsides collocandæ superponantur. Tum in cella vinaria, vel alio loco subterraneo & humido ponantur. Sic enim Myrrhæ liquatus humor in paropsidem inferiorem destillabit.

Oleum Narcissinũ, Ex floribus & oleo, ut Rosaceum.

Oleum Nardinum simplex, Ex
Spicæ Nardi unciis tribus.
Olei dulcis libra una semis.
Vini, & aquæ, ana unciis duabus cum semisse, coctis in duplici vase ad humoris cõsumptionem.

Oleum Nenupharinum, ex
Olei Omphacini libra una.
Florum Nymphææ alb: recent: unciis quatuor, ter repetitis, ut in oleo Rosato.

Oleum Papaveris, ex floribus, capitibus, & foliis Papaveris sativi, & oleo Omphacino, ut Anethinum.

Oleum Rutaceum simplex, ex herbis contusis & oleo maturo, ut Rosatum.

Oleum Sabinæ eodem modo fit ut Rosaceum.

Oleum Sambucinum, ex floribus & oleo, ut Rosatum.

Oleum Scorpionum simplex, ex
Scorpionibus numero triginta.
Olei Amygdalarum amararum libris duabus.

Macerentur per dies quadraginta loco calido, in vase vitreo insolentur, colentur, reponantur.

Oleum Sicyonium, ex radicum
Cucumeris agrestis, & succi ejusdem, ana unciis sex.

Olei

Nenuphatum vires habet violati, refrigerat tamen magis cephalalgiam ex febrium incendio indeque enatis delirius paparverino mixtus mitigat et insomnius abigit, urinae ardori, intemperaturae partius calidae renis ac cordisque ulceri et vesicae conducens illitus aut injectus Gonorrhaeam ac arcet et tentiginem expellit genitalibus illitus./

Oleum Papaverinum ad insomnius et febrius ardorem mitigandus valet./

Oleum Rutae calfacit, tenuat rigerat illitus et clysteribus injectus Colicus dolorem sedat ([redacted]) uterus phlegma ejiciens laterus renumque vesicae et uteri dolores a causa frigida juvat nervorum et spinae resolutione inunctus componit convulsionibus medetur flatus dissipat./

Oleum Sabucinum lenit abstergit, cutim expurgat, lotero et hepati obstructo confert articulorum et nervorum doloribus utile est namque roborat Epotus aut injectus alvum irritat feculaque excrementa per inferna ducit./

Oleum Scorpionum simplex vesicae et renum calculus dissipat, lumbis pubi ac perinaeo in foti lyndessu illitus et in parum urinarium injectus venenis. Efficiens scorpio ictus et pestilentiae tito resistit et ejus solo esu quendam olim familiarius a pestilentiae contagione servatus scribit Manardus & ex tota innumerabilem aliquos esse liberatos qui saepissime biberant venena vide Mathiolus in lib 2. Diascord Cap. 11

Oleum Narcissinum parari desijt./

Oleum de Styrace calefacit vehementer & emollit ob id confert
dolentibus a frigore renibus vesicae utero musculis tendinibus
juncturis earumque duritiem insigniter emollit ad nervorum
injurias et vulnera est commodum. Ad scabiem efficax scribit
Manardus addita [illegible] boni albi octava portione/

Oleum Violaceum frigidum est et humidum tenuium partium
& modice aperiens ad ferventes inflamationes idoneum intemperiem
calidam extinguit phlegmonas omnes sedat arteriae asperitatem
pulmonis & thoracis lenit juncto sacharo unde et tabidis et
hecticis prodest est remedio phrenitidis et vigilijs fronti & temporibus
~~[illegible]~~ impositum somnum conciliat hepati et praecordijs adhibitum
febrium ardentium aestus intollerabiles mitigat renum et jecoris
immoderatum calorem sedat/

Oleum Aparicij benedict ad partium nervosarum vulnera praestantissimum
modus utendi talis est ab ipso primum vulnere ~~cum~~ frigido statim ungitur
totum vulnus hoc oleo calefacto quod si hoc commode fieri nequeat
per syphonem intra vulnus tanquam per (~~[illegible]~~) clysterem ut
immittitur et confestim labia vulneris ad mutuum contactum adducuntur
deligatura aut sutura aut glutino deinde partes circumstantes, dicto oleo
similiter unguantur supra vero vulneris labia jam conducta linteum
imponitur praedicto oleo madens et supra hoc aliud vino nigro
expressum, super alia lintea sicca deinde fascia fastigatur fortan
Hispano isti aquo Aquapendens compositionem accepit nomen erat
Aparicius sed non apparet ex Aquapendente cur hispanis non liceat
componere videat loco citato/

Oleum de Capparibus lienis tumores duros & schirrosos juvat
ejusque obstructionibus valde est familiare/

Olei Olivarum maturarum libra una, coctis in duplici vase ad succi consumptionem.

Oleum Solani, ex baccarũ Solani maturarum unciis quatuor, coctarum in olei libra una.

Oleum de Styrace, ex olei Olivarũ libra una.
Styracis unciis tribus.

Vini q. s. coque post sufficientem macerationem ad vini consumptionem.

Oleum Verbenaceum, ex herba & oleo, ut oleum Menthæ.

Oleum Violaceum, ex oleo Olivarum Omphacino, & floribus Violarum, ut Rosatum.

OLEA COMPOSITA.

OLEVM APARICII BENEDICTVM. Hier. Fabr. ab Aq. pentateuch. l. 2. c. 7.

℞ Olei vetustissimi uncias tres.
Terebinthinæ puræ uncias octo.
Tritici puri sesquiunciam.
Flor: Hyperici uncias duas.
Rad: Cardui Benedicti.
Valerianæ, ana unciam.
Thuris pulverizati uncias duas.

Radices & herbæ crasso modo contundantur, in olla ponantur, tantum Vini albi superfundatur, ut Vino mergantur omnia: factâ per biduum infusione, Oleum & Triticum adjiciuntur, & coquuntur omnia ad Vini consumptionem. Factâ forti expressione additur Terebinthina & Thus; sinuntur parum bullire iterum; servantur vase vitreo.

OLEVM DE CAPPARIBVS.

℞ Corticum Radicum Capparum unciam unam.
Cortic. Tamarisci,
Folior. Tamarisci,
Sem: Agni Casti,
Cetrach sive Aspleni,
Rad: Cyperi, an: drachmas duas.
Rutæ drachmam unam.
Olei Olivarum maturi libram unam.
Aceti albi fortis,
Vini albi, ana uncias duas.

Trita & macerata aliquandiu, leviter coquantur in duplici vase usque ad consumptionem Vini & Aceti: exprimantur, colentur, reponantur.

OLEVM

OLEUM DE CASTOREO
IACOBI de MANLIIS.

℞ Castorei,
Styracis Calamitæ,
Galbani,
Euphorbii,
Casiæ ligneæ,
Croci,
Opopanacis,
Carpobalsami, sive Cubebarũ,
Spicæ Nardi,
Costi, ana drachmas duas.
Cyperi,
Schœnanthûs,
Piperis longi,
nigri,
Sabinæ,
Pyrethri, ana drachmas duas semis.
Olei libras tres.
Vini Hispanici libras duas.

Galbanum, & Opopanax in Vino seorsim dissolvantur, deinde reliqua omnia contusa, cum oleo & vino coquantur in duplici vase, posteà colentur, ac dissolutum expressúmq; Galbanum cum Opopanace, oleo affundantur, & iterum coquantur, sæpiùs miscendo, ut Galbanum & Opopanax in vasis fundo subsidentia oleo commisceantur. Styrax autem per se dissolvatur in vino. Adde posteà Terebinthinæ drachmam unam semis, quò meliùs Styrax oleo commisceri possit.

OLEUM COSTINUM,
MES.

℞ Costi amari uncias duas.
Casiæ ligneæ unciam unam.
Summitatum Sampsuchi uncias octo.

Trita macerentur biduo in Vini q. s. deinde cum olei olivarum Vino loti libris tribus coquantur in duplici vase ad consumptionem Vini s. a.

OLEUM CROCINUM,
MES.

℞ Croci unciam unam.
Myrrhæ puræ unciam dimidiam.
Cardamomi drachmas novem.
Calami aromatici unciam unã.

Infundantur omnia in aceto, (præter Cardamomũ) diebus quinque, sexto projiciatur super ea Cardamomum, & stent simul per diem unum: mane sequenti adde libram unam semis olei, & coquantur lento igne ad aceti consumptionẽ secundùm artem. Sunt qui ponunt Vinum loco Aceti.

OLEUM DE EUPHORBIO,
COMPOS. *NIC:*

℞ Staphidis agriæ,
Struthii, vel Saponariæ, ana unciam

Ol: de Castoreo valet ad omnes nervorum & cerebri offensas frigidas tetanum
convulsionem, tremorem paralysim sanat rigores accedentes & frigora cum
febribus sedat spinæ dorsi illitum/

Ol: Costinum vehementer calefacit ideoq; nervorum ex frigore injurias
propellit, paralysi confert nervos roborando ventriculum musculos
(tendines) & ligamenta confirmat, obstructa aperit praesertim hepatis
spinæ illitum febrilem rigorem mitigat capillos tenuatim afficit et
fumoso humore canitiem exsiccando consumpta eam moratur

Ol: Crocinum nervos et uterum roborat eorum dolorem, sedat convulsiones
& uteri dolori confert, duritiem dissipat et colorem bonum conciliat

Oleum Exeter vim habet magnam discutiendi eoque in tensionibus optimum et spinae doloribus.

Olei Hyrantinum ad nervosarum partium tensiones valentissimum ossium dolores a frigore ortos sed [illegible] validius lenit.

ciam dimidiam.
Pyrethri drachmas ſex.
Calaminthes montanæ ſiccæ unciam unam ſemis.
Coſti drachmas decem.
Caſtorei drachmas quinque.

Trita, triduoque macerata in Vini odori libris tribus ſemis coquantur cum olei Leucoii lutei libra una ſemis, ad Vini ferè conſumptionem, tunc inſperge

Euphorbii recentis & albi tenuiſſimè triti unciam dimidiam,

& miſcendo coque ad perfectionem.

OLEUM EXCESTRENSE vulgò EXCETER dictum.

℞ Folior: Abſinthii,
Centaurii minoris,
Eupatorii,
Fœniculi,
Hyſſopi,
Lauri,
Majoranæ,
Meliſſæ,
Nepetæ,
Pulegii,
Sabinæ,
Salviæ,
Thymi,
Flor: Chamæmeli,
Geniſtæ,
Liliorum alborum,
Sambuci,
Sem: Cymini,
Fœnugræci,
Radicum Hellebori albi,
nigri,
Corticum Fraxini,
Limonũ, ana uncias quatuor.
Foliorum Abrotoni,
Betonicæ,
Iuæ arthriticæ, i Chamæpityos,
Lavendulæ, ana uncias ſex.
Roriſmarini libram unam.
Euphorbii,
Sinapeos,
Caſtorii,
Pyrethri, ana unciam unam.
Olei libras ſedecim.
Vini libras tres.

Contuſis herbis, floribus & ſeminibus, & Euphorbio, & inciſis radicibus, corticibus & Caſtorio affuſis Vino & Oleo, ſtent per duodecim horas ad Balnei calorem, poſteà coquantur igne lento ad Vini & humoris conſumptionem; Coletur & ſervetur uſui Oleum.

OLEUM HYRUNDINUM.

℞ Hirundinum integrarum numero ſedecim.

Cha-

Chamæmeli,
Rutæ,
Plantaginis majoris,
minoris,
Folior: Lauri,
Pulegii,
Anethi,
Hyſſopi,
Roriſmarini,
Salviæ,
Hyperici,
Balſamitæ, ana manipulum unum.
Olei communis libras quatuor.
Vini Hiſpanici libram unam.

Confice ſ. a. Si vero tantum Butyri Majalis accipiatur quantum olei, & prædicta cum eo coquantur, Unguenti & nomen, & conſiſtentiam acquiret.

OLEVM HYPERICI COMP: ſeu BALSAMVM MAGISTRALE FLORENT:

℞ Vini albi potentis libras tres.
Summit: Hyperici maturarum manipulos quatuor.

Tere, Macera in vaſe vitreo, obturato ejus orificio per duos dies, coque in duplici vaſe, & fortiter exprime; in Colaturam injice alios flores, ut dictum eſt, & tertiò idem facito, dein colato, & ad ſingulas colaturæ libras, adde
Olei veteris libras quatuor.
Terebinthinæ uncias ſex.
Olei Abſinthii uncias tres.
Dictamni,
Gentianæ,
Cardui benedicti,
Tormentillæ,
Carlinæ, vel Cardui Mariæ,
Calami aromatici, ana drachmas duas.
Lumbricorum pluries in Vino lotorum uncias duas.

Terantur craſſiuſculè terenda, & inſolentur triginta aut quadraginta diebus, & benè obturatum reponas.

OLEVM IRINVM COMPOSIT: *NICOL: ALEX.*

℞ Olei veteris libras quindecim.
Aquæ libras quatuor & dimidiam.
Radic: Iridis Flor: libras tres & uncias quatuor.
Flor: Liliorum alborum uncias quindecim.
Radic: Cyperi recentium uncias ſex.
Helenii uncias tres.
Anchuſæ uncias duas.
Cinnamomi,
Spicæ Nardi,

Aſæ

Oleum Irinum. Comp: usurpatur ad diuturnum catarrhum naribus
impositum ozenas & putredines narium aufert, tinnitum aurium
cum aceto & rutâ cum ol. amigdalis amaris commixtum et auribus
injectum tollit Asthmaticis gargarismo adhibito opitulatur haemorrh-
=oidas ventores inunctum sive colo injectum educit./

Ol: hoc hyperici sive Balsamum potius vulneribus agglutinandis idoneum
calefacit et siccat nervorum puncturis et vulneribus plurimum confert
ambustis medetur Ischiadicis utiliter adhibetur et ad omnes
dolores a frigido contractos utiliter adhibetur./

Oleum Mandragorae valet ad omnem inflammationem extinguendam somnum conciliandum capitis dolores sedandos phreneticis febricitantibus et vigilantibus convenienter fronti temporibus et naribus illitum

Oleum Majoranae lassitudini utile est et morbis cerebri et nervorum succurrit In balneis usurpatum loco unctionis paralysi medetur spasmo [illegible] prodest naribus insertum auribus tinnitum sonitum a flatu genitum dissipat menses promovet et scorpionum morsibus auxiliatur

Oleum Moschelinum frigidis affectibus est praestantissimum ventriculo praecipue debili plurimum roborat et calefacit dolorem lateris [illegible] illitum sanat stranguriosis colicis et nervorum ~~[illegible]~~ vitiis confert Romae odoratus regendis est aptissimum [illegible] unguento Arfaon aliisque medicamentis et speciebus [illegible] lithontribon conficiendis

Asæ odoratæ, seu Benzoini, ana unciam unam.
Contundantur radices & aliæ species, & macerentur in oleo & aqua diebus quinque ad Solem vel loco calido, posteà in duplici vase coquito, donec aqua consumpta fuerit, refrigescere sinito, colato, exprimito, & reponito.

OLEUM MAJORANÆ SEU SAMPSUCHI COMPOS: *ACTUARII.*

℞ Foliorum Sampsuchi manipul. quatuor.
Serpylli manipul. duos.
Fol: Myrti vel Baccarum manipulum unum.
Abrotoni,
Sisymbrii seu Mēthæ aquaticæ, ana manipul. dimidium.
Casiæ ligneæ veræ uncias duas.
Olei Omphacini libras tres.
Concidantur & contundantur omnia, ac imponantur in vitrum, ac Oleum affundatur: tum obstructo vasis orificio, macerentur ad Solem, vel in æstuario diebus octo. Tandem exprimantur, & oleo expresso infundantur recentes species, quod tertiò est repetendum.

OLEUM MANDRAGORÆ, *NICOLAI.*

℞ Olei communis libras duas.
Succi Pomorum Mandragoræ, vel (ejus defectu) foliorum uncias quatuor.
Succi Hyosciami albi, uncias duas.
Succi capitum Papaveris nigri, uncias tres.
Succi Violarum,
Cicutæ, ana unciam unā.
Opii,
Styracis Calamitæ, ana unciam dimidiam.
Succi cum oleo decem diebus ad solem macerentur, deinde coquantur in duplici vase ad succorum consumptionem; Cola; Opium dissolvatur in succis, & Styrax dissolvatur cum modico Terebinthinæ, probè misce s. a.

OLEUM MOSCHELINUM.

℞ Nuces Moschatas numero duas.
Moschi drachmam unam.
Folii, seu Macis,
Spicæ Nardi,
Costi,
Masliches, ana drachmas sex.
Styracis Calamitæ,
Casiæ Ligneæ,

Myrrhæ

Myrrhæ,
Croci,
Cinnamomi,
Caryophyllorum,
Carpobalſami, vel Cubebarum,
Bdellii, ana drachmas duas.
Olei puri libras tres.
Vini generoſi uncias tres.

Terenda ex arte trita, atque confusè miſta, bulliant ad Vini diſſipationem. Percolatum oleum uſui reſervetur.

OLEVM NARDINVM, *MES.*

℞ Spicæ Nardi uncias tres.
Sampſuchi uncias duas.
Xyloaloes,
Enulæ,
Folii Indi vel Macis,
Calami aromatici,
Folior: Lauri,
Cyperi,
Schœnanthûs,
Cardamomi, ana unciam unam ſemis.

Craſſiuſculè terantur, deinde in Vini & Aquæ ana unciis quatuordecim, & olei Seſamini, vel olivarum libris quatuòr ſemis macerentur per horas viginti quatuor, deinde coque in vaſe duplici igne lento horis ſex, perſæpè movendo.

OLEVM NICODEMI

Fallop. mat: med: in prim: Dioſcorid. c. 19.

℞ Sem: (ſeu ſummit:) Hyperici,
Terebinthinæ antiq: ana libram unam.
Lithargyri drachmas ſex.
Aloes hepaticæ,
Tutiæ Alex: ana drach: tres.
Croci unciam unam.
Vini albi optimi libras quatuor.
Olei antiqui libras duas.

Bulliant omnia ſimul in duplice vaſe, donec pars quarta conſumatur: demùm ſepeliantur in arena diebus Canicularibus per dies decem: poſteà per pannum candidũ cola, ſepara Vinum ab Oleo, & utrumque ſeparatim ſerva.

OLEVM NICOTIANÆ.

℞ Succi Peti, ſeu Nicotianæ,
Olei communis, ana libram unam.

Macerentur, & coquantur ad ſucci conſumptionem.

Cur dicatur Oleum Nicodemi non dicit Schopius sed asserit Columbus arcana sua in vulnere curat omnem dolorem et omnia vulnera sanat ipsissima authores verba et ab eo recensetur inter Balsama artificialia/

Ol: Nardinum calefacit, tenuat, digerit modice astringit quocirca iis auxiliatur qui calore et astrictione indigent et stomachicis debilitatis distillationi et hepaticis obstructionibus obnoxiis ventriculum firmat et coctionem procurat Discutit phlegmonis scirrhos inflammationi et pulmonis doloribus illinitur Cerebri et nervorum frigidos affectus sanat aurium dolorem mitigat Tremulos et paralyticos summum est remedium uteri suffocationes occlusiones et tumores suppositum discutit aut etiam injectum vesicae dolori, omnique calculo opitulatur/

Ol: Nicotiana scabiei vulneribus et ulceribus confert, dolorem capitis aufert/

Oleum de piperibus cerebri & nervorum frigidas noxas propellit quia calefacit, tenuat tergit et discutit foras educit obstructa potenter liberat calculumque eo nomine dissipat. Ad paralysin spasmum tremorem epilepsiam uteri Coli renum et vesicae affectus frigidos utilissime adhibetur Coxarijs et articulorum doloribus medetur menses evocat et ventriculorum umbilicum non temere firmat/

Ol: Vulpinum potentissime in digerendo et discutiendo facultatis quae noscunt ad nervosi generis iniurias frigidas et articulares affectibus praecipue valet/

Oleum populeum emollit tenuium et partium et calidum arthriticis & podagricis utile/

OLEUM DE PIPERIBUS, *MES.*

℞ Piperis longi,
nigri,
albi, ana drachmas tres.
Myrobal: Chebularum,
Belliricarum,
Emblicarum,
Indarũ, ana drachmas quinque.
Radic: Apii,
Fœniculi, ana drachmas tres semis.
Sagapeni,
Opopanacis,
Ammoniaci,
Hyoscyami albi, ana drachmas duas semis.
Turpeti drachmas duas.
Zingiberis drachmas tres.
Surculorum Thymi recentium,
Rutæ viridis, ana manipulum unum.

Macerentur secundùm artem in s. q. Aquæ vitæ & olei Cheirini libris duabus, deinde coque ad consumptionem Aquæ vitæ.

OLEUM POPULEUM, *NICOL.*

℞ Gemmarum Populi recent: libras tres.
Vini libras quatuor.
Olei com: libras septem uncias duas.

Terantur diù Gemmæ Populi; diebus septem in Oleo & Vino macerentur; demùm coquantur vase duplici ad Vini consumptionem: si secundò & tertiò, est efficacius. Tandem exprimatur oleum & reponatur.


OLEUM VULPINUM, *MES.*

℞ Vulpem (quà fieri potest) pinguem, ætatis mediæ, venatu defatigatam, recenterque occisam, mox & exenteratam, detractâque pelle, necnon ossibus diligenter confractis, in partes plures conscissam. Decoque in
Vini albi &
Aquæ Fontanæ ana libris sex.

Ad medietatem usque, nec sine diligenti despumatione in coctura principio: tùm dèmùm admisce
Olei antiqui dulcissimi libras quatuor.
Salis communis uncias tres.
Florum Salviæ,
Thymi, ana libram unam.


Procedatq; coctio ad totius aquæ ferè consumptionem, mox affundantur

Aquæ impregnatæ,
(Anethi,
Thymi, ana manipulo uno pleno incocto,) libræ octo
Denuò invicem coquantur omnia lento igne ad consumptionem aquæ: Oleumque ab aquositate post colaturam, infundibulo separatum, usui reservetur.



VNG-





Unguentum album valet ad pruritus scabiem adustionem intertrigines ulcera pustularum eruptiones et atrem serpiginem intemperiem ulcerosam calidam atq; alia multa cutis vitia sananda:/

Unguent Anodinum dolores quascunq; corporis parte mitigat unde nomen quoq; traxit

Unguent Ægiptiarum valentissimum ad saniem siccandam sordes detergendas et carnem absumendam in ulceribus malignis putrilaginosis et cuniculosis convenit/



VNGVENTA SIMPLICIORA.

UNGVENTVM ALBVM, *RHASIS.*

℞ Olei Rosacei uncias novem.
Cerussæ bonæ in aqua Rosarũ lotæ uncias tres.
Ceræ albæ uncias duas.
Fiat Unguentum secundùm artẽ.
Adde Camphoræ drachmas duas, & erit Camphoratum.

UNGVENTVM ÆGYPTIACVM, *MES.*

℞ Æruginis drachmas quinque.
Mellis drachmas quatuordecim.
Aceti fortis drachmas septem.
Coquantur omnia simul, donec fiat Unguentum spissum & colore subrubeum.

UNGVENTVM ANODYNVM, EX *CORDO.*

℞ Olei Liliorum alborum uncias sex.
Anethini,
Chamæmelini, ana uncias duas.
Amygdalarum dulcium unciã unam.
Pinguedinis Anatis,
Gallinæ, ana uncias duas.
Ceræ albæ uncias tres.
Misce secundùm artem.

UNGVENTVM SIVE LINIMENTVM *ARCEI.* l.1.c.4.

℞ Gummi Elemni,
Terebinthinæ Abietinæ, ana unciam unam semis.

Sevi Vervecini antiqui,
& liquefacti, uncias duas.
Pinguedinis Porcinæ,
antiquæ, & liquefactæ,
unciam unam.
Misce, fiat Unguentum s. a.

UNGVENTVM AVREVM.
MES.

℞ Ceræ Citrinæ libram dimidiam.
Olei libras duas semis.
Terebinthinæ uncias duas.
Resinæ pineæ,
Colophoniæ, ana unciam unã semis.
Thuris,
Mastiches ana unciam unam.
Croci drachmam unam.
Confice secundùm artem.

UNGVENTVM BASILICON MAJUS, *MES.*

℞ Ceræ albæ,
Resinæ Pini,
Sevi Vaccini,
Picis Græcæ,
Terebinthinæ,
Olibani,
Myrrhæ, ana unciam unam.
Olei libram unam, aut quantitatem sufficientem.
Misce, fiat Unguentum.

UNGVENTVM BASILICON MINVS, SEV TETRAPHARMACVM.
MES.

℞ Ceræ flavæ,
Resinæ pinguis,
Picis Græcæ, ana libram dimidiam.
Olei libras duas, uncias quatuor.
His duntaxat liquatis & permixtis fiat Unguentum justæ consistentiæ.

UNGVENTVM ex BDELLIO.
MES.

℞ Bdellii drachmas sex.
Euphorbii,
Sagapeni, ana drachmas quatuor.
Castorei drachmas tres.
Ceræ drachmas quindecim.
Olei Sambucini, vel Cheirini drachmas decem.
Bdellium & Sagapenum in aq: Rutæ agrestis dissolvantur: cætera cum aq: calida uniantur.
Fiat Unguentum s. a.

VNG-

Tetrapharmacum sive Basilicon minus dolorem mitigat humorem noxium parti impactus coquit illius acrimoniam lenit et carne ulcera implet vide infra ad Basil: Ma:/

Unguentum aureum a colore et pretio dicitur Quibusdam Regius Unguentum vulnera tuto et salubriter glutinat praesertim in corporibus mollioribus./

Unguentum ex Galeno commendatur ad paralysin et spasmus iam confirmatus valenter namque digerit et mollit ulcerorum et articulorum tophos dissipat eorundem etiam frigidos affectus juvat et membri alicuius resolutionem sanat, ad epilepsiam quoque plurimum potest

Basilicon utrumque diapyeticus est seu puris ~~[illegible]~~ movens simplex tamen imbecillius est composito et minus calidus ac velut temperatus propterea ad pepasmos seu coquendos et in pus vertendos humoribus magis idoneus Nam verus pepasticus seu maturativus medicamentum temperatum et calore nostro nativo cognatum, unde sua qualitate potius agit monuit Gal. cap. 7°. li. 5. de simp: medica/ fac. quam quantitate: Cum ergo Tetrapharmacum sit quasi symmetrum optimum suppuratorium est et humores coquendo in pus recte convertit perinde ac vola manus temperatissima satis cuipiam pravis humoribus scatendi ditissime admota Renod.

Unguentum de calce ambusta felicissime inter initia percurat

Unguent Dialthaea simp. est celeberrimum ad emolliendum, calfaciendum et humectandum: pectoris dolorem ex frigore contractum tollit lateriumq doloribus felicissime adhibetur per se aut etiam cum butyro illitum. Viscerum duritiis curat splenis et hepatis adhibetur et stomachi inflammationes discutit valet ad nervorum incontinentium et duritiem eorum praecipue glutinat; vulnera claudit resolutis nervis benefacit et afflictis partibus imprimis tamen vesicas ad ignem illitum periodicasq febres abolet Emollit lenit concoquit incidit digerit

Unguentum Dialthaea compositum et melius (vid Renod.) calefacit emollit lenit humectat et digerit: ob id intemperiem frigidam tollit nervorum duritiei prodest siccitatem nimiam emendat, pleuritidi et alijs affectibus ab humore crudo mucilagine adhaerente natis medetur.

Unguent Enulatum ad pruritum scabiem siccam humidam et a quacunque causa ortam atq ad alias cutis foeditates mire est efficax:

UNGVENTVM DE CALCE.
FOESII.

℞ Calcis septies saltem ablutæ selibram.
Olei Rosati libram.
Agitentur probè in mortario plumbeo, adde Ceræ tres uncias.

UNGVENTVM DIALTHÆÆ SIMPLEX, *NICOLAI.*

℞ Radic: Althææ recentium & contusarum libras duas.
Sem: Lini,
Fœnugræci contusorum, ana libram unam.
Macerentur in aquæ libris octo.
Deinde leviter coquantur, & exprimatur Mucilago, cujus
℞ Libras duas, & Olei libras quatuor.
Bulliant simul, dum Mucilago sit absumpta, ac tum adde
Ceræ libram unam.
Resinæ libram dimidiam.
Terebinthinæ uncias duas.
Percoquantur in Unguenti consistentiam.

UNGVENTVM DIALTHÆÆ COMPOSITVM,
NICOLAI.

℞ Radic: Althææ libras duas.
Sem: Lini,
Fœnugræci, ana librã unam.
Scillæ pulpæ libram dimidiam.
Olei libras quatuor.
Ceræ libram unam,
Terebinthinæ,
Gum: Hederæ,
Galbani, ana uncias duas.
Colophoniæ,
Resinæ, ana libram dimidiam.
Radices benè abluantur & terantur; similiter Fœnugrecum, Sem: Lini & Scilla, & cum benè trita fuerint, posteà in libris octo aquæ per tres dies macerentur, quarto die super ignem bulliant, & extrahatur Mucilago, cujus.
℞ Libras duas: & cum oleo simul bulliant ad succi consumptionem. Posteà addantur, Cera, Resina, & Colophonia, quæ cum liquefacta fuerint, adde Terebinthinam, posteà Galbanum, & Gum: Hederæ in aceto dissoluta.
Coque parumper, & ab igne removeatur, tamdiù agitando donec infrigescat, & ut benè incorporentur omnia.

UNGVENTVM ENVLATVM.

℞ Rad: Enulæ, dum emollescant in aceto coctarum, tritarum,

tarum, cretarum, libram unam.
Axungiæ Porcinæ, vet: ſalitæ, libram unam.
Olei communis uncias quatuor.
Ceræ novæ uncias duas.
Salis communis unciam unam.
Hydrargyri ſalivâ vel ſuc: limo: extincti,
Terebinthinæ reſiduo coct: Enulæ lotæ, ana uncias duas.

Simul Axungia, Cera, & Oleum liquefiant. His adde pulpam Enulæ, & Salem pulverizatum: tandem Hydrargyrum cum Terebinthina, & pauca Axungia in mortario agitatione multâ re-extinctũ. Fiat unguentum ſ. a.

Parari etiam debet ſine Mercurio.

UNGVENTVM DIAPOMPHOLYGOS NIHILI, *NICOLAI.*

℞ Olei Roſacei uncias ſedecim.
Succi Solani uncias ſex.

Bulliant ad Succi conſumptionem, adde
Ceræ albæ uncias quinque.
Ceruſſæ lotæ uncias duas.
Plumbi uſti & loti,
Pompholygos præparatæ,
Thuris puri, ana unciam unam.

Redigantur in Unguenti formam ſecundùm artem.

UNGVENTVM REFRIGERANS, *GALENI.*

Ceratum etiam dicitur.

℞ Ceræ albæ uncias quatuor.
Olei Roſati Omphacini libram unam.

Liquentur in duplici vaſe, & tranſfuſa in vas aliud, ſenſim affusâ aquâ frigidiſſimâ, ac ſubinde mutatâ, diù ſubigantur donec albeſcant, poſtremò lavabis in Aqua Roſarum, & addes
Aceti Roſacei & aq: Roſaceæ parùm.

UNGVENTVM DE MINIO ſeu RVBRVM CAMPHORATVM.

℞ Olei Roſacei libram unam ſemis.
Minii uncias tres,
Lithargyri uncias duas,
Ceruſſæ ſeſquiunciam,
Tutiæ drachmas tres,
Camphoræ drachmas duas,
Ceræ in æſtate uncias duas,
in Hyeme unciam unam.

Fiat Unguentum in pila plumbea cum piſtillo plumbeo; Cerâ priùs in oleo liquatâ ad lentum ignem; poſteà reliquis adjectis tenuiſſimè tritis.

VNG-

Unguenti Refrigerantis Gal. ubicunq. refrigeratione et humectatione opus est: usus esse potest Hecticis confert et venum dolori a causâ calidâ provenienti

Unguentum de minio seu Rub. [illegible] refrigerat et siccat potentissime ideoq. ignibus sacris felicissime adhibetur, tumores sanat et erodentia ulcera quae humorum acrimonia serpunt, eam namq. sua frigiditate obtundit eiusdem est facultatis Unguentum de plumbo/

Unguent. Diapompholiges Nicholai (~~[illegible]~~ vulgo nihili) praestantissimum est ad ulcerum sanationem eorum enim calorem mitigat humiditatem siccat malignitatem cancerosam domat, dolorem lenit cavitatem carne implet et ad cicatricem perducit maxime autem tibiarum ulceribus prodest./

Unguentum Opthalmicum ab effectu sic dictum quod humorum fluxiones arcet, calorem temperat acrimoniam mitigat lachrymas et sistit et siccat, dolorem sedat ruborem aufert et oculos roborat si illinitur tantillum post universalia remedia purgationem et sanguinis detractionem ad angulos et palpebrarum oras adhibeatur

Unguent. Nicotianae seu Petri Laurentii Jouberti ad ulcera scabiem scrophulas praestantissimum et admirandum remedium.

Nutritum vim habet reprimendi [illegible] desiccandi carnem ulceribus [illegible] [illegible] atque et cicatricem inducendi nutritum dicitur quod nutritione longa unguenti formam acquirat eundem quod absque igne paratur.

UNGVENTVM NICOTIANÆ seu PETI, *IOVBERTI.*

℞ Folior: Nicotianæ libras duas.
Axungiæ Porcinæ recentis diligenter lotæ libram unam.
Herba trita maceretur per noctẽ in Vino rubro; manè bulliat igne lento cum Axungia ad Vini consumptionem, Cola, & colaturæ adde
Succi Nicotianæ depurati libram dimidiam.
Resinæ abiegnæ uncias quatuor.
Coquantur ad succi consumptionem, addendo circa finem,
Radic: Aristolochiæ rotundæ pulverisatæ uncias duas.
Ceræ novæ q. s. fiat Ung.

NVTRITVM seu CRVDVM, seu è LITHARGYRO, seu TRIPHARMACVM, *MES.*

℞ Lithargyri auri tenuissimè lævigati libram dimidiam.
Olei Rosati libram unam.
Aceti uncias quatuor.
Affunde vicissim modò Oleum, modò Acetum, & agita in mortario tamdiù donec totum liquorem ebiberit Lithargyrus. Fiatque consistentia Unguenti albidi.

UNGVENTVM OPHTHALMICVM, *RENODÆI.*

℞ Boli Armeni in aqua Rosarum loti unciam unam.
Lapidis Calaminaris in aqua Euphragiæ abluti,
Tutiæ præparatæ, ana drachmas duas.
Margaritarum tenuissimè lævigatarum drachmam dimidiam.
Caphuræ scrupulum dimidiũ.
Opii grana quinque.
Unguenti Rosacei uncias quinque. Et Olei Rosacei q. s.
Fiat Unguentum s. a.

LINIMENTVM GVIL: PLACENTINI SIMPLEX.

℞ Cerusæ lotæ uncias octo.
Ceræ albæ uncias septem.
Lythargyri loti,
Succi Solani, ana uncias quinque.
Thuris pulverisati drachmas decem.
Olei Rosacei pluries in aqua simplice loti libras duas.
Misce, fiat Linimentum.

VNG-

UNGUENTUM è PLUMBO, *FOES.*

℞ Plumbi usti cum Sulphure,
Lythargyri, ana uncias duas.
Cerusæ,
Antimonii, ana unciam unam.
Olei Rosati q. s.
Fiat Unguentum.
Elimatam Plumbi scobem in olla Sulphure exurito.

POMATUM SEVUM CONFECTUM. Amat: Lusitan: sine Speciebus.

℞ Adipis Cervini, vel Hædini ad renes, libras duas.
Pinguedinis Suillæ recentis libram semis.
Pomorum Camusiorũ mund: incis: numero octo,
Pinguedines membranis purgatas Vino albo abluito, panno lineo exprimito; in olla vitreata aquâ Rosaceâ semiplena infundito, prunis lenibus admoveto, bacillis agitato, fervere permittito, aquositas dum ferè consumatur. Residuum in vase fictili Rosaceâ insperso per rarum linteum percolato. Colatis addito
Olei Amygdalarum dulcium uncias sex.
Ceræ albæ uncias quatuor.
Ad ignem liquefacta recolato; Rosaceâ abluta reservato.

UNGUENTUM POTABILE EX *FOES.*

℞ Butyri recentis sine sale libram unam semis.
Rubiæ tinctorum,
Castorei,
Spermatis Ceti,
Radic: Tormentillæ, ana unciã dimidiam.
Bulliant simul in Vini odorati q. s. ad Vini consumptionem, & fiat Unguentum.

UNGUENTUM AD PRURITUM SCABIOSORUM, *RENODÆI.*

℞ Axungiæ Suillæ in succo Scabiosæ sæpiùs lotæ libram dimidiam.
Radicis Oxylapathi in aceto ad putrilaginem coctæ, & per setaceum trajectæ,
Sulphuris in succo Limonum abluti, ana unciam unã semis.
Unguenti Populnei in succo Enulæ nutriti unciam dimidiam.
Omnibus in mortario subactis fiat Unguentum s. a.

VNG-

Unguentum potabile præcipitatos juvat omnesque qui ex alto ceciderunt vulnera interna glutinat datur ʒß ad ʒj

Pomatum in Italia frequentissimum obtinet usum ad labiorum manuum & mamillarum rimas tam a frigore quam ~~[illegible]~~ ab aeris fervore factas utuntur eo postea ad desquamandam cutem & ad crustosas papulas quæ pueris in capite enascuntur. Matthiolus

Unguentum ad pruritus scab: serum biliosum & pituitam acrem & salsam mitigat eorumque humores quosvis calidos contemperat & scabiem & pruritus sanat vide Historiam ab Antiquis editam.

Unguentum Rosatum usus frequentissimus ad phlegmonas ignem sacrum ulcera serpentina et cephalalgiam calidam ventriculi et iecoris intemperiem calidam mitigat renum ardoribus et hemorrhoidum inflammationi salubre et cor roborat

Unguent. Rubrum desic. solemne est ad scabiem humidam ex putrida pituita et salsa eam orientem excitat et pruritum composit

Unguent. astringens laxiores partes contrahit, ductus vasorum coarctat fluxiones intercipit atque repellit vulvae uteri sedis intestina et lapsum prohibet et profluentem sanguinem admotus sistit

UNGVENTVM ROSATVM, *MES.*

℞ Axungiæ Porcinæ, membranis expurgatæ, libram unam, lavetur novies aquâ calidâ, & deinde toties aquâ frigidâ, deinde additâ
Rosarum rubrarum recentium contusarum librâ unâ,
sinatur marcescere per dies septem, deinde coquatur lento igne & coletur: rursus cum pari admistione Rosarum recentium contusarum totidem dies marcescat: tum coquatur & coletur ut antè, tandem affunde succi rosarum rubrarum uncias sex.
Coque igne lento ad succi consumptionem: coletur: fiat Unguentum secundùm artem.

UNGVENTVM RVBRVM DESICCATIVUM. *NICOLAI.*

℞ Olei Rosati Omphacini libram unam semis.
Ceræ albæ uncias quinque.
Liquatis insperge, in plumbeo mortario
Terræ Lemniæ, vel Boli Armeni,
Lapidis Calaminaris, tritorum exquisitè, ana uncias quatuor.
Lithargyri auri,
Cerussæ, ana uncias tres.
Caphuræ drachmam unam.
Fiat Unguentum s. a.

UNGVENTVM TVTIÆ VULGARE.

℞ Tutiæ præparatæ uncias duas.
Lapidis Calaminaris sæpiùs usti, & in aqua Plantaginis extincti unciam unam.
Pulverisentur tenuissimè, & cum Axungiæ Porcinæ sæpiùs in aqua rosaceâ lotæ libra una semis
Fiat Unguentum.
Paratur etiam cum Unguento rosaceo, loco Axungiæ.



UNGVENTA MAGIS COMPOSITA.

UNGVENTVM ADSTRINGENS, *FERNELII.*

℞ Olei rosati in aqua aluminosa sæpiùs loti libram unam semis.
Ceræ albæ uncias quatuor.

Gallarum immaturarum,
Nucum cupressi,
Baccarum Myrti,
Balaustiorum,
Malicorii,
Corticorum glandium,
Acaciæ,
Rhois,
Masticheſ, ana unciam unam:

Omnia exquisitissimè trita macerentur in succis Mespilorum & Sorborum immaturorum per dies quatuor, deinde siccentur igne non acri, sicque cum oleo & cera fiat Unguentum secundùm artem.

UNGUENTUM AGRIPPÆ, *NICOLAI.*

℞ Radic: Bryoniæ libras duas.
Radic: Cucumeris Agrestis libram unam.
Scillæ laminarum libram dimidiam.
Radic: Ireos recentis uncias tres.
Radic: Filicis maris.
Ebuli,
Tribuli aquatici, vel Ari ana uncias duas.

Tusa omnia recentia macerentur diebus sex vel octo in olei albissimi non rancidi libris quatuor.

Coquantur deinde igne lento, donec radices incipiant marcescere, postea exprimantur, & in expresso oleo, Ceræ albissimæ unciæ quindecim liquefiant, & reducantur in Unguenti consistentiam.

UNGUENTUM DE ALABASTRO. BEN: VICT: FAVENT:

℞ Succi Chamæmeli uncias quatuor.
Succi { Rosarum rubrarum uncias duas. Rutæ recentis. Betonicæ, ana unciam unam semis. }
Succi Radic: Althææ uncias duas.
Olei Rosacei Omphacini librã unam semis.
Alabastri puri subtilissimè pulverisati uncias tres.

Infundantur per noctem, deinde coquantur ad succorum consumptionem, & cum Ceræ albæ unciis sex fiat Unguentum secundùm artem.

UNGUENTUM APOSTOLORUM, *AVICENNÆ.*

℞ Terebinthinæ,
Resinæ,
Ceræ albæ,
Ammoniaci, ana drachmas quatuordecim.
Radic: Aristolochiæ longæ,

Thuris

Unguent de Alabastro [illegible] prodest in omni dolore capitis sive per essentia sive per consensum adsit febris vel non at ut omni tempore paroxysmi ad possumus uti excepto principio.

Unguent Agrippae ad aquae suffusiones partium tumores largos condemnat a nervorum contractiones valet [illegible] succurrit et ventri illitus alvum admovet et stranguriam sedat. Ad [illegible] quoque ventrem dolentes est utile

Unguentum Apostolorum sic dictum quod ex duodecim constet simplicibus usu frequens ad vulnera et ulcera difficilia cuniculosos sinus et fistulas sordidaque ulcera emendat, purgit, & detergit [illegible] putrilaginem carnem restaurat emollit et plagas sanat.

[illegible] Agrippa numeratur inter quatuor unguenta calida [illegible] frigidis vitiis frigidis [illegible] convulsioni paralysi tetano et nervorum distentioni spinae et renum dolores et tertios [illegible] sanat ad omnem stomachi et ventris dolorem valet uterina mulierum mala quartanas et morbum comitialem articularios morbos juvat et rigores frigidum spinae [illegible] [illegible] ad scabiem [illegible] [illegible] utimur

[illegible] ~~[illegible]~~ [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
in [illegible] utimur

Thuris masculi,
Bdellii, ana drachmas sex.
Myrrhæ,
Galbani, ana unciam dimidiam.
Opopanacis,
Floris æris, ana drachmas duas.
Lithargyri drachmas novem.
Olei (si æstas fuerit) libras duas,
(Sin Hyems) libras tres.
Aceti q. s. ad Ammoniacum, Opopanacem, & Galbanũ dissolvenda.
Confice secundùm artem.

UNGVENTVM AREGON, ADJVTORIVM.
NICOLAI.

℞ Rorismarini,
Majoranæ,
Serpyllii,
Rutæ,
Radic: Ari,
Radic: Cucumeris Agrestis, ana uncias quatuor semis.
Fol: Lauri,
Salviæ,
Sabinæ,
Radic: Bryoniæ,
Pulicariæ, i. Conyzæ majoris & minoris, (& in defectu minoris accipe duplum majoris) ana uncias quatuor.
Laureolæ uncias novem,
Fol: Cucumeris Asinini,
Nepetæ, ana libram dimidiam.
Omnia Mense Maio collecta & expurgata tundantur recentia, & macerentur diebus septem in olei optimi libris sex, affusâ aquæ Vitæ librâ unâ: deinde coquantur dum contabescant, & dum consumpta sit aqua. Oleum percoletur, in quo liquentur,
Ceræ unciæ sedecim.
Adipis Ursini,
Olei Laurini, ana unciæ tres.
Olei Moschelini uncia dimidia.
Petrolei uncia una.
Butyri unciæ quatuor.
Coagitatis demùm hi pulveres inspergantur,
Masticbes,
Olibani, ana drachmæ septem.
Pyrethri,
Euphorbii,
Zingiberis,
Piperis, ana uncia una.
Omnia in Vnguenti formam redigantur secundùm artem.

UNGVENTVM è SVCCIS APERITIVIS PRIMVM
FOESII.

℞ Succi Apii,
Endiviæ,
Menthæ,
Absinthii,
Petroselini vulgaris,
Valerianæ, ana uncias tres.
Olei Absinthii,
Menthæ, ana librâ dimidiâ.

Ceræ

Ceræ Citrinæ uncias tres.
Misce, & ad ignem fiat Unguentũ
Additur quandoq; Pulveris
Calami Aromatici,
Spicæ Nardi, ana drachma una.
Olea Capparum aliquid.

UNGVENTUM APERITIVUM SECUNDUM.
FOESII.

℞ Succi Ebuli uncias octo.
Apii,
Petroselini, ana uncias quatuor.
Succi Absinthii,
Ireos, ana uncias quinque.
Olei communis libram dimidiam.
Olei Liliorum alborum uncias decem.
Olei Absinthii,
Chamæmelini, ana uncias sex.
Pingued: Anatis,
Gallinæ, ana uncias duas.
Coquantur omnia simul ad consumptionem Succorum; posteà colentur, & cum Ceræ albæ unciis septem, & pauxillo Aceti paretur Vnguentum s.a.

UNGVENTUM DE ARTANITA MAJUS, *MES.*

℞ Succi Artanitæ, id est, Cyclaminis, vel ejus defectu decocti radicum fortis libras tres.
Succi Cucumeris agrestis;
Butyri vaccini, ana librã unam.
Olei Irini libras duas.
Pulpæ Colocynthidos uncias quatuor.
Polypodii uncias sex.
Euphorbii unciam dimidiam.
Contundenda terantur, & macerentur in succis, & oleis per dies octo in vase vitreato bene obturato: posteà coquantur in duplici vase ad succorum ferè consumptionem: Cola, colaturæ adde
Ceræ uncias quinque,
Fellis Taurini drachmas septem semis.
Fervefiant simul, donec Cera liquescat, & adde
Sagapeni drachmas septem semis.
Myrrhæ drachmas tres.
In aceto dissoluta agitentur simul, donec parùm infrigescant, & tunc insperge paulatim pulverem subsequentium medicamentorum simul mixtorum,
Scammonii,
Aloes,
Colocynthidos,
Mezeræi foliorum, vel baccarũ.
Turpeti, ana drachmas septem semis.
Salis gemmæ drachmas quatuor semis.
Euphorbii.
Piperis longi,

Zingiberis,

Recens de calamita vitium stomacho vomitu purgat Hypochondrio autem
minutum alvum deijcit: ob id Hydropicos mire juvat serosum excrementum
large evacuandam [illegible] purgat et [illegible] exhibetur ijs qui purgans
medicamentum sumere nequeunt.

Unguent Citrinum aspera levigat faciei maculas et lentigines expellit
[illegible] et ex insolatu vitiosas factas ac cicatrices emendat ruborem
[illegible] aufert et pustulas in vultu a salsa pituita apparentes sanat

Zingiberis,
Chamæmeli, ana drachmas tres.
Misce, fiat Unguentum s. a.

UNGVENTVM CATAPSORAS.

℞ Cerussæ, in aqua Portulacæ priùs lotæ, deinde in aceto, radicum Raphani sylvestris infusarum succis imprægnato, & ab iisdem expresso:
Lapidis Calaminaris,
Chalciteos, ana drachmas sex.
Lithargyri plumbi uncias duas.
Plumbi usti,
Sanguinis Hirci ana semunciam.
Argenti vivi sublimati unciam unam.
Succor: Semper vivi,
Solatri,
Plantaginis, ana uncias duas.
Axungiæ Porcinæ à pelliculis mundatæ libras tres.
Oleorum Violarum,
Papaveris,
Mandragoræ, ana unciam unam.

Misceantur, & benè incorporentur priùs Sublimatum & Axungia, deinde addantur Olea cum Succis, & postremò pulveres, ut ex omnibus diligenter invicem commistis, fiat s. a. Unguentum.

UNGVENTVM CITRINVM SEU CITRIVM.
NICOLAI.

℞ Boracis unciam unam.
Caphuræ drachmam unam.
Corallii albi unciam dimidiam.
Amenti vel Gypsi, vel Aluminis plumosi unciam unam.
Umbilici marini, seu belirici,
Tragacanthæ albiss.
Amyli, ana drachmas tres.
Crystalli,
Entalis,
Dentalis,
Olibani, i. Thuris albiss:
Nitri,
Marmoris albi, ana drachmas duas,
Gersæ Serpent: ex radic: Dracuntii factæ unciam unam.
Cerussæ vulgaris uncias sex.
Adipis Suilli recentis, non saliti, mundi, libram unam semis.
Sevi Caprini præpar: unciam unam semis.
Adipis Gallinacei uncias duas semis.

Redigantur pulverizanda in pulverem subtilissimum s. a. plurima verò per se. Conficiatur Unguentum sic: Adipem Suillum & Gallinaceum mundatum, immitte in ollam fictilem vitreatam stricti orificii, quibus imponantur Citria mala duo, mediæ magnitudinis; unà cum pulpa & succo interiori frustulatim incisa: coope-

riatur vas & collocetur in Balneo calido per dies septem, deinde excolentur Citria, liquefactoque Sevo Caprino sensim inspergantur pulveres, Caphura verò & Borax ultimò injicienda erunt, probè agitando donec Unguenti formam acquirat.

UNGUENTUM COMITISSÆ VARIGNANÆ.

℞ Cortic: medianorum,
Glandium,
Castanearum,
Quercus arboris,
Fabarum,
Baccarum Myrti,
Caudæ Equinæ,
Gallarum,
Acinorum Uvarum,
Sorborum immatur: siccorum,
Mespilorum immaturorũ sicc:
Folior: Pruni sylvestris,
Radic: Bistortæ,
Tormentillæ ana unciam unam semis.

Terantur crassiusculè & coquantur in Aquæ Plantaginis libris octo, donec pars media consumpta fuerit, colentur deinde

℞ Ceræ citrinæ novæ uncias octo semis, dissolve cum Olei Myrtini simplicis libris duabus semis, & lavetur novies cum decoctione prædicta, semper novã decoctionem affundendo quotiescunque laveris. Posteà insperge sequentium, tenuissimũ pulverem.

℞ Corticum medianorum,
Glandium,
Castanearum,
Quercus arboris,
Gallarum, ana unciam unam,
Succi Hypocistidos,
Cineris ossium cruris bubuli,
Baccarum Myrti,
Acinorũ Uvarum immaturarũ.
Sorborum immat: siccorum, ana unciam dimidiam.
Trochiscorum de Carabe uncias duas.

Misce & cum prædicta Cera & Oleo Myrtino lotis, addendo Olei Mastichini non loti q. s. fiat Unguentum bonæ consistentiæ s. a.

UNGUENTUM AD HÆMORRHOIDAS. NORIMB.

℞ Amyli albiss:
Cerussæ lotæ,
Lithargyri præparati,
Plumbi usti,
Tragacanthæ, ana drachmam unam & dimidiam.
Opii Thebaici,
Camphoræ, ana scrupulũ unũ.
Albuminis ovi unius,
Olei Rosacei,
Violacei, ana unciam unam & dimidiam.
Ceræ q. s. fiat unguentum.

VNG-

Unguentum Comitisse ad menstrua supprimenda et abortum prohibendum continuatum feminarum abundantiam cohibet, coxas mulierum firmat uterum roborat et renes laxatos stringit si eo unguantur hæmorroidum superfluum profluvium sistit

Unguent hoc [illegible] ad dolentes hæmorroidas et mariscas utiliter admodum adhibetur

Hoc Linimento (aliquantulum enim differt Composito) utebatur Hercules de Saxonia felicissime cum ~~[illegible]~~ succe[ss]u in iis hæmorrhoidibus cum adeo dolerent et non vellerent tractari remedijs aperientibus: vim habet emolliendi sedandi dolorem et ex parte hæmorrhoides [illegible] defendi lib. 3 cap. 13 practicæ medicinæ

Unguentum Martiatum efficacissimum est ad frigidos morbos nervosum et articulorum affectus: tremori paralysi convulsioni et

UNGVENTVM HÆMORRHOIDALE SAXONIÆ, pag. 154.

℞ Mucilag: è semin: Psyllii,
Cydonioru͂,
extractæ aquâ Solani, ana semunciam.
Olei Rosacei completi unciam.
Vitellum unius Ovi.
Agitentur simul in mortario plumbeo, pistillo plumbeo, addendo Ceræ liquatæ parum.
Misce, fiat Unguentum s. a.

UNGVENTVM LAVRINVM VULGARE.

℞ Foliorum Lauri libram unam.
Baccarum Lauri libram dimidiam.
Foliorum Brassicæ uncias quatuor.
Olei ex pedibus Bovinis libras quinque.
Sevi Bovini libras duas.
Contundantur herbæ, & baccæ, & coquantur cum oleo & sevo ad humoris consumptionem, & colentur.

UNGVENTVM MARTIATVM, *NICOLAI.*

℞ Folior: Lauri,
Rorismarini, ana uncias octo.
Rutæ uncias septem.
Fol: Tamarisci uncias sex.
Ebuli,
Esbrii, vel Majoranæ,
Sabinæ,
Balsamitæ, vel Menthæ aquaticæ,
Salviæ,
Ocimi,
Polii montani,
Calaminthæ,
Artemisiæ,
Enulæ,
Betonicæ,
Brancæ Ursinæ,
Spargulæ vel Aparines,
Herbæ venti, i. Anemones sylvestris, vel Parietariæ in ejus defectu.
Pimpinellæ, i. Sanguisorbæ,
Agrimoniæ,
Absinthii,
Herbæ Paralyseos,
Herbæ sanctæ Mariæ, i. Costi hortensis,
Cymarum Sambuci,
Crassulæ majoris, Sempervivi minoris,
Sempervivi, i. Sedi majoris,
Millefolii,
Chamædryos,
Centaurii minoris,
Quinquenerviæ, i. Plantaginis majoris,
Fragariæ,
Tetrahit, vel ejus loco Virgæ aureæ,
Quinquefolii, ana uncias quatuor semis.

Radic: Althææ,
Sem: Cymini,
Myrrhæ, ana uncias tres.
Fœnugræci unciam unam semis.
Sem: Urticæ majoris,
Violarum,
Papaveris rubri, i. erratici,
Mentastri, seu Menthæ agrestis,
Menthæ sativæ,
Acetosæ,
Polytrichi, i. Adianthi albi,
Carduncelli, i. Cardui benedicti,
Matrisylvæ, i. Periclymeni,
Maturellæ, i. Valerianæ majoris.
Herbæ Moschatæ, vel Geranii Moschati,
Alleluiæ, i. Trifolii acetosi,
Linguæ Cervinæ,
Crispulæ, i. Buphthalmi,
Camphoratæ, i. Abrotoni,
Medullæ Cervinæ,
Styracis Calamitæ, ana unciam dimidiam.
Butyri drachmas decem.
Adipis Ursini,
Gallinacei,
Mastiches,
Thuris, ana unciam unam.
Olei Nardini uncias duas.
Ceræ libras duas.

Herbæ recentes incisæ Vino odorifero cum Olei libris octo, diebus septem infundantur, octavo die omnia simul decoquantur ad Vini ferè consumptionem. Amotum ab igne coletur, atque rursus in lebetem Oleum injiciatur, cui lento igne parum calefacto injice butyrum, Medullam, Adipes, Oleum Nardinum, & Ceram; deinde Styracem, dissolutam in Vino & paulo Terebinthinæ mixtam. Mastichen verò, Myrrham, & Thus, pulverisata postremò insperge. Cumque fuerint omnia probè mixta, agitatione continuâ in vase reconde.

MUNDIFICATIVUM EX APIO. Guid. tr. 7. do. 1. c. 5.

℞ Succi Apii libram unam.
Mellis uncias novem.
Farinæ Tritici uncias tres.
Coquantur ad ignem usque ad spissitudinem.
Fiat Unguentum s. a.

UNGUENTUM NEAPOLITANUM, RENODÆI.

℞ Axungiæ Suillæ succo Salviæ lot: libram unam.
Hydrargyri per laneum trajecti, salivâ ritè extincti, uncias quatuor.
Olei Laurini,
Chamæmelini,
Lumbricorum, ana uncias duas.
De Spica sesquiunciam.
Aquæ vitæ unciam unam.
Ceræ flavæ uncias duas.

Tere-

Plurimum valet hoc unguentum Neapolitanus ad eius fluorem seu
humoris virulenti per os exputationem si eo post repurgatum corpus
partes bis atque iterum linantur.

Unguentum Pectorale lateris dolores et pectoris mitigat tussim sedat maturat exscreationem juvat et expectorat, humores crassos digerit et attenuat.

Unguentum Populeum febrium ardoribus cum Rosaceo aut violaceo convenit somnum conciliat fronti temporibus aut manibus ac pedum pulsibus illitum/

Terebinthinæ in ſucco Enulæ lot: uncias tres.
Pulveris Chamæpityos,
Salviæ, ana drachmas duas.
Fiat Unguentum, ut artis eſt.

UNGVENTVM RESINVM. Euſt: Rud: Morb: Gall: l. 5. c. 1. f.

℞ Reſinæ Pini optimæ,
Terebinthinæ,
Ceræ citrinæ lotæ,
Olei puri, ana p. æ. Miſce.

UNGVENTVM NERVINVM.

℞ Fol: Paralyſeos, cum flor:
Salviæ,
Chamæpityos,
Roriſmarini,
Lavendulæ,
Lauri, cum baccis,
Chamæmeli,
Rutæ,
Apii,
Meliloti cum flore,
Abſinthii, ana manipul: unum.
Menthæ,
Betonicæ,
Pulegii,
Petroſelini,
Centaurii minoris,
Hyperici, ana manipulum dimidium.
Olei ex pedibus Ovinis, vel Bovinis, libras quinque.
Sevi Ovini, vel Bovini, vel Medullæ ejuſdem libras duas.
Olei de Spica unciam dimidiam.
Contuſis herbis, & coctis cum oleis, & ſevis, fiat Uuguentum ſ. a.

UNGVENTVM PECTORALE. *NICOLAI.*

℞ Butyri recentis aq: Violarum loti uncias ſex.
Olei Amygdalarum dulcium uncias quatuor.
Chamæmelini,
Violacei, ana uncias tres.
Adipis Gallinæ,
Anatis, ana uncias tres.
Radic: Ireos drachmas duas.
Croci drachmam dimidiam.
Ceræ albæ uncias tres.
Ceram & Adipes in Oleis liquato, dein ſæpiùs lavato aquâ Hordei, vel aq: Hyſſopi. His probè lotis adde Iridem & Crocum in tenuiſſ: pulverem redacta, fiat Vnguentum ſ. a.

UNGVENTVM POPVLNEVM, *NICOL.*

℞ Oculorum Populi arboris recentium libram unam ſemis.

Axungiæ Porcinæ recentis & insulsæ libras tres.

Oculi seu Gemmæ Populi contundantur & macerentur in Axungia, donec sequentes herbæ colligi possunt.

℞ Folior: Papaveris nigri,
Mandragoræ,
Cymarum Rubri tenerrimarũ,
Folior: Hyoscyami,
Solani,
Lactucæ,
Vermicularis (i) Sempervivi minoris, (non illecebræ)
Sedi, seu Sempervivi majoris.
Violarum,
Umbilici Veneris,
Bardanæ, ana uncias tres.

Contusa omnia permisceantur Axungiæ, & oculis Populi: exactis diebus decem, affunde aq: Rosarum libram unam, coquantur igne lento, dum aqua, omnisq; liquor absumatur: coletur, exprimatur, & si sit opus recoquatur, dum Unguenti temperaturam acceperit.

UNGVENTVM RESVMPTIVUM, *NICOL.*

℞ Axungiæ Porcinæ recentis uncias tres.
Adipis Gallinæ,
Anseris,
Anatis, ana uncias duas.
Oesypi humidæ unciam dimidiam.
Olei Violati,
Chamæmelini,
Anethini, ana uncias duas.
Butyri recentis libram unam.
Ceræ albæ uncias sex.
Mucilaginis Tragacanthi,
Sem: Cydoniorũ,
Lini,
Radic: Bismaluæ,
Gummi Arabici, ana unciam dimidiam.

Mucilagines extrahantur aquâ Rosaceâ, & additis reliquis, fiat Unguentum f. a.

UNGVENTVM SPLENICVM.

℞ Olei Capparum unciam unam.
Olei Liliorum,
Chamæmelini,
Butyri recentis,
Succi Bryoniæ,
Cyclaminis, ana semunciam.

Bulliant Olea ad consumptionem Succorum, addendo
Ammoniaci aceto soluti drachmas duas semis.
Pinguedinis Gallinæ,
Medullæ cruris Vituli,
Oesypi, ana semiunciam,

Cortic:

Unguentum Splenicum post generalius [illegible] opem praestat regioni lienis adhiberi quod vim habet malacticam seu emollientem resolventem aperientem roborantem & splenitis [illegible] inde nomen/

Unguent Resumptivum totius Thoracis dolores lenit humores tussim vomitantes [illegible] Thoracis impartes resolvit et partes relaxat, lenit, emollit,/

De illo unguento (scilicet valen de Scab.) hux stupat sinij mundas cum pollice extende, et hux anthracem cum olo Hos prius inuntus a ponatur et non commovatur per idem naturalem, nam sine sanitatem sine dubio accidet, dolorem mitigabit rumpet et omnino curabit

Cortic: rad: Tamarisci,
Capparum,
Ceterach,
Radic: Filicis, ana drachmam unam.
Pulveris sem: Agni casti,
Genistæ, ana scrupulum.
Ceræ, q. s. Fiat in formam Unguenti.

UNGUENTUM ALIUD SPLENICUM MAGISTRALE.

℞ Corticis radicum Capparum drachmas sex.
Radicum Bryoniæ,
Iridis Florentinæ,
Farinæ sem: Fœniculi dulcis,
Ammoniaci in aceto soluti, ana semunciam.
Comarum Absinthii,
Florum Camomillæ, ana drachmam unam.
Ung: ex succis aperitivis Fœsii, viz. descriptionis secundæ,
Ung: ex floribus Aranciorum, ana drachmas sex.
Olei Irini,
Capparum, ana unciam unam cum semissi.

Trituranda triturentur exactè, ut, per cribrum transmissa, cæterisque in mortario calido s. a. (elaboratâ contusione) admixtis, fiat Ung:

Sunt qui Vnguenta non admittunt, Emplastra verò facilè ferunt; His igitur (pro data occasione) Vnguenti partem in formam Emplastri redactam citissimè coaptare licebit, (quod nec minùs intentioni satisfacit) superaddendo Ceram, Picem navalem, & Terebinthinæ Cypriæ modicum.

VALENTIA SCABIOSÆ JOANNIS ARDERNII, ex oppido (vulgò) Newark, in Comitatu Nottingham: Chyrurgi exercitatissimi: qui floruit anno 1370. tempore *Edovardi* tertii Regis Angliæ, ipsissimis verbis ex antiquo manuscripto excerpta.

℞ Succum Scabiosæ, in æstate per pannum colatum, & cum Axungia Porci à pelliculis mundatâ; in mortario benè tundatur, percutiendo sed non conterendo, & semper paulatim impone de succo ad axungiam, ut benè imbibi possit, & ut axungia viridis fiat; Quo facto, accipe illam axungiam, & cum dicto succo, in aliquo vase ponatur, ut axungia succo cooperiatur, & sic stare permittas per novem dies: post nonam diem iterum accipe prædictam axungiam cum succo, & modo prædicto contunde, & aquositas quæ de eo exibit tenuis & discolorata deponatur, & sic permitte stare per quinque dies; post quintum diem, iterùm accipe novum succum Scabiosæ,

&

& iterùm (ut prædictum est) cum dictâ axungiâ contundatur; quo facto, iterùm per quindenam in vase aliquo cum succo quiescere permittatur; quo verò tempore transacto, iterum contundatur (ut prædictum est) & ab aquositate purgetur, & in vase mundo reponatur, & sic stet in pace per aliam quindenam cum appositione novi succi; post quindenam verò, iterùm contundatur, & si fuerit satis viridis coloris, post bonam contusionem, in vase terreo vel vitreo usui reservetur.

De quantitate utriusq; tàm axungiæ quàm succi, haud ambigendum: Illius enim pro suo arbitrio quantitatē, Pharmacopœus sibi præparandam suscipiat, quam quidem usui futuram esse conjiciat: Hujus autem succo frequenter repetito, illam imbuat, donec viridi colore saturo axungiam imprægnari conspexerit. Hæc siquidem debet esse regula, pro mensura succi.

Hoc autem monitum esse volumus, quantò viridius, tantò efficacius Unguentum reddi: si ergò primâ vice, vel etiam secundâ, copiosa ipsius Scabiosæ folia, post unam vel alteram diem à collectione s. a. reservata (ut aquositatis excrementitiæ aliquid deponant) cum axungiâ contundantur, nec non aliorū succus prælo fortitèr expressus superaffundatur, ut digitos ad minimū duos supereemineat, & in vase convenienti obturato commista, Soli exponantur, totidem vel pluribus diebus ab authore constitutis: deindè post fortem expressionem, succo solo fortitèr (ut supra) expresso, & ab aquositate modicè separato, virescens axungia repetitis vicibus (haùd neglectâ contusione) imbuatur, colorem authoris ad mentem induci, simulq; vires Unguento majores imprimi, experientiâ edocti attestamur.

TAPSIVALENCIA ejusdem Authoris.

℞ Tapsibarbati, & cum axungiâ Porci à pelliculis mundatâ, & minutìm inscissâ, benè in mortario vel in pelui contundantur invicèm, donec axungia benè de succo fuerit imbuta, & postquàm feceris, permittatur illa axungia cum succo similitèr stare, per novem dies, aut plus, donec axungia viridis appareat; Quo viso, iterùm cum succo novo benè contundatur, & quandò axungia de succo perfectè imbuta fuerit & colorata, quod superfluum est de succo effundatur, & iterùm benè sine aliquo succo contundatur, & in vase terreo reponatur, & usui reservetur. Et nota, quòd ista medicina de mense in mensem debet semel contundi, & in contusione, de Oleo Rosaceo, Violaceo, & Chamæmeli imponere

Capsiualentia valet ad omnem inflamationem haemorrhoidum dolorem ac puncturam cum ardore mirifice mitigat et aufert/

Unguentum stomachicum medicis florentinis a [illegible] a scriptum
ventriculum et hepar roborat horum dolorem a frigido lenit
appetentiam excitat coctionem iuvat.

Unguentum hoc forsi si inungatur umbilico ventrique lumbricos enecat
exuitque quandoque vero naribus punius gulae et temporibus
adhibetur ubi vermes et superiora repetunt.

ponere paulatim, ut Valentia ea competentèr possit imbibere: Et si de bono populeone prædictis addatur, efficacius erit medicinæ juvamentum.

TAPSIMEL ejusdem.

℞ Succum Chelidoniæ, Tapsi barbati ana: Mellis despumati quantum de succis, & invicem bulliant ad consumptionem succi, posteà ab igne deponatur, & usui reservetur. Cùm indè contra pruritum uti volueris, accipe de eo quantum volueris, & ei impone, de Pulvere Vitrioli combusti, & Aluminis combusti, Atramenti, i. arrementi. Et si necesse fuerit, iterùm bulliatur donec Unguentum satis tenax fuerit, & inde in Anum ponatur parùm, contra pruritum, & citò cessabit pro certo, & in omni parte corporis, & hoc Unguentum dicitur Tapsimel, à Tapsi barbato & Melle: Istud pro certo est nobile Unguentum.

Hæc ad verbum ex veteri Manuscripto, & stylo suo.

Caveat Pharmacopœus, ne Mel ex coctione contrahat empyreuma.

UNGVENTUM STOMACHICUM, *NORIMB.*


℞ Olei Absinthini,
Masthichini,
Nardini, ana unciam unã.
Rosarum rubrarum,
Corallii rubri,
Caryophyllorum,
Cinnamomi,
Ligni Aloes,
Mastiches,
Menthæ,
Schœnanthûs, ana drachmam unam.
Ceræ q. s.
fiat Unguentum s. a.

UNGVENTUM AD LUMBRICOS MAJUS. *FOESII.*

℞ Olei Rutæ,
Sabinæ,
Menthæ,
Absinthii,
Amygdalarum amararum ana unciam unam semis.
Succi florum vel foliorum Persicæ.
Absinthii, ana unciam dimidiam,
Pulveris Rutæ,
Menthæ,
Gentianæ,
Centaurii minoris,

Tor-

Tormentillæ, ana drachmam unam.
Semin: Caulium.
Pulpæ Colocynthidos, ana drachmas duas.
Aloes hepaticæ drachmas tres.
Farinæ Lupinorum unciam dimidiam.
Myrrhæ in aq: Graminis lotæ drachmam unam semis.
Fellis Taurini unciam unam semis.
Cum Succi Limonum q. s. & Ceræ uncia una semis, fiat Unguentum secundùm artem.



EMPLA-



Emplastrum album coctum dicitur & emplastrum de cerussa sola coctione
ab unguento albo differt, uti et unguentum tripharmacum et
tetrapharmacum coctura modo in emplastra transeunt
Intertriginibus quantumque ex causa occurrerit et loris cutis
exulcerationes sanat



EMPLASTRA ET CERATA.

EMPLASTRUM EX AMMONIACO.

℞ Ammoniaci unciam unam.
Ung: Dialthææ, } ana unciã
Emplastri Meliloti, } dimidiã.
Furfuris frumenti optimè cribrati unciam unam.
Pulveris radic: Bryoniæ, & Ireos, ana unciam dimidiam.
Pingued: Anatis,
Anseris,
Gallinæ, ana drachmas tres.
Bdellii,
Galbani, ana drachmam unam semis.
Resinæ Pini,
Ceræ, ana uncias quinque.
Olei Irini,
Terebinthinæ, ana unciam unam semis.

Bulliant pinguedines; & Oleum cum s. q. Mucilaginis sem: Lini, & Fœnugræci: & ut ad debitam Emplastri formam ducantur, addantur Cera & Terebinthina: mox Ung: Dialthææ, & Emplastrum de Meliloto, deinde Gummi in aceto dissoluta: postremoque Pulveres atque resina Pini pulverizata subtiliter, omnia miscendo benè, & fiat Emplastrum s. a.

ALBUM COCTUM, DE CERUSSA, *ULMENSE*.

℞ Cerussæ subtilissimè tritæ,
Ceræ Citrinæ,
Olei Olivarũ ana partes æquales.

Cerusâ

Cerusſâ æneum in cacabum immiſsâ, lentè addatur Oleum, & lento igne bulliant, aſſiduò & agitentur dum ſimul deſideant: dein indatur Cera minutim conciſa ſucceſſivè, nec ferveat, donec probè liquata: Coquantur demùm omnia ſ. a. dum nigricent, ad juſtam conſiſtentiam.

EMPLASTRVM DE BACCIS LAVRI, *MES.*

℞ Baccarum Lauri uncias duas.
Thuris,
Maſtiches,
Myrrhæ, ana unciam unam.
Cyperi,
Coſti, ana unciam dimidiam.
Terebinthinæ unciam unam.
Mellis deſpumati, & leviter tantum calfacti q. ſ. fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM BARBARVM MAGNVM, Gal: com: med: ſec. gen l. 2. f.

℞ Picis ſiccæ libras octo.
Ceræ Citrinæ libras ſex, uncias octo.
Reſinæ Pini libras quinque, uncias quatuor.
Bituminis Judaici, vel Mumiæ, libras quatuor.
Olei ſeſquilibram,
Æruginis æris,
Lithargyri,
Ceruſſæ, ana uncias tres.
Thuris ſelibram.
Aluminis liquidi, vel Rochæ non uſti ſeſquiunciam.
ſciſſilis, vel Rochæ combuſti uncias quatuor.
Opopanacis,
Squamæ æris,
Galbani, ana drachmas duodecim.
Aloes,
Opii,
Myrrhæ, ana ſemunciam.
Succi Mandragoræ, vel cortic: radic: ſicc: drachmas ſex.
Aceti libras quinque.
Lithargyrus, Ceruſſa, Oleum coquantur ad mellis ſpiſſitudinem: Pix liquefacta, cum Pulvere Bituminis, incorporetur: addantur, & coquantur alia ſ a. donec Acetum conſumatur, nec manus inquinentur. Fall. vuln. gen. c. 15.

EMPLASTRVM DE BETONICA, *ANDERNACI.*

℞ Betonicæ viridis,
Pimpinellæ,

Agrimo-

Emplast. de Baccis lauri dolorem ventriculi, intestinorum, hepatis, renum, uteri et vesicæ a flatibus vel a causa frigida ortum sedat et materiam tenuiorem & flatulentam discutiendo hydropi sicco confert.

Emplast. Barbarum, vetus apud Galenum ad maxima vulnera commendatur.

Emplastrum de Betonica commendatur plurimum ad fracturas uniendas ossaque carne contegenda, squamas ossium detrahendas et ad ea quæ in alto latent foras evocanda efficax existit. Carnes amissas durasque restituit, valde abstergit, digerit et curat.

Cerusâ æneum in cacabum immisâ, lentè addatur Oleum, & lento igne bulliant, assiduò & agitentur dum simul desideant: dein indatur Cera minutim concisa successivè, nec ferveat, donec probè liquata: Coquantur demùm omnia s. a. dum nigricent, ad justam consistentiam.

EMPLASTRUM DE BACCIS LAURI, *MES.*

℞ Baccarum Lauri uncias duas.
Thuris,
Mastiches,
Myrrhæ, ana unciam unam.
Cyperi,
Costi, ana unciam dimidiam.
Terebinthinæ unciam unam.
Mellis despumati, & leviter tantum calfacti q. s. fiat Emplastrum secundùm artem.

EMPLASTRUM BARBARUM MAGNUM, Gal: com: med: sec. gen l. 2. f.

℞ Picis siccæ libras octo.
Ceræ Citrinæ libras sex, uncias octo.
Resinæ Pini libras quinque, uncias quatuor.
Bituminis Judaici, vel Mumiæ, libras quatuor.
Olei sesquilibram,
Æruginis æris,
Lithargyri,
Cerussæ, ana uncias tres.
Thuris selibram.
Aluminis liquidi, vel Rochæ non usti sesquiunciam.
scissilis, vel Rochæ combusti uncias quatuor.
Opopanacis,
Squamæ æris,
Galbani, ana drachmas duodecim.
Aloes,
Opii,
Myrrhæ, ana semunciam.
Succi Mandragoræ, vel cortic: radic: sicc: drachmas sex.
Aceti libras quinque.
Lithargyrus, Cerussa, Oleum coquantur ad mellis spissitudinem: Pix liquefacta, cum Pulvere Bituminis, incorporetur: addantur, & coquantur alia s. a. donec Acetum consumatur, nec manus inquinentur. Fall. vuln. gen. c. 15.

EMPLASTRUM DE BETONICA, *ANDERNACI.*

℞ Betonicæ viridis,
Pimpinellæ,

Agrimo-

Emplast: de Baccis Lauri dolorem ventriculi, intestinorum hepatis renum uteri et vesicae a flatibus vel causa frigida ortum sedat et materiem tenuiorem & flatulentam discutiendo hydropi sicco confert.

Emplast: Barbarum eo toti apud Galenum ad maxima vulnera commendatur.

Emplastrum de Betonica commendatur plurimum ad fracturas uniendas ossaque carne contegenda squamas ossium detrahendas et ad ea quae in alto latent foras evocanda efficax existit. Carnes amissas duras que restituit valde abstergit digerit et sanat

Empl. Catagmaticum rigorius sive Ceratum valet ad restaurationem
fracturarum ossium eorum cartilaginem fortificando et de eius cum
applicatione non sequitur attractio materiarum, nec provocatur loci
[illegible] duobus et plurimus ossis fractura vexari solet applicatione
illius (et ita dixerunt) diabolici osseorum (Intelligit Nicolai)
quia pro parte sunt aliqua quae virtutem habent attrahendi
materiam ad locum cum mollificatione non parva velut sunt
Ammoniacum et Galbanum alia vero ingredientia omnia sunt calidae
naturae cum attractione predicta prohibitus dolorosus suo membro
inducendo. Sit ergo hoc evidenter hoc excogitatum cuius
virtute est singularis in restauratione fracturarum ossium, ut patet
considerandi ingredientia et eius operatio est cum securitate
Sedat enim dolorem membrorum cum confortatione membra
fracta fortiter ligando. Et nota quod solum oleum myrtinum
ut inquit Avicenna libro de Conferentibus ad fracturas
ossium habet virtute restaurandi unamquamque fracturam ossium)

Agrimoniæ,
Salviæ,
Pulegii,
Millefolii,
Consolidæ majoris,
Gallitrici, ana uncias sex.
Thuris,
Mastiches, ana drachmas tres.
Ireos,
Aristolochiæ rotundæ, ana drachmas sex.
Ceræ albæ,
Terebinthinæ, ana uncias octo.
Gummi Olei AEthiopicæ. i. Gummi Elemi uncias duas.
Resinæ Pini uncias sex.
Olei Abietini uncias duas.
Vini albi libras tres.

Contusæ herbæ decoquantur in Vino, deinde colentur, & colaturæ reliqua addantur, & fiat Emplastrum s. a.

EMPLASTRVM D. *CÆSARIS*.

℞ Radic: Bistortæ,
Nucum Cupressi,
Rosarum rubrarum,
Santalorum omnium,
Menthæ,
Semin: Coriandri, ana drachmas tres.
Mastiches unciam dimidiam.
Hypocistidos,
Acaciæ,
Sanguinis Draconis,
Terræ Sigillatæ,
Boli veri,
Corallii rubri, ana drachmas duas.
Terebinthinæ aquâ Plantaginis lotæ uncias quatuor.
Olei rosacei uncias duodecim.
Succor: Sempervivi,
Plantaginis,
Telephii, ana unciam unam.
Ceræ flavæ libram unam semis.

Hypocistis & Acacia dissolvantur cum succis, & coquantur lento igne ad consistentiam, deinde commisceantur reliqua, & fiat Emplastrum s. a.

EMPLASTRVM CATAGMATICVM, *VIGONIS*.

℞ Succ: Radic: Althææ uncias sex.
Cort: rad: Fraxini, & folior: ejus,
Rad: Consolidæ majoris:
& minoris, unà cum foliis, ana uncias duas.
Baccarum Myrti unciam unam semis.
Folior: Salicis,
Summitat: Hyperici, ana manipul: unum semis.

Contusis contundendis, bulliant simul in vini rubri adstringentis, & aquæ fabrorum, ana libris duabus,

bus, ad medietatis consumptionem; colentur, adde,

Olei Myrtini,
Rosacei,
Omphacini, ana libram unam semis.
Sevi Hircini liquefacti uncias octo.
Lithargyri Auri, &
Argenti,
Minii, ana uncias quatuor.
Ceræ flavæ libram unam.
Colophoniæ libram dimidiam.

Denuò bulliant ad consumptionem decocti, addendo sub finem,

Myrrhæ,
Thuris,
Mastiches, ana unciam dimidiam.
Terebinthinæ claræ uncias duas.
Boli Armeni,
Terræ Sigillatæ, ana unciam unam.

Baculo optimè agitentur, dum decoquuntur, & fiat Emplastrum secundùm artem.

CATAGMATICUM *RENODÆI.*

℞ Rad: Symphyti minoris,
Althææ,
Visci querni, ana uncias duas.
Plantaginis,
Chamæpityos,
Hyperici, ana manip: unum.

Fiat decoctio in æquis partibus Vini nigri, & aquæ fabrorum, ad medias: colaturæ adde

Mucilaginis sem: Cydoniorum in decocto Omazorum extractæ
Olei Mastichini,
Rosacei, ana uncias quatuor.
Ceræ Virgineæ libram unam.
Lithargyri auri uncias duas.
Terebinthinæ uncias tres.
Balaustiorum,
Rosarum,
Myrtillorum,
Acaciæ, ana semunciam.
Mumiæ,
Granorum Androsæmi,
Colophoniæ,
Mastiches,
Succini, ana drachmas sex.
Picis navalis sesquiunciam.
Boli Armeni,
Farinæ volatilis,
Thuris, ana drachmas duodecim.
Sanguinis Draconis uncias duas.

Ad elixatas in percolato Mucilagines, aquosa humiditas cum exhalaverit, admisceantur Olea, tum Cera, pòst Lithargyrus. Coctis, unitis, agitatis, ab igne semotis, addatur Terebinthina, deinde pulveres. Sic demũ misceantur, agitentur, subigantur omnia, ut in Emplastrũ coeant consistentiâ legitimum.

Emplast Cataymaticum Renodei vires habet insignes ad fracturas ossium sanandas. Eorum enim coalitum iuvat et accelerat callum quo simul agglutinantur, auget calorem partis nativum, fovet et humorum fluxiones sistit.

Emplas: Ceroma seu ceroneum ad dolorem scapularum et Thoracis a frigore ortum valet, tumores duritiem emollit Aquam inter cutem a frigida iecoris intemperie natam sanat et ceteris vitijs ex eadem causa procreatis prodest Lumborum pudendorum vesicæ et renum frigus sua calefacienti dissipat ossium fracturis & luxatis commodat repellit, concoquit mollit, carnesque procreat

EMPLASTRVM CEPHALICVM.

℞ Resinæ claræ uncias duas.
Picis nigræ unciam unam.
Ladani unciam dimidiam.
Myrrhæ,
Mastiches, ana drachmam unam semis.
Gum: Juniperi drachmas duas.
Terebinthinæ,
Farinæ Fabarum,
Orobi, ana unciam dimidiam.
Nigellæ odoratæ drachmas tres.
Nucis Moschatæ drachmas duas.
Stercoris Columbini unciam dimidiam.

Dissolvatur Myrrha in Vino Malvatico, & cum reliquis in mortario calido admistis fiat Emplastrum f. a.

Si vis fortius, adde pulveris
Euphorbii,
Pyrethri,
Piperis nigri, ana scrupulos duos.

EMPLASTRVM CEROMA, seu CERONEVM, *NICOLAI ALEXANDRINI*, Cap. 286.

℞ Picis [navalis, i. ex navibus vetustis derasæ, quæ multiplicem aquæ marinæ loturam sunt expertæ.]
Ceræ flavæ illotæ ana drachmas septem.
Sagapeni drachmas sex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci, ana drachmas quatuor.
Aloes,
Thuris [masculi]
Myrrhæ, ana drachmas tres.
Styracis calamitæ,
Mastiches,
Opopanacis,
Galbani,
Aluminis,
Sem: Fœnugræci, ana drachmas duas.
Confitæ, i. fecis liquidæ Styracis.
Bdellii, ana drachmam unam.
Lithargyri semidrachmam.

EMPLASTRVM EX CICVTA CVM AMMONIACO.

℞ Cicutæ manipulos quatuor, Ammoniaci semilibram, infunde Aceto acerrimo dies octo, dein bulliant, dum Ammoniacum solvatur: hinc per pannũ lineum validè exprimatur, iterumque expressus liquor ebulliat quinquies, & adjectâ Cerâ & oleo amygdalino dulci f. Emplast.

EMPLASTRVM DE CRVSTA PANIS.

℞ Mestiches,
Menthæ,
Spodii,
Corallii rubri,
Santalorum omniũ, ana drachmam unam.
Crustæ Panis tostæ, infusæ in aceto Rosaceo, per mediam horam uncias duas.
Olei Mastichini,
Cydoniorum, ana unciam.
Ceræ uncias duas.
Styracis liquidæ,
Ladani, ana drachmas tres.
Farinæ Hordei q. s.
Misce, fiat Emplastrum secundùm artem.

EMPLASTRVM è CYMINO.

℞ Semin: Cymini,
Baccarum Lauri, ana libram unam.
Resinæ Pini libras duas.
Communis libras tres.
Olei Anethini selibram.
Ceræ libram unam.
Misce, fiat Emplastrum.

DIACHYLON SIMPLEX. MES.

℞ Mucilaginis Fœnugræci,
Sem: Lini,
Radic: Althææ, ana libram unam.
Olei veteris clari, libras tres.
Lithargyri libram unam semis.
Lithargyrus tenuissimè teratur, & cum Oleo subigatur, posteà igne lento coquatur, spatha semper agitando, donec probè permixta sint: ab igne deposita paulatim frigescant: posteà mucilagines affundantur, permisceantur & decoquantur ad justam crassitiem secundùm artem.

DIACHYLON IREATVM.

Adde Pulveris Ireos unciam unam singulis libris Diachyli simp: & erit Ireatum.

DIACHYLON MAGNVM. MES.

℞ Lithargyri auri tenuissimè pulverisati libram unam.
Olei Irini,
Anethini,
Chamæmelini, ana uncias octo.
Mucilaginis Radic: Althææ,
Sem:

Diachylon Malacticorum optimum est Hepatis enim lienis ventriculi et aliarum partium duros tumores emollit et humores coquit

Empl. de crusta panis confert ad vomitus puerorum et iis qui cibum retinere nequeunt/

Diachylon magnum est Gummatum & nominis plurimi ita viribus
Conveniunt eadem praestant quae simplex & Ireatum sed
efficacius magis enim duritiem quod libet molliunt
coquunt et digerunt Gummatum potenter attrahit,
emollit, & resolvit./

Diapalma seu Diachalciteos ad vulnera recentia tumores pestilentes
et exituras ossa fracta contusa et inde nata ecchymomata /

Diachylon Compos: sive emp: de mucilaginibus partim
emollit partim coquit ac maturat ob id tumoribus
item ulcerum duritiei sanandis confert/

Sem: Lini,
Fœnugræci,
Uvarum Passarum,
Caricarum pinguium,
Icthyocollæ,
Succi Ireos,
Scillæ,
Oesypi, vel Olei ex pedibus Ovillis, ana drachmas duodecim semis.
Terebinthinæ uncias tres.
Resinæ Pini,
Ceræ flavæ, ana uncias duas.
Misce: fiat Emplastrum s. a.

DIACHYLON MAGNVM CVM GVMMI EX *RENODAEO.*

℞ Bdellii,
Sagapeni,
Ammoniaci, ana unciam unam.
Diachyli magni massæ addantur Vino dissoluta priùs, colata, & ad mellis crassitiem cócta: & sic fit Diachylon cum gummi.

DIACHYLON COMPOSITVM SIVE EMPLASTRVM DE MVCILAGINIBVS. *MES.*

℞ Mucilaginis Radic: Althææ,
Sem: Lini,
Fœnugræci,
Cortic: mediani Ulmi, ana uncias quatuor semis.
Olei Chamæmelini,
Liliorum,
Anethini, ana unciam unam semis.
Ammoniaci,
Galbani,
Opopanacis,
Sagapeni, ana unciam dimidiam.
Ceræ novæ uncias viginti.
Terebinthinæ uncias duas.
Croci drachmas duas.
Vino solvantur Gummi,
Fiat Emplastrum s. a.

DIAPALMA SEV DIACHALCITEOS, *GALENI.*

℞ Axungiæ Porcinæ insulsæ, vetustæ, à membranis purgatæ, libras duas.
Olei veteris,
Argenti spumæ; (i.) Lithargyri, tritæ, & cretæ, ana libras tres.
Chalcitidis ustæ, lævigatæ, seu Vitrioli albi usti, & pulverisati uncias quatuor.
Conficitur autem in hunc modum.
Primûm Lithargyrum tenuissimè lævigatum lento igne cum oleo, & axungia diutissimè coquunt, ac nutriunt semper agitando rudicu-

lâ, seu ramo Palmæ, vel aliûs arboris astringentis, ut Quercus, Buxi, vel Mespili, qui recenter sit incisus, atque ut spatulæ vis medicamentosa meliùs Emplastro communicetur, ejus extremitatem subinde præscindunt, & superficiem abradunt, ad humiditatem usque nativam: mixturæ sic coctione & agitatione incrassatæ, & igni substractæ Vitriolum album, Chalcitidis veræ penuriâ, pulverisatum injiciunt & subigunt, sicq; massam habent laudabilem pro Emplastro.

EMPLASTRVM DIAPHOENICON CALIDVM, *MES.*

℞ Ceræ uncias duas.
Olei Rosacei,
Nardini, ana uncias quatuor.
Simul liquentur, deinde
℞ Dactylorum siccorum numero quadraginta.
Panis biscocti unciam unam.
Macerentur in Vino odorato per biduum, deinde
℞ Carnis Cydoniorum in Vino rubro coctorum unciam unā.
Contundatur & permisceatur superioribus; & adde sequentia in mortario benè contusa.
℞ Masticհes,
Thuris,
Absinthii Romani, ana drachmas duas semis.
Ligni Aloes,
Macis,
Myrrhæ,
Aloes lotæ,
Spicæ Nardi,
Acaciæ,
Galliæ Moschatæ,
Trochiscorum Ramich,
Calami Aromatici, ana drachmam unam.
Ladani drachmas duas.
Misce, & fiat Emplastrum s. a.

DIAPHOENICON FRIGIDVM, *MES.*

℞ Dactylorum maturitati proximorū in Vino austero coctorum uncias quinque.
Panis biscocti unciam unam.
Carnis Cydoniorum in Vino austero coctorum unciam unam semis.
Styracis Calamitæ,
Mastiches,
Ladani,
Acaciæ,
Omphacii, id est, succi Uvarum immaturarum.
Flor: Labrussæ, vel Vitis ferentis uvas acidas vel austeras.
Rosarum rubrarum,
Santali Citrini,
Trochiscorum Ramich,
Myrrhæ,

Empl: Diaphænicon calidum ventriculum & hepar firmat ob id cœ-
lienteriam et dysenteriam hepatitam iuvat. id vero quod frigidum
dicitur ventrem totum inferiorem, ne aliarum partium recrementa
suscipiat, roborat, coctionem iuvat ob hæc vomitum choleram
morbum lienteriam dysenteriam, hepatitam & [illegible] iuvat
nec multum compositione variant.

Empl. Diaphæn. frigidum vulnera & ulcera antiqua et maligna cœ-
potenter curat.

Empl: de Gummi Elemi conciliator petra de Ebano iactat curare unamquamque fracturam Cranii absque elevatione et electione ossis cranii, quod in est veritate et in tempestate nostra vivunt saepenumero practicantes id curatum absque detectione ossis fracti decepti fuerunt quandoque et ego crederem illud curatum magis operteret facta ex-piratione ossis cum maiore securitate vita aegrotantes quam si illud non et alia Cerata Capitalia experiendo et applicares absque detectione aliquando ossis, et de hoc demonstratio fiet capite de fractura Cranii lib 3 tract: 1 Cap 1

Emplastrum Divinum habet partes quibus adhibetur emolliendi, dolorem sedandi humores attrahendi digerendi ac resolvendi.

Empl: Gratia Dei laudatur ad vulnera ulceraque expurganda et exsiccanda et ad partes quibus adhibetur roborandum

Myrrhæ,
Ligni Aloes, ana unciam dimidiam.
Ceræ uncias quatuor.
Terebinthinæ aquâ Rosaceâ lotæ unciam unam semis.
Olei Rosacei uncias decem.
Vini austeri q. s.
Fiat Emplastrum s. a.

EMPLASTRVM DIVINVM. *NICOLAI.*

℞ Magnetis uncias quatuor.
Ammoniaci uncias tres, & drachmas tres.
Bdellii uncias duas.
Galbani,
Myrrhæ ana drachmas decem.
Olibani drachmas novem.
Opopanacis,
Masticheś,
Aristolochiæ longæ,
Viridis æris, ana unciam unam.
Lithargyri libram unam semis.
Olei communis libram unam semis.
Ceræ novæ uncias octo.
Misce s. a. Lithargyrus cum Oleo diù agitetur, posteà coquantur ad spissitudinem, tum Cera addatur, eâ liquatâ, ab igne auferantur, & adjiciantur Gummi in aceto, aut vino dissoluta, cocta, & colata, deinde pulvis Myrrhæ, Mastiches, Thuris, Aristolochiæ, & Magnetis, postremò Æruginis, ne diutiùs cocta Emplastrum faciat rubrum, & sic fiat Emplastrum secundùm artem.

EMPLASTRVM DE GVMMI ELEMI Pet: Apon: Conciliat: sec: Vig: Antid: c.16.

℞ Gum: Elemi uncias tres.
Resinæ Pini,
Ceræ puræ.
Ammoniaci, ana uncias duas.
Terebinthinæ tres uncias & mediam.
Vini Malvatici q. s. ad consumptionem Vini coquantur cætera: tum Ammoniacum aceto dissolutum adjiciatur.

EMPLASTRVM GRACIA DEI, *NICOLAI.*

℞ Terebinthinæ libram dimidiã.
Resinæ libram unam,
Ceræ albæ uncias quatuor.
Mastiches unciam unam.
Betonicæ, Verbenæ, Pimpinellæ } recentium, ana manipul: unum.
Tusæ herbæ in Vino albo coquantur dum tabescant, liquor exprimatur, in quo Cera & Resina co-

quantur

quantur ad liquoris consumptionem: ab igne sublatis, Terebinthina permisceatur, & postremò Mastiche in pulverem redacta, & sic fiat Emplastrum, s. a.

EMPLASTRUM GRISEUM DE LAPIDE CALAMINARI.

℞ Lapidis Calaminaris præparati unciam unam.
Lithargyri uncias duas.
Cerussæ unciam dimidiam.
Tutiæ drachmam unam.
Terebinthinæ drachmas sex.
Ceræ albæ unciam unam semis.
Sevi Cervini uncias duas.
Thuris electi drachmas quinque.
Mastiches drachmas tres.
Myrrhæ drachmas duas.
Camphoræ drachmam unam semis.
Ceræ, & Sevi Cervini, ana q. s.
Confice s. a.

EMPLASTRUM AD HERNIAM, *FERN.*

℞ Gallarum,
Nucum Cupressi,
Psidiæ, sive Malicorii,
Balaustiorum,
Acaciæ,
Sem: Plantaginis,
Psylii,
Nasturtii,
Cupularum Glandium,
Fabarum torrefactarum,
Aristolochiæ longæ, & rotundæ,
Myrtillorum, ana unciam dimidiam.
Hæc omnia pulverisentur, & in aceto Rosato macerentur per dies quatuor, deinde torrefiant & exiccentur, tum
℞ Consolidæ majoris & minoris.
Caudæ equinæ,
Glasti,
Scolopendrii, i. Cetrach,
Radic: Osmundæ regalis,
Filicis, ana unciam unam.
Thuris,
Myrrhæ,
Aloes,
Mastiches,
Mummiæ, ana uncias duas.
Boli Armeni loti in aceto,
Lapidis Calaminaris præparati,
Lithargyri Auri,
Sanguinis Draconis, ana uncias tres.
Picis Navalis libras duas.
Terebinthinæ uncias sex vel q. s.
Ut fiat Emplastrum secundùm artem.

Emp: Griseum de Lapi cal: vlcera explet curat & cicatrices claudit

Titulus ipse virulenter vsu ostendit, et quicquid emplastrum vires adstringentes & corroborantes cuiusmodi esse debet quod Feminae accomodatur /

Emplast. Hystericum vim habet eximiam ad matricis providentiam observationem, perversionem illius enim depravatum motum cohibet, symptomata hysterica extinguit et pluribus aliis praeter naturam affectibus medetur.

Empla. de Janua vim habet maturandi et digerendi, peculiariter autem [illegible] caput roborat, ejusque vulneribus ulceribusque prodest. Duo sunt Emplastra de Betonica, unum minoris descriptionis quod in officinis vulgo Emplastrum de Janua nominatur, alterum majoris compositionis de Betonica simpliciter dictum; prioris Autor Nic. Praepos. posterioris Andernacus.

Empla. de Mastiche commendatur ad roborandum totum ventriculum, conciliandum [illegible] illius contemperandum, superfluitatem & subversionem cohibendum, vomitus compescendum et imbecillitatem firmandam.

EMPLASTRVM HYSTERICVM, *NICOLAI*, Præp: sec: *RENODÆVM.*

℞ Radic: Bistortæ libram unam.
Ligni Aloes,
Santali Citrini,
Nucis Moschatæ,
Berberis acinorum,
Antheræ, ana unciam unam.
Cinnamomi,
Caryophyllorum,
Schœnanthûs,
Flor: Chamæmeli, ana unciam dimidiam.
Thuris,
Mastiches,
Aliptæ Moschatæ,
Galliæ Moschatæ,
Styracis Calamitæ rubri, ana drachmam unam.
Moschi optimi drachmam dimidiam.
Ceræ libram unam semis.
Terebinthinæ libram dimidiã.
Olei Moschelini uncias quatuor.
Ladani libras quatuor.
Picis Navalis libras tres.

Cerâ cum Pice liquatâ, Ladanum & Terebinthina addantur, dein Styrax, postremò reliqua trita & creta, & fingatur Emplastrum secundùm artem.

EMPLASTRVM DE JANVA, SIVE DE BETONICA, *NICOLAI.*

℞ Succi Betonicæ,
Plantaginis,
Apii, ana libram unam.
Ceræ
Picis,
Resinæ,
Terebinthinæ, ana libram dimidiam.

In succis Cera, & Resina lento igne coquantur, & continenter moveantur ad succorum consumptionem; postremò Terebinthina & Pix addantur bene agitando, & sic fiat Emplastrum s. a.

EMPLASTRVM DE MASTICHE, *RENODAEI.*

℞ Mastiches uncias tres.
Boli Armeni in Vino nigro loti unciam unam semis.
Rosarum rubrarum drachmas sex.
Scobis Eboris,
Corallii rubri, ana unciam dimidiam.
Terebinthinæ uncias duas.
Ceræ flavæ,
Olei Myrtillorum, ana libram dimidiam.

fiat

fiat Emplastrum s. a. addendo
Colophoniæ, vel Tacamahacæ,
Ladani, ana uncias duas.

EMPLASTRVM DE MELILOTO, *MES.*

℞ Florum Meliloti uncias sex.
Flor: Chamæmeli,
Sem: Fœnugræci,
Baccarum Lauri,
Radic: Althææ,
Majoranæ,
Com: Absinthii, ana drachmas tres.
Sem: Apii,
Cardamomi,
Ireos,
Cyperi,
Spicæ Nardi,
Casiæ Ligneæ,
Sem: Ammeos, ana drachmam unam semis.
Ammoniaci drachmas decem.
Styracis calamitæ,
Bdellii, ana drachmas quinque.
Terebinthinæ unciam unam semis.
Ficuum pinguium numero duodecim.
Sevi Hircini,
Resinæ, ana uncias duas semis.
Ceræ uncias sex.
Olei Sampsuchini,
Nardini, ana q. s.
Tum ℞ Meliloti novi, & Fœnugræci, & Chamæmeli ana q. s. & coquantur in aquæ libris duabus ad medias, deinde in colaturam immissis triturandis subtilissimè pulverizatis cum radicibus & ficubus coctis & cribratis, rursum coquantur optimè semper movendo, ne comburantur, & additis Oleis, Terebinthinâ, Cerâ, Sevo, & Resinâ simul liquatis, gummisque in aceto dissolutis, fiat Emplastrum secundùm artem.

EMPLASTRVM DE MINIO COMPOSITVM, *VIGONIS.*

℞ Olei Rosacei odorati libram unam semis.
Olei Myrtini,
Unguenti Populei, ana uncias quatuor.
Pinguedinis Gallinæ uncias duas.
Sevi Castrati, i. Vervecis.
Vaccini, ana libram dimidiam.
Axungiæ Porcinæ uncias septem.
Lithargyri Auri,
Argenti, ana uncias tres semis.
Cerussæ uncias quatuor.
Minii uncias tres.
Terebinthinæ uncias decem.
Ceræ q. s.

fiat

Empl: de Meliloto malactticum est celebre ad induratas duritias iecoris lienis ventriculi viscerum et reliquarum partium emolliendas, item hypochondriorum tensionem laxandam, flatus resolvendos et dolorem a frigido sedandum convenit in materiam crassa et frigida et in inguinum bubonibus ad incidendum emolliendam attenuandum per discutiendum et calefaciendum/

Empl: de Minio vulnera et ulcera antiqua et maligna potenter curat

Empl. de Minio Londinensi Commendatur ad vulnera pectoris penetrantia
ad ulcera quam plurima antiqua & difficiles consolidationis

Empl. Sti. Digani valet contra omnia vulnera nervorum puncturas
contusiones atque canum morsus venenum a Bestiis illapsum extrahit
curat fracturas vetustas cum vulnera fistulasque et antiquos
ulcera sanat atque omnem fluxionem sistit./

fiat Emplastrum s. a. tendens ad nigredinem.

ALIVD DE MINIO SIMPLICIVS, LONDINENSIVM.

℞ Minii uncias novem.
Olei Rosarum rubrarum librã unam semis.
Aceti vini albi uncias sex.
Coquantur in perfectam Emplastri consistentiam.

Paratur etiam sine aceto in hunc modum.

℞ Minii libram unam.
Olei Rosacei libram unam semis.
Ceræ libram dimidiam.
fiat Emplastrum s. a.

EMPLASTRVM ISIS EPIGONI Gal: comp. med: gen: l. 5.

℞ Ceræ luteæ drachmas centum.
Terebinthinæ drachmas ducentas.
Squamæ Æris rubei,
Æruginis rasæ,
Aristolochiæ rotundæ,
Thuris,
Salis Ammoniaci,
Guttæ Ammoniacæ,
AEris usti, ana drachmas octo.
Aluminis combusti drachmas sex.
Aloes,
Myrrhæ,
Galbani, ana sesquiunciam.
Olei antiqui libram unam.
Aceti acris q. s.

Metallicis Aceto sub Sole dissolutis, mox affunduntur liquabilia, deinde pulveres; demum ex omnibus fiunt magdaleones.

EMPLASTRVM DE MASTICHE, *NIC. AL.*

℞ Mastiches,
Picis navalis,
Sagapeni,
Ceræ, ana drachmas sex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci,
Aloes,
Thuris,
Myrrhæ, ana drachmas tres.
Opopanacis,
Galbani,
Styracis calamitæ,
Aluminis (Rondeletius substituit, & nos ex eo) Bituminis,
Fœnugræci, ana drachmas duas
Comphittæ, i. fæcis Styracis liquidæ,

Bdellii,

Bdellii,
Lithargyri, ana semidrachmam.

Lithargyrus in pulverem redactus cum sufficienti aqua decoquatur, deinde Pix, quâ liquefactâ, adde Ceram, Ammoniacum, posteà Sagapenum; Opopanax, Galbanum infundantur & liquentur, & percolata injiciantur: mox Styracem, Comphittá, Terebinthinam spatulâ misce, postremò Colophoniæ, Masticheꝭ, Thuris, Bdellii, Aluminis, Myrrhæ, Fœnugræci pulveres paulatim insperge: coquatur: coctum in aqua fundatur, & forma magdaleones.

EMPLASTRVM
ΜΗΤΡΟΠΡΟΠΤΩΤΙΚΟΝ.

℞ Masticheꝭ unciam unam cum semisse,
Galbani purioris in vino rubro dissoluti, & à fæcibus post colaturam expurgati, drachmas sex.
Terebinthinæ Cypriæ drachmas duas.
Nucum Cupressi,
Gallarum, ana sesquidrachmam.
Olei Nucis Moschatæ per expressionem, drachmā unam.
Picis ex navibus vetustis derasæ drach: duas cum semisse.
Moschi grana duo cum semisse.

Contundantur leviter Mastiche, Pix, Galbanum, & Terebinthina, cum calido pistillo in mortario calido, sub finem admiscendo Nucis Moschatæ Oleum. Tum demum per vices adjiciantur pulveres, nec non Moschus super marmore cum modico Olei Mastichini dissolutus, & post exactam mistionem fiat Emplastrum.

EMPLASTRVM NIGRVM, AVGVSTAN: STICHPELASTER.

℞ Colophoniæ,
Resinæ,
Picis navalis,
Ceræ albæ,
Vitrioli Romani,
Cerussæ,
Olibani,
Myrrhæ, ana uncias octo,
Olei Rosacei uncias septem.
Ol: Juniperi ex granis uncias tres.
Ol: Ovorum uncias duas.
Ol: De Spica unciam unam.
Vitrioli albi,
Corallii rubri,
Mumiæ, ana uncias duas.
Terræ Sigillatæ,
Masticheꝭ,
Sang: Draconis, ana unciam unam.
Adipis Ardeæ unciam unam.
Thymalli uncias tres.
Lap: Magnetis præpar: uncias duas.
Lumbricorum præparatorum,

Cam-

Emplastrum nigrum valde efficax ad recentia vulnera et puncturas.

Emplastrum Hysterocolicum - - - astringens valde est mulieribus utile et nimia humorum multitudine laborantibus fluxusque immoderatos sistit, sed principaliter institutum contra uteri procidentiam uti nomen indicat

Emplas. hoc nervum emollit, digerit resolvit, nervosarum partium malis cum primus [illegible]

Emp. Oxycroceum. Hic virtutem habet emolliendi digerendi articulorum et nervosarum partium dolores sedandi & ossa fracta iuvandi. Ad haec omnia efficatius Oxycroceum [illegible] vide Emplastrum Diapalmae [illegible] paginam proximam.

Camphoræ, ana unciam unam.
Fiat Emplastrum s. a.

EMPLASTRUM NERVINUM, *VIGONIS.*

℞ Olei Chamæmelini,
Rosacei, ana uncias duas.
Olei Mastichini,
Terebinthini,
Lini, ana unciam unam semis.
Terebinthinæ coctæ uncias quatuor.
Sevi castrati Vituli,
Hircini, ana uncias duas semis.
Herbarũ Rorismarini,
Betonicæ,
Caudæ Equinæ,
Centaurii minoris, ana manipul: unum.
Vermium terrestrium lotorum & purgatorum in vino uncias tres.
Hyperici fol: & sem: ejus ana manipul: unum.
Mastiches pulverisatæ,
Gummi Elemi, ana drachmas decem.
Radicũ Rubiæ tinctorũ drachmas decem.
Picis navalis,
Resinæ, ana unciam unam semis.
Lithargyri Auri,
Argenti, ana uncias duas semis.
Minii uncias duas.
Galbani,
Sagapeni,
Ammoniaci, ana drachmas tres.
Coquantur Herbæ, Radices, & Vermes, in Vini libra una semis ad medietatis consumptionem, deinde exprimantur, & expressum bulliat iterum cum Oleis, Sevis, Lithargyro, & Minio ad Vini consumptionẽ: deinde adde Gummi in Vino odorifero dissoluta: postremò Terebinthinam, Resinam, Picem, & Mastichem in pulverem redacta, & fiat Emplastrum secundùm artem.

EMPLASTRUM OXYCROCEUM, *NICOLAI.*

℞ Croci,
Picis Navalis,
Colophoniæ,
Ceræ, ana uncias quatuor.
Terebinthinæ,
Galbani,
Ammoniaci,
Myrrhæ,
Olibani,
Mastiches, ana unciam unam drachmas tres.
Modus conficiendi hic sit; Cera, Colophonia, & Terebinthina simul liquentur, auferendo ab

igne: mox Picem purã adde, dum adhuc fervet; tum Galbanũ, Ammoniacum, Thus, & Myrrham diſſoluta in Aceto, injice: poſteà Maſtichem in pulverem redactam & Crocum pulveriſatum in aceto probè humectatum: & ſic fiat Emplaſtrum ſ. a.

VIGONIS OXYCROCEUM
(in quo nil Croci) præſtantius
NOR: AUG.

℞ Ol: Myrtini,
Roſacei,
Omphacini, ana ſeſquilibrã.
Succi Rad: Althææ, libras duas.
Rad: & fol: Fraxini,
Conſolidæ minoris,
Fol: Myrti, ana manipulum.

Omnia priùs aliquantulum contuſa bulliant in Vino nigro, q. ſ. ad conſumptionem medietatis, cum
Myrrhæ,
Thuris, ana ſemunciâ.

Colentur inde fortiter: addantur colaturæ
Sevi Hircini ſelibra,
Terebinthinæ unciæ duæ.
Maſtiches uncia.

Iterum cum prædictis Oleis bulliant, ad conſumptionem decoctionis. Colentur poſtmodùm addendo
Lithargyri Auri,
Argenti, ana uncias tres.
Boli Armeni,
Terræ Sigillatæ, ana uncias duas.
Minii drachmas decem.

Coquantur igne lento, & cum Cera nova ſufficiente, ſemper agitando, fiat Emplaſtrum.

EMPLASTRUM DE RANIS,
VIGONIS.

℞ Olei Chamæmelini,
Anethini,
Spicæ,
Liliorum, ana uncias duas.
Olei de Croco unciam unam, vide pag. 132. col. 2.
Axungiæ Porcinæ libram unã.
Pinguedinis Vituli libram dimidiam.
Euphorbii drachmas quinque.
Thuris drachmas decem.
Olei Laurini unciam unam ſemis.
Adipis Viperæ, vel (ejus defectu) Colubri, uncias duas ſemis.
Ranarum viventium numero ſex.
Lumbricorum in vino lotorũ uncias tres ſemis.
Succi Radic: Ebuli,
Enulæ, ana uncias duas.
Schœnanthûs,
Stœchados,
Artemiſiæ, ana manipul. unum.
Vini odoriferi libras duas.
Lithargyri Auri libram unam.
Terebinthinæ claræ uncias duas.

Sigonis Oxycrocei vide præcedens Emplastrum.

Emplastrum de Ranis insignis est virtutis contra luem veneream.

Tela Galteri seu Sparadrap partim sarcotica est partim collectica &
epulotica, Unde habet notam carnem generandi vulnera
glutinandi et eadem et et ulcera exsiccandi et ad cicatricem
ducendi, fluxiones quoque sistit, et partes quibus adhibetur roborat

Ceræ flavæ q. s.
Styracis liquidæ unciam unam semis.
Argenti vivi salivâ hominis jejuni, vel succo Limonum extincti, uncias quatuor.

Modus conficiendi hic sit.

Coquantur simul Ranæ, Lumbrici, & herbæ cum succis, & oleis Chamæmeli, Anethi, Liliorũ, Axungiâ, pinguedine, & librâ unâ semis vini odorati; Colaturæ adde Lithargyrũ, Ceræ uncias quatuor, & residuũ Vini (i) libram dimidiã. Coquantur simul ad consumptionem totius Vini, & dum digitis non adhæreat, tum adde Oleum de Croco, Laurinũ, de Spica, & Adipem: posteà pulveré Thuris & Euphorbii, postremò Argentũ vivum probè commixtum cum Styrace liquidâ, & Terebinthina, simul omnia cum spatula agitando ut simul incorporentur. Cavendum tamen ne imponatur Argentum vivum, cum nimis fervet Massa, ne evolet.

EMPLASTRUM SANCTUM *ANDR:* à CRUCE.

℞ Resinæ Pini rec: claræ odor: uncias duodecim.
Olei Laurini puri,
Terebinthinæ optimæ, ana uncias duas.
Gum: Elemi transparantis, gravis, uncias quatuor.

Resina & Gummi in caciola ænea, super ignem clarum debilem, assiduò rudiculâ arundineâ, vel spatulâ æneâ coagitentur, donec liquescant. Inde addantur Laurinum & Terebinthina, iterum parum bulliant, movendo itidem. Cum incrassatum, per stamineam, aut tamisium percoletur: quod extillaverit, in vase vitreato terreo operto asservetur.

SPARADRAPUM seu TELA *GALTERI* ex *RENOD.*

℞ Olei Rosacei libram dimidiam.
Sevi Arietini uncias quatuor.
Ceræ uncias decem.
Lithargyri,
Resinæ Pini,
Thuris,
Mastiches, ana uncias duas.
Boli Armeni,
Farinæ volatilis, ana unciam unam.

Coquantur simul Oleum, Sevum, & Lithargyrus, donec Lithargyrus sit incorporatus; deinde ex arte fiat Emplastrum, in quod adhuc liquatum & calidum, tela parùm attrita immergatur.

EMPLASTRUM ΣΤΕΦΑΝΙΑΙΟΝ.

℞ Ladani semunciam.
Styracis calamitæ gummosæ & colatæ,

Sandaracæ Arabum, i. gummi Juniperi, ana drachmas duas.
Succini,
Terebinthinæ Cypriæ, ana drachmam unam.
Coralliorum rub:
Mastiches, ana semidrachmam.
Florum Salviæ,
Rosarum rubrarum,
Iridis Florentinæ, ana scrupulũ.
Resinæ, ex aqua Rosacea lotæ semunciam.

Resina, Ladanum, & Mastiche, cum Styrace, Sandaracâ & Terebinthina, in mortario calido levitèr contundantur, eò usque s. a. cum pistillo calido (Vini rub: guttas aliquot aspergendo) donec invicèm coivisse videantur: Tum demùm Pulveres per vices immittantur, ità ut diligenti agitatione continuò factâ, ex omnibus exactè commixtis fiat Emplastrum.

EMPLASTRVM SINE PARI *ANONYMI* ex manuscripto excerptum.


℞ Thuris Libani,
Bdellii,
Styracis gummosæ, ana drachmas tres.
Ammoniaci,
Galbani, ana drachmam unam cum semisse.
Picis navalis drachmas sex.
Medullæ Cervinæ,
Adipis Gallinæ,
Anseris, ana drachmas duas.
Sulphuris vivi ex lacte loti,
Pulveris Hermodactylorũ, ana sesquidrachmam.

Dissolvantur Gummi in Vino albo tenui (non autem in aceto, quod nervosis & membranosis partibus est inimicum) & cum Olei Rosati completi partibus duabus, Olei Ovorum parte una, & Olei Terebinthinæ modico fiat s. a. Emplastrum.

STICTICVM PARACELSI.

℞ Olei Olivarum uncias sex.
Ceræ unciam unam semis.
Lithargyri triti uncias quatuor semis.
Ammoniaci,
Bdellii, ana unciam dimidiam.
Galbani,
Opopanacis,
Olei Laurini,
Lap: Calaminaris,
Aristolochiæ utriusque.
Myrrhæ,
Thuris, ana drachmas duas.
Resinæ abietis, vel Terebinthinæ puræ unciam unam.

Oleum, Cera, & Lithargyrus simul coquantur, dum digitis non adhæreant; deinde massa ab igne remota paulùm frigescere sinatur, addendo gummi dissoluta in aceto Vini albi, quod recoquendo evaporet;



Emplast. Stomachicu. Mes. stomachum & hepar confortat et calefacit eadem praestat magistrale pro Ficarius [illegible]

vaporet; & coletur ſtrenuè, poſtremò pulveres & Terebinthinã & Oleum Laurinum adjice, & fiat Emplaſtrum ſ. a.

EMPLASTRVM STOMACHICVM, *MES.*

℞ Ligni Aloes,
Abſinthii,
Gummi Arabici,
Maſtiches,
Cyperi,
Coſti,
Zingiberis, ana unciam dimidiam.
Calami Aromatici,
Olibani,
Aloes, ana drachmas tres.
Caryophyllorum,
Macis,
Cinnamomi,
Spicæ Nardi,
Nucis Moſchatæ,
Galliæ Moſchatæ,
Schœnanthûs, ana drachmam unam ſemis.

Excipe Mivâ Cydoniorum, & fiat Emplaſtrum, uſus tempore extendatur ſuper pannum, & ſuffumigetur ligno Aloes, & ſuperponatur ſtomacho.

EMPLASTRVM STOMACHICVM MAGISTRALE.

℞ Menthæ,
Abſinthii,
Stœchados,
Fol: Lauri, ana drachmam unam.
Majoranæ,
Roſarum rubrarum,
Santali Citrini, ana drachmas duas.
Calami Aromatici,
Ligni Aloes,
Florum Lavendulæ,
Nucis Moſchatæ,
Cubebarum,
Galangæ,
Piperis longi,
Macis, ana drachmam unam.
Maſtiches, drachmas tres.
Caryophyllorum drachmas duas ſemis.
Olei Menthæ unciam unam ſemis.
Olei Nardini unciam unam.
Olei Spicæ drachmam unam.
Reſinæ,
Ceræ, ana uncias quatuor.
Ladani uncias tres.
Styracis liquidæ unciam ſemis.

Fiat Emplaſtrum.

DE CERATIS.

CERATVM AMMONIACVM.

℞ Ammoniaci diſſoluti in aceto unciam unam.
Ung: Dialthææ,
Empl: de Meliloto, ana ſemunciam.
Furfuris Frumenti optimi cribrati unciam.
Pulv: radic: Bryoniæ ſicc:
Ireos ſicc: ana ſemunciam.
Pingued: Anatis,
Anſeris,
Gallinæ, ana drachmas tres.
Olei Irini ſeſquiunciam.
Bulliant leviter in mucilaginibus Sem: Lini,
Fœnugræci, ana q. ſ.
Adde Ceræ uncias quatuor.
Fiat Ceratum ſ. a.

CERATVM DE GALBANO.

℞ Galbani præparati unciam unã ſemis.
Aſæ fœtidæ unciam dimidiam.
Sem: Dauci ſcrupulum unum.
Myrrhæ rubeæ drachmas duas.
Bdellii drachmam unam.
Matricariæ,
Artemiſiæ, ana drachmam dimidiam.
Gummi diſſolvantur in aceto, & fiat Ceratum ſ. a. addita Ceræ q. ſ.

CERATVM OESYPATVM, *GALENI*.

℞ Oeſypi uncias decem.
Olei Chamæmelini,
Irini, ana libram dimidiã.
Ceræ flavæ libras duas.
Reſinæ libram unam.
Maſtiches,
Terebinthinæ, ana unciam unam.
Spicæ Nardi drachmas duas ſemis.
Croci drachmam unam ſemis.
Ammoniaci unciam unam.
Styracis Calamitæ unciam dimidiam.
Fiat Ceratum ſ. a.

CERATVM SANTALINVM *MES*.

℞ Roſarum drachmas duodecim.
Santali rubri drachmas decem.

Ceratum Oxypatum vim habet emolliendi resolvendi ac digerendi dolores sedandi proinde duris tumoribus hepatis, lienis atque mesenterii ventriculorum et aliarum partium convenit.

Ceratum Santalinum phlegmonas et omnes intemperaturas calidas ventriculi hepatis et partium aliarum inflammationes efficacissime compescit

Ceratum Stomachicum dicitur a parte cui confert & adhibetur calorem nativum stomachi & totius ventriculi fovet coctionem iuvat, flatus absumit crudos humores coquit appetitum excitat et vomitus compescit solet autem et debet extendi super aluta et superiori regioni stomachi et aliquando etiam toti ventriculo admoveri cum roborat et ad munia perfectius obeunda vegetiora reddit


Santali albi,
citrini, ana drachmas sex.
Boli Armeni drachmas septem.
Spodii ex Ebore drachmas quatuor.
Camphoræ drachmas duas.
Ceræ albæ lotæ drachmas triginta.
Olei Rosacei uncias sex.
Fiat Ceratum s.a.

CERATUM STOMACHICUM, *GALENI.*

℞ Rosarum rubrarum,
Mastiches, ana drachmas viginti.
Fol: Absinthii sicc: drachmas quindecim.
Spicæ Nardi drachmas decem.
Ceræ mundæ uncias quatuor.
Aquæ Rosaceæ q. s.
Olei Rosati libram unã semis.
& sic Unguenti instar liquescit & fluit ad extrema, tum adde
Olei Rosati uncias octo.
Ceræ uncias quatuordecim.
Pulveres ut supra (præter Mastichem quæ liquatur Oleo Rosato.)

EMPLASTRUM à NOSTRATIBUS FLOS UNGUENTORUM DICTUM.

℞ Resinæ,
Resinæ Pini,
Ceræ,
Sevi ovini, ana libram dimidiã.
Olibani uncias quatuor.
Terebinthinæ uncias duas semis.
Myrrhæ,
Mastiches, ana unciam unam.
Caphuræ drachmas duas.
Vini albi libram dimidiam.
Coque simul in formam Cerati.



OLEA



OLEA CHYMICA.

OLEA EX HERBIS.

OLEUM ABSINTHII.

℞ Absinthii ſicci libram unam.
Aquæ fontanæ libras viginti.

Macerentur per horas viginti quatuor, & fiat deſtillatio per Alembicum magnum cum ſuo Refrigeratorio. Oleum cum aqua extrahes, quod ſeparabis per infundibulum. Aqua, quæ exſtillârit, ab Oleo ſeparata ſervetur ad novam deſtillationem.

Eodem modo parantur,

Olea Ex floribus Chamæmeli,
Chelidonii,
Hyſſopi,
Lavendulæ.
Majoranæ,
Menthæ,
Naſturtii,
Origani,
Pulegii,
Roſarum,
Roriſmarini,
Rutæ,
Sabinæ,
Salviæ,
Satureiæ,
Thymi,
Verbaſci,

Et ex omnibus aliis floribus, & herbis calidis.

OLEA EX SEMINIBUS.

OLEUM SEM: ANETHI.

℞ Semin: Anethi contuſorum libras duas.

Aquæ

Oleum Absinthij calefacit et roborat praesertim ventriculū appetitū excitat humores crudos coquit flatus dissipat vermes necat et obstructiones causa frigida tollit /

Oleum Saluiæ prodest in omnibus nervorum morbis paralysi apoplexiæ Convulsionibus & similibus /

Oleum sem. Anethi resolvit, calefacit, flatus discutit nervos confortat lassitudines tollit dolores articulorū mitigat, venerē stimulat laxat et convulsionibus confert /

Oleum Cinnamomi operosius & carius conficitur ex eius enim librâ unâ vix olei ʒj destillatur sed ob eius praestantiam Balsamo naturali comparatur/

Oleum ex Baccis Juniperi ad vitia cutis commendatur ad impetiginem Morpheam et alias affectiones quasdam profundiores Renis quoque morbis convenit utero frigidiori prodest eumque ad conceptionem reddit magis idoneum/

Aquæ fontanæ libras ſedecim.
Macerentur per viginti quatuor horas, deinde diſtillentur per Alembicum magnum cum ſuo refrigeratorio, extrahes Oleum, & aquam, quod ſeparabis per infundibulum.

Eodem modo paratur,

Oleum ex Seminibus. { Aniſi, Carui, Cymini, Dauci, Fœniculi, Frumenti, Petroſelini, Rutæ, Saxifragiæ, &c.

OLEA EX BACCIS.

OLEVM EX BACCIS JVNIPERI.

℞ Baccarum Juniperi recentium libras quinquaginta.
Contunde & pone in vaſe ligneo cum aquæ libris viginti quatuor. Addendo fermenti acrioris libram unam: ſtent in Cellario, benè clauſo vaſe, per tres menſes: deinde diſtillentur per Alembicum cum convenienti quantitate aquæ, poſt ſeparationem Olei, reſerva aquam, ad aliam diſtillationem.

Eodem modo fit,

Oleum ex Baccis { Hederæ, Lauri.

OLEA EX AROMATIBVS.

OLEVM CINNAMOMI.

℞ Cinnamomi contuſi libras quinque.
Aquæ fontanæ libras quinquaginta.
Macerentur per horas viginti quatuor, & diſtillentur per Alembicũ magnum cum refrigeratorio.

Eodem modo paratur,

Oleum { Caryophyllorum, Macis, Nucis Moſchatæ, Piperis.

OLEA EX CORTICIBVS.

Olea ex Corticibus ſiccis,
Aurantiorum,
Citri,
Limonum,
Parantur eodem modo, quo Olea ex Herbis.

EX

EX LIGNIS.

OLEVM EX GVAIACO.

Oleum ex ligno Guaiaco fit per retortam in reverberatorio clauso: ſeparetur tenuior & ſuavior pars à fœtidiore, craſſiore; & rectificetur cum Sale, vel Tartaro calcinato, vel Colcothare, vel arena. Eodem modo fit Oleum è Buxo, Quercu, & aliis lignis ſolidioribus.

EX LIGNO SASSAFRAS.

Oleum Saſſafras fit ſicut Oleum Cinnamomi: Et ſic fit
Oleum ex Ligno Rhodio,
Juniperi,
Roriſmarini,
Hederæ.

OLEA EX FVSILIBVS.

OLEVM CERÆ.

℞ Ceræ flavæ libram unam.
Liqua, & adde pulveris Tegularum libras tres.

Miſce, & pone in retortam, & extrahe Oleum igne convenienti, rectificetur per retortam ſine tegulis, additâ aquâ: Conveniens ignis eſt, qui primò extruitur ſupra retortã, uſque dum exibilare deſierit, dein infra retortam. Et hoc modo parantur,
Olea ex Pinguedinibus.

OLEA EX GVMMIS ET RESINIS.

OLEVM MYRRHÆ.

℞ Myrrhæ contuſæ libras ſex.
Aquæ fontanæ libras triginta.
Salis nigri libras ſex.

Miſceantur, & diſtillentur per Alembicum.

OLEVM TEREBINTHINÆ.

℞ Terebinthinæ Venetæ libras viginti octo.
Aquæ communis libras nonaginta ſex.

Imponantur in vas cupreum amplum cum ſuo cooperculo, & refrigeratorio: ſic exſtilletur Oleum tenue, & album, & in fundo reſtabit Colophonia, ſi ignis augeatur. Oleum iſtud album, inſtar aquæ, commodè extrahetur ſine empyreumate in B. M. in vaſe vitreo; ſi vero flavum & rubrum velis, opus eſt validiori igne, ut cinerum aut arenæ ſine aqua in vaſe vitreo.

OLE-

Oleum Guaiaci linius vocatur est Alexiterium cujus enim aliquot guttae singulis matutinis jejuno stomacho sumptae cum aqua vel decocto idoneo pustulas venereas delent, dolores noctu ingravescentes sedant ulcera ad sanitatem arcessunt qualitatem humorum et portionis malignam extinguunt/

Oleum Terebinthinae intro sumitur ad asthma empyema anhelitus difficultatem ad calculum Colicum ([illegible]) dolorem et frigidos flatus ejusque effectus urinam provocat odorem instar violarum externis adhibetur ad nervos sauciatos vel intemperiem quadam laborantes et ad vulnera cavum implenda agglutinanda

Oleum Cerae resolvit, attenuat, penetrat, emollit discutit et contusionibus est apostematibus duris et tumoribus frigidis sanat fissuras papillarum in mammis mulierum et dolores earum mitigat vulnera etiam recentia consolidat, si ea bis de die ungas confert et in combustis commistio cum oleo rosarum/

Hoc Balsamum artificiale vel loco ipsius parari potest /

Oleum de Lateribus sive Philosophorum penetrat in altum penetrat materiam omnem [illegible] digerit & absumit frigidos [illegible] [illegible] [illegible] [illegible] ad [illegible] & [illegible] conducit. Lethargo quoque paralysi & Epilepsiae prodest. Validum est in tanto ~~[illegible]~~ [illegible] et quanto antiquius tanto ad omnia efficacius existit /

OLEUM BALSAMI
Pet: Apon: Concil:

℞ Myrrhæ,
Aloes,
Spicæ Nardi,
Sanguinis Draconis,
Thuris,
Mumiæ,
Opopanacis,
Carpobalſami, vel Cubebarum,
Bdellii,
Ammoniaci,
Sarcocollæ,
Croci,
Maſtiches,
Gummi Arabici,
Styracis liquidæ, ana drachmas duas.
Ladani,
Caſtorei, ana drachmas duas ſemis.
Moſchi ſemidrachmam.
Terebinthinæ ad pondus omnium.

Terenda terantur, miſceantur omnia, & diſtillentur in Alembico ſecundùm artem.

OLEUM LATERICIUM, PHILOSOPHORUM
quod dicitur,
DIVINUM, SANCTUM, MAGISTERII, *MES.*

℞ Lateres è terra rubente antiquatos, in fruſta comminutos ad pomi magnitudinem; quæ fruſtula in prunis ignita tota excandeſcant; exempta extinguantur Oleo Roriſmarini, vel claro veteri, dum ſe impleverint: exempta iterum terantur tenuiſſimè. Pulvis in vitream injiciatur Retortam ſeu Cucurbitam, fornaci ritè adaptatam, luto concluſam chymico, per ſublimationem diſtillandus. Oleum eliciatur prunis, excipiatur phialâ ſubjectis: & quo antiquius, eo valentius obſeratum recondatur.

Oleum Liguſtrinum, Cyprinum, ſeu de Alcanna, Meſuæ, Ex florum Liguſtri unciis quatuor, Olei veteris unciis decem.

Oleum Liliorum alborum, Ex floribus, & oleo veteri claro, ut Roſaceum, ſed abjiciantur ungues crocei.

Et ſimplex è flor: Liliorum Convallium adſimile.

OLEUM THURIS.

℞ Thuris q. ſ. pone in retortam: extrahe Oleum igne convenienti: pòſt rectificetur per ſe, vel addito ſale, vel arenâ.

Eodem

Eodem modo fiunt,

Olea { Ammoniaci,
Benioini,
Carannæ,
Gagatis,
Masticheſ,
Opopanacis,
Sagapeni,
Styracis liquidæ,
Tacamahaccæ, &c.

OLEA EX MINERALIBVS, ET LAPIDOSIS.

OLEVM ANTIMONII.

℞ Antimonii crudi, Mercurii ſublimati, ana libram unam.

Fiat Pulvis indendus retortæ vitreæ, cujus collum ſit latum, detur ignis per gradus in reverberatorio clauſo. Stillabit in vas recipiens pinguedo, cujus pars collo retortæ adhærens ſuppoſito levi igne liquetur. Iſta pinguedo in Alembico parvo rectificetur, vel in retortula, & ſervetur hoc coagulum; quod ſi liquidum velis, phiala aperta relinquatur in cella, abibit in aquam ſive Oleum diligenter aſſervandum vaſe probè obturato.

OLEVM ARSENICI.

Cryſtallinum Arſenicum (priùs ſublimatum cum ſolo Colcothare) commiſce cum æquali pondere Salis Tartari, & Salis Petræ: & inter urceolos duos (quorum ſuperior ſit perforatus) calcinentur, uſq; dum nullus fumus aſcenderit. Materiam ſic calcinatam in aqua calida ſolves, ut inde Salem extrahere poſſis; pulverem, qui ſubſiderit, imbibe liquore Tartari, & exicca ad ignem; idque ter facias. Rurſus materiam in calida diſſolve, ut Salem eximas; & remanebit pulvis candidiſſimus, & fixus; qui in loco humido ſolvetur in Oleum pingue butyri inſtar.

OLEVM SALIS.

℞ Salis nigri Gallici (calore Solis, non vi ignis, facti) quantum vis.

Exiccetur ſupra ignem, cui adde

Terræ luteæ calcinatæ tantundem.

Contundantur ſimul in Mortario, priuſquam penitus refrixerint, deinde impleatur retorta cum collo longiori, benè lutata, & ponatur in fornace anemia, cum recipiente capaci benè lutato cum argilla temperata: ignem auge per gradus,

Oleum Antimonii ad ulcera exitiosissima sed vide Mercurii sublimati sub
Beguinum Salamon calcinatus/

Oleum Salis vires exserit potentissimas tum internus tum exterius sumptus renovat totum hominem et preservat ab omnibus morbis si in generoso vino aut aquâ ~~[illegible]~~ vitæ sumptus. Cum sale absinthii mixtus et in vino aut aquâ absinthii sumptus hydropem tollit, curat Epilepsiam, itemque febres calculus Lumbricos necat, sanat membra luxata contracta paralytica apostemata dolores item podagricos mitigat si cum oleo vel terebinthina vel cera vel camomilla misceatur; Calcinat etiam omnia metalla lapides, ut in ipsis ... expertissimum vide Beguinum in suo Tyroc. Chim./

Oleum Sulphuris ad vulnera et ulcera utilissimum. sed a peritis tantum
tractari debet dari potest cum aquis appropriatis ad syrupos ad
guttas 4. 5. 6. et commisceri cum electuariis aut pilulis cum in morbis
calidis quam frigidis externe etiam prodest ad dentium dealbationem
ulcera huius venerea gingivarum [illegible] et [illegible] morbum
fistulas appellatum oleum sed

Oleum Succini sacrum olim appellatum fuit ob vires eius eximias
quas tum cum aliis mixtum praestat in Epilepsia Apoplexia
melancholia spasmo vertigine peste Calculo frigidis
capitis defluxionibus cordis palpitatione animi deliquiis
[illegible] difficultate spirandi dysenteriis [illegible] difficili uteri
strangulationibus mensium retentionibus fluore
matricis [illegible] vermibus febribus/

Oleum Tartari optimum est remedium in omnibus scabiei [illegible] ulceribus
[illegible] aut [illegible] [illegible] [illegible] vermis [illegible] [illegible]
[illegible] reddit tenuram spiritus vitrioli est egregium aperiens
unde in menstruis retentis in paralysi ictero et [illegible]
[illegible] mire est [illegible] [illegible] a [illegible] ad 8[illegible] in aquis convenientibus
[illegible] [illegible].

gradus, & intra duodecim vel quatuordecim horas habebis Oleum in recipiente: ubi fornax refrixerit, & fumi probè sedati fuerint, effunde oleum; & servetur in vase optimè clauso, ne aeris vim sentiat: Et rectificetur à phlegmate.

Melius parabitur Oleum Salis, si Sal fusus dissolvatur in aqua pluvia, atque ex his paretur muria, quæ supernatans ovum sustineat, deinde Laterum candentium frustula in ista muria extinguantur, donec salsus liquor planè absorbeatur, terantur lateres crassiusculè; indatur pulvis retortæ luto exactissimè obductæ tenaci, & detur ignis apertus ad summum gradum usque & rectificetur à phlegmate.

OLEUM SUCCINI.

℞ Succini flavi uncias duodecim,

Fiat pulvis cui in phiala ampla vel retorta affunde tantundem aceti vini albi acerrimi, digerantur in fimo per octiduum, mox addito arenæ siccissimæ vel silicum fluviatilium in pulverem tritorum duplo, per retortam fiat distillatio in arena subdito igne per gradus.

Oleum rectificetur ex arena, vel Sale, vel Tartaro calcinato semel, & tandem cum aqua pluvia.

OLEUM SULPHURIS.

℞ Campanam vitream sexdecim ad minus librarum capacem (quò enim largior, eò melior) ponatur supra metretam terream, cum tribus vel quatuor sustentaculis, quibus campana commodè aptari poterit; deinde impositâ Sulphuris quantitate sufficienti in ollam terream sic munitam, ut possit ignis vim sustinere, uratur Sulphur sub campana, superinjiciendo novum Sulphur, ubi priùs consumptum fuerit; fiat autem hæc operatio in cœlo & loco obscuro, cum nec venti vigent, nec Sol splendet.

Major habetur Olei quantitas, si vas Sulphur continens fornaculæ imponatur subdito igne, ita ut Sulphur perpetuò sit in fusione. Quidam tigillis Sulphur continentibus, ad fundum usque indunt ellychnia Sulphure fuso imbuta, quibus accensis flamma non extinguitur.

Paretur autem loco subterraneo, ut in cella, udo & pluvio cœlo.

Antequam Sulphur accensum campanæ supponatur, suffumigetur campana fumo Salviæ.

OLEUM TARTARI.

℞ Tartari q. v. imponatur in retortam amplam, eâ proportione

ut tertia pars vasis impleatur: distilletur in arena igne forti, pòst (separato priùs Oleo ab Aqua sive spiritu Tartari) cum multa aqua rectificetur, cujus fœtor aliquatenus corrigetur, si in vase aperto sub dio diù relinquatur, præsertim ad Solem: Quoniam tamen Salis dissoluti liquor vulgò prostat, pro Oleo Tartari ità paretur.

LIQVOR TARTARI, vulgò OLEVM TARTARI dictum.

℞ Tartari vini albi q. s. imple propemodum eo vas terreum non vitratum, in fornace anemia calcinetur per horas duodecim, ubi refrixerit, ponatur in Manicam Hippocratis, quæ suspendatur in cella humidiori ut dissolvatur, supposito recipiente convenienti. Residuum quod manicæ post solutionem adhæserit, dissolvatur in aqua communi, deinde filtretur, posteaque evaporetur, quoad incipiat assimilari Alumini.

OLEVM VITRIOLI.

℞ Vitrioli Ungatici, vel etiam Anglici optimi q. v. liquetur in cacabo, mox dividatur in crassiora frusta, quæ imposita prunis urantur ad flavum usque colorem ad rubedinem aliquantulùm accedentem. Fiat Pulvis irrorandus optimo spiritu vini, ponatur in retortas Wallemburgicas, vel similes fictiles ignis patientes, & detur ignis per gradus ad summum usque, per triduum, donec recipientia, quæ antea tumultuantibus fumis obscurabantur, clara evadant. Liquor stillatitius rectificetur; & separentur ab invicem, Vini spiritus, Vitrioli spiritus acidulus, & validissimum ac valdè ponderosum Oleum.

AQVA MELLIS.

℞ Mellis purissimi libras quatuor.
Arenæ siccissimæ libras duas.

Ponantur in cucurbitam tam capacem, ut materia quintam saltem vasis partem occupet, atque in Balneo phlegma in cineribus paulò intensiore gradu ignis aqua acida flava proliciatur.

AQVA FORTIS.

℞ Vitrioli exsiccati libras duas: Salis petræ repurgati libram unam: tere simul & retortæ optimo Luto Loricatæ impone & colloca in fornacem reverberii, appositoque recipiente amplo destilla per gradus, spatio viginti horarum: aquam exemptam clarifica cum drachm. 1. argenti s. artem.

PRAEPA-

Liquor Tartari valet ad cutem expurgandam, scabiem tollendam & ulcera
capitis manantia curanda confert etiam ad pustulas Indi-
cas sanandas obstructionibus quoque solvendis mensibus movendis
et renibus abstergendis prodest, si ex aqua vel decocto idoneo
debite sumatur

Aqua fortis ad Aurifabros potius quam Pharmacopoeos spectat qua
utuntur ad separandum argentum ab auro ob id aquam separationis
vocitant liquat enim argentum auro integro quae autem illorum
operibus inserviunt & portionem aq. admisit vel ʒ se ignava iam
facta colorem cyaneum acquisivit aqua secunda vulgo dicitur qua
nihil communius in chirurgorum tabernis ad illorum subsidii qui
veneris mephitim attigerunt salis tartari mixta acrimoniam deponit
Beguinus cap: 10. Tyron. Chymi:/

Ol: Vitrioli qualitates habet omnes adeo intensas ut ʒ se solo assumatur
sed vel aquis vel decoctis vel conservis ante commixtum et licet sit ex
calidissimis eius tamen aliquot guttae multae aquae confusae jam
reddunt acidulam & febrientibus ut gratum sit sic et utilem ex
tenuitate enim partium cito penetrat aquas ad partes remotas
defert et obstructa liberat aciditate putridinem arcet viscera
corroborat atque pesti Epilepsiae paralysi et mensium suppressioni plurimum
confert, notandum decoctum simplex Mesuae sed syrupi
violacium colore purpureo et abundanti innata vi nescit, et acidulo
sapore gratissimum utrumque reddit Illius enim aliquot guttae in
Cicli syrupi unciam iniectae enim ex violaceo rubeum efficiunt per
urinas et poros cutaneos operatur phlegma consumit crassos
et viscosos humores incidit sanguinem appetitum excitat/

Crocus Martis redditur idem et lienis roborat et viscerum
obstructiones tollit proinde faciles virginum coloribus conducunt
varæ sunt Chalibys præparationes

PRAEPARATIONES CHYMICÆ MAGIS VSVALES.

CHALYBS PRÆPARATVS PER INSOLATIONEM.

℞ Chalybem per Magnetem a sordibus repurgatum: humectetur toties aceto vini albi acerrimo, & ſiccetur ad Solem, donec poſſit in porphyrite teri in pulverem impalpabilem, affusâ paucâ aquâ Cinnamomi. Sufficiet autem duodecies irrorare, & ſiccare, mox in mortario ferreo terere, tandem lævigare, & ſervetur ad uſum.

CHALYBS PRÆPARATVS PER USTIONEM.

℞ Chalybem (ut ſupra) mundatū: extinguatur candens duodecies in aceto albo acerrimo, & toties in vino Canarino aut Malvatico generoſiſſimo, ſiccetur, & (ut ſupra) tritus in porphyrite cum aqua Cinnamomi lævigetur, & ſervetur ad uſum.

CREMOR SIVE SAL TARTARI.

℞ Tartari vini albi, aut Rhenani quantum volueris, teratur ſubtiliſſimè, & tranſmittatur per ſetaceum, pulvis abluatur ter quaterve aqua frigida ad eluendas ſordes, deinde bulliat in aqua fontis clara, in ampla patina, vel olla fictili vitriata, lento ſaltem fremitu; ſpuma prima tollatur. Cruſtæ autem ſepernatantes, quæ ſucceſſivè concreſcēt in aquæ ſuperficie, poſtquàm totam ſuperficiem occupaverint, colligantur cochleari ligneo perforato, & extendantur in charta bibula, Abluantur denuò aquâ frigidâ, ſiccentur optimè, & in porphyrite lævigenter in Alkool. Servetur Pulvis in ampulla vitrea; & nullum attingat metallum.

CROCVS MARTIS.

℞ Laminas ferri vel Chalybis quæ candentes aut ſcintillantes condantur Magdaleone, vel fruſto magno Sulphuris, ſubjectâ pelui aquæ plenâ, fluet inſtar ceræ ferrum, quod à ſulphure ſeparatum teratur in mor-

mortario ferreo in pulverem subtilissimum. Extendatur pulvis in quadratis conchis fictilibus, quæ transversum digitum altitudine non superent: Pone ad flammā reverberii, quæ valido flamine materiam lambat per tres vel quatuor dies; commodissimè id fiet in fornace vitrariorum; Materia instar spongiæ elevabitur rubicundissima, cujus superficies instrumento ferreo lato colligatur, reliquum (ut supra) ignis flammâ urgeatur, donec totum ferrum sit conversum in pollinem tenuissimum, instar farinæ volatilis. Poterit etiam parari ex limatura ferri in igne reverberii sine Sulphure.

CROCVS METALLORVM.

℞ Antimonii per longas venas scintillantis, *S*alis petræ purissimi, ana partes æquales, reducantur in pulverem seorsim, mox commisceantur; Ponantur in mortarium æneum ferreumve, mox injectâ prunâ materia incendatur, quæ cum fragore & strepitu exuretur; superponatur (relicto tamen trium digitorum intervallo) tegula, aut patella ferrea, donec stridor cessaverit: Materia Metallina instar vitri fusi fuscè rubens separetur à crusta albicante, & servetur ad usum: deinde dulcoretur aquâ simplici destillatâ ter affusâ.

FLORES SVLPHVRIS.

℞ Sulphuris flavi, quod, si manibus contrectetur stringendo, auribus admotum crepitat, quantum volueris: teratur cum p. æ. Colcotharis Vitrioli, ex Olei destillatione residui: ponantur in bocciam oblongam, seu vesicam fictilem, superposito capitello vitreo satis amplo, atque in arena dato igne per gradus, pellantur flores in Alembicum, pede leporino deturbandi.

Subtiliores evadent, si denuò cum eadem Colcotharis novi quantitate sublimentur.

LAPIS INFERNALIS, SEPTICVS.

℞ Lixivium, è quo *S*apo niger coquitur: id sartagine exceptum, in lapidem urito. Caveas tamen, ne omnis liquor absumatur & arescat. Cum refrixerit, in formā tesserarū scinditur, & vitro rectè obturato servatur.

Aliter,

℞ Vitrioli ad rubedinem calcinati uncias duas.

Salis

Flore sulphuris utimur in omnibus fere pulmonum affectionibus.

Crocus metallorum vomitus sit et etiam purgat per inferiora humores ex
alto vocat et qui aliis non facile cedunt medicamentis nos solemus
infundere ʒj in pinta vini albi cujus infusionis unciam una vice et
adhibemus plus minus vide Aqua Ophthalmica.

Quercetani ex hoc Croco confectam. Pharmac: Dogmat: restitut.
pag: 79.

Magisterium perl & Corall datur in malignis febribus Dos a gr 7 ad 9 vel plures /

Lapis prunella confert in inflamationibus oris vel gluttuis mixtus in aqua hord aut plantag: valet etiam ad sitim si detur in Julapio ad gratu saporem /

Mercurius dulcis valet ad morbus Gallicus & salivationem si detur cum conserva Ros: aut in pulpa pomi assati Dos a gra 10 ad 30 valet etiam contra vermes in infantibus et pro vermibus si detur in lactis & [illegible] vel quatuor [illegible] Dos a gr. 6 ad 9 vel pulpa pomi assatis /

Salis Ammoniaci unciam unā.
Tartari ad albedinem calcinati,
Calcis vivæ, ana uncias tres.

Tritis affundatur Lixivium Ficulneum, vel Tithymallinum, vel Saponis, sæpiúsque transcoletur, donec materia tota ferè dissolvatur. Colatura coquatur in vase æneo ad liquoris consumptionem: quod relinquitur servatur in vitro ad usum.

LAPIS PRVNELLÆ, seu NITRVM SVLPHVRE PVRGATVM.

℞ Salis petræ purissimi, & in stirias Crystallinas coagulati libram unam. Ponatur in crucibulum, undique admotis & suppositis prunis, non accendetur, sed fluet instar metalli: huic fuso, per frustula (instar minorum avellanarum) injiciantur unciæ duæ flor: Sulphuris: quod postquam consumptum fuerit, nitrum instar aquæ fluidum effundatur in pelvim æneam, & postquàm concreverit, servetur in vase vitreo probè clauso, ne subeat aer, cujus appulsu dissolvitur.

MAGISTERIVM PERLARVM ET CORALLIORVM, IN QVO ETIAM SALES EORVM CONTINENTVR.

℞ Perlarum, vel Coralliorū, quantum volueris, terantur, & lævigentur in pulverem subtilissimum; Pulveri affundatur ea quantitas spiritus aceti radicati, quæ supernatet tribus digitis vel quatuor, fiat digestio in cineribus, donec fiat dissolutio, Cessante ebullitione decantetur liquor à corpore, & novus affundatur ad omnimodam usq; dissolutionem. Liquor trajiciatur per chartam emporeticam, huic colato affundatur paulatim Oleum Tartari, ex sale per deliquium paratum. Præcipitabitur pulvis albus, per inclinationem à dissolvente separandus, & ad dulcedinem, seu insipiditatem aquâ pluviâ, tandem aquis cardiacis abluendus. Acetum radicatum fit, si aceti spiritus ex sale marino decrepitato elevetur in arena.

MERCVRIVS DVLCIS SVBLIMATVS.

℞ Sublimati, præparati cum Sale & Vitriolo, uncias duas, Mercurii crudi, purificati cum Sale & Aceto & triti in marmore, sesquiunciam. Teratur subli-

matum in pulverem tenuissimum, quem crudo pòst exactè admiscebis, eodem in marmore. His ità mixtis, pulverem impone phialæ pedalis longitudinis. Locetur phiala (gossypio obturata) ad ejus medietatem in arena, tum primùm ade ignem lentum; dein paulatim prunis accensis, per gradus ignis augeatur, per sex horas. Quod sublimatum ascenderit in regionem mediam, id colligatur: quod in supremam, venenatæ admodùm est qualitatis, ulceribus solummodò externis aptum: quod residet in ima vasis parte, nulli est usui. In medio quod sublimatum si dulce sine acrimoniâ, res rectè habet; sin minùs, secundò opus iteretur; Mercurius (ut anteà) iterum sublimetur, ut vivum crudum ascendentem separes, & sic deinceps. Nam quò sæpiùs reiteratur opus, eò perfectius evadit medicamentum.

MERCVRIVS DVLCIS PRÆCIPITATVS.


℞ Mercurii crudi ex Sale marino per retortam pulsi, vel ex Cinnabari vulgari revivificati, partem unam, Aquæ fortis (ex partibus duabus Vitrioli calcinati, & parte una Salis Petræ desiccati paratæ partes duas:) fiat dissolutio in phiala super cineribus tepidulis: Paretur muria ex aqua pluvia & salis marini tanta quantitate, quantam ipsa aqua poterit dissolvere, filtretur, vel per chartam emporeticam agatur: In hanc muriam, quæ ovum immissum sustineat, effundatur Mercurii solutio: Illicò præcipitabitur pulvis albus, ad insipiditatem abluendus aquâ pluviâ tepidulâ, deinde etiam aquis cardiacis, & recondendus post exiccationem vase vitreo.

MERCVRIVS VITÆ.

℞ Oleum Antimonii ex ejus & Mercurii sublimati æquis partibus destillatum in pinguedinem ad aerem in aperto vase, dissolubilem. Projiciatur in aquâ purissimâ, quæ ilicò lactea evadet, atque præcipitabitur pulvis niveus multiplici ablutione aquæ pluviæ tepentis dulcorandus, & servandus ad usum.

SACCHARVM SATVRNI.

℞ Minii quantum volueris, cui in phiala affunde tantum aceti distillati (spiritus videlicet ab omni phlegmate separati) quantum satis, ut supernatet quatuor digitis: fiat digestio in B. vel fimo per horas viginti quatuor



quatuor: ſepara acetum dulce, novumque affunde toties, donec nulla dulcedo amplius extrahatur. Liquores omnes mixtos in vaſe fictili lapideo non poroſo, quod ignem ferre valeat: impone igni lento, & fiat exhalatio donec in ſuperficie concreſcat pellicula. Vas relinquatur in cella, & quæ congelabuntur Cryſtalli à reſiduo liquore ſeparentur. Liquor iterum exhalet ad pelliculam, & fiat ut ſuprà, donec nullæ ampliùs Cryſtalli concreſcant. Tandem fiat diſſolutio in aqua pluvia diſtillata, filtratio & coagulatio Sacchari Cryſtallini dulciſſimi.

SAL VITRIOLI
Carneus.

℞ Vitrioli Ungarici, vel Anglici quantum volueris: ponatur in Crucibulum amplum circumpoſito igne, donec fiat pulvis violaceus, ſive obſcurè purpureus. Calx iſta Vitrioli per partes projiciatur in phialam amplam vitream, in qua ſit aqua communis deſtillata, continuò agitando baculo, donec aqua, quæ primò valdè incaleſcit, denuò refrigeſcat. Sinantur omnia per horas viginti quatuor; filtretur liquor per chartam griſeam bibulam: tandem in ſcutella vitrea fiat exhalatio ad ſiccitatem, & ſervetur Sal roſei ſeu carnei coloris.

SAL VITRIOLI
Albus.

Item Vitriolum album diſſolvatur in aqua diſtillata, diſſolutio agatur per filtrum chartaceum, & vel cryſtallizetur ut Plumbi Saccharum, vel per omnimodam exhalationem reducatur in Salem album, ſeu Vitriolum depuratum.

TVRBITH MINERALE.

℞ Mercurii crudi puriſſimi, Olei Vitrioli ab omni phlegmate ſeparati, ana partes æquales: ponantur in phialam, quæ imponatur primò cineribus calidis; deinde pedetentim ipſis prunis, dato igne per gradus, donec totum Vitrioli Oleum abierit in auras, reſtante in fundo vaſis maſsâ albâ, quæ ſeparata à portiuncula Mercurii crudi, projiciatur in aquam diſtillatã, vel pluviam. Illicò flaveſcit, abluatur ſæpiùs aquâ tepidâ ad dulcedinem, mox etiam aquis cardiacis, & ſiccetur.

VIT-

VITRVM ANTIMONII.

℞ Antimonii ſplendidi & ſcintillantis quantum volueris: tritum ſubtiliſſimè conjiciatur in vas fictile amplum, & ſuccenſis carbonibus urgeatur ſub dio continuò agitando rudiculâ ferreâ, donec in glebas concreſcat: tunc iterum teratur in pulverem, fiatque ut ſuprâ donec concreſcat iterum, & tamdiu iteretur labor, donec ſplendor omnis evanuerit, vapor nullus elevetur, & Stibium ſit inſtar cineris albicantis: nullumque edat fumum, pulvis in laminam candentem projectus.

℞ Hujus calcis libram ſemiſſem, Boracis, ſeu Chryſocollæ factitiæ ſemunciam: vel accipe Calcis Antimonii uncias tres, Salis gemmæ ſemidrachmam. Ponantur in fictile vas fuſoriū aurifabrorum, crucibulum dictum, quod tegulâ tectum igni validiſſimo exponatur, donec materia fluat inſtar aquæ: projiciatur in pelvim tonſoris, & vitrum hyacinthinum reſervetur.

TARTARVM VITRIOLATVM.

℞ Liquoris Tartati(ut priùs)præparati uncias quatuor. Olei Vitrioli optimè rectificati uncias duas; illudque guttatim ſuprà Tartari liquorem in vitro capaci inſtilla: ſic fiet coagulum albiſſimum; humiditas ſupernatans evocetur lento calore ad ſiccitatem Salis: & ſervetur ad uſum.

NEPENTHES OPIATVM.

℞ Tincturæ Opii cum aceto diſtillato primò, deinde cum ſpiritu vini paratæ. Extracti Croci per Vini ſpiritum, ana unciam unam.
Salis Perlarum & Coralliorum, ana unciam dimidiam.
Tincturæ Specierum Diambræ drachmas ſeptem.
Ambræ griſeæ drachmam unã.
Miſce, Coagula ad form. pilul. lento balnei calore.

EXTRAC-

Vitrum Antimonij vomitorium ʒj vel ℈ij in tabulis aut infusionibus vel aliter Dosis in ℥iij vini albi gr. 5 vel 6 ℈ ... in pulvere gr. 3 vel 4or

Nepenthes opiatum valet ad conciliandum somnum et fluxum ventris Dosis a ʒr 2 ad 3 [illegible]

Nepenthes à particula privativa Νη & [illegible] luctus somnum proficit conciliando luctum omnem dolorem lenit consopitque





EXTRACTORVM CONFICIENDORVM RATIO.

QUoniam multi Extractorum laudes mirificè prædicant, licèt illa effectui, uti continua exploratum habemus experientia, minimè respondeant, ne aliorum votis penitùs deesse videamur, hîc generalem ipsorum conficiendorum modum & rationem subjungere potiùs, quàm futilem & inutilem hinc inde desumptam Receptorum farraginem congerere, & rudioribus vana ostentatione imponere, visum est.

℞ Massæ cujusvis pilularum, sive specierum, pulverumve quorumlibet, quantum vis: infundantur ista, sive istorum quodlibet, in aquæ stillatitiæ intentioni Medici præscribentis accommodatæ, quantitate sufficienti: stent in calore balnei biduò, aut si duriora fuerint triduò, donec omnis materiæ infusæ tinctura extrahatur: quòd si experiri placuerit, sitne tota educta, primus liquor per manicam Hippocratis transeat, aut chartam emporeticam; affundatur reliquiis liquor novus, rursus dirigendo ut priùs, quo tincto, procedendum est ut anteà. Liquores sic collecti, modò tincti, in balneo M. positi lento

lento calore evocentur; materia in fundo ad mellis consistentiam redacta, reservetur ad usum: ut diuturniore tempore maneat humecta, Salis proprii aut alterius idonei momentum adjicere convenit: videlicet cuilibet unciæ extracti scrupulos duos vel drachmam dimidiam Salis.

Aquis stillatitiis addi solet, Olei Vitrioli, aut Sulphuris, liquorisve cujusvis acidi ut Olei Salis, ea quantitas, quæ gustui non futura est ingrata, ut altiùs & expeditiùs in partes rerum solidarum durarumque intimas penetret, & effrænem medicamenti purgantis vim operationemque retundat: his intentionibus Vini spiritus abundè satisfacit, sed ejus tum potissimùm usus est, cum medicamentorum cordialium humidum radicale & primigenium desideramus, vel medicamenta purgantia fortiora, vel opiata, præparare volumus.

SALIUM



SALIVM EX OMNI GENERE VEGETABILIVM CONFICIENDORVM MODVS.

QUI ex plantis elicitur, sal duplex est: unus volatilis, qui ignis violentia facillimè discutitur & evanescit, (quem & essentialem vocant) alius fixus, qui ignis intentiorem gradum sustinet, & in cineribus relinquitur.

MODUS CONFICIENDI SALIS VOLATILIS SIVE ESSENTIALIS.

Sal volatilis sic paratur,

℞ Plantæ alicujus convenientis, recentis, & succulentæ amplam satis quantitatem; contunde in mortario ligneo vel lapideo, & affusâ aquâ pluviali depuratâ vel fontanâ clarâ, multâ, coquatur ad medietatis consumptionem. Decoctum exprime fortiter, & cola. Colaturam iterum coque usque ad spissitudinem mellis liquidi. Quod reliquum est decocti, ponatur in vase vitreo vel fictili vitreato in locum frigidum per octiduum saltem, & sal crystallinus concrescet, in modum salis gemmæ. Effuso decocto colligitur, & propriâ aquâ abluitur, & siccatur. Hoc modo conficitur

citur Sal ex Absinthio, Carduo benedicto, Artemisiâ, & ex aliis etiam herbis amarulentis facillimè; ex dulcioribus autem non item, vel cum summâ difficultate.

MODUS CONFICIENDI SALIS FIXI SIVE ELEMENTALIS.

Salis hujus præparandi ratio his quattuor constat,

Calcinatione,
Solutione,
Filtratione,
Coagulatione,

Ut ritè igitur conficiatur, primò omnium cineres albi calcinatione procurandi sunt; ubi tamen cautio sit, ne nimiâ combustione vel in vitrum abeant, vel avolet subtilior pars salis, quòd sæpè accidit in calcinatione Cochleariæ, & aliarum etiam ejusdem naturæ plantarum. Deinde ex cineribus (affusâ aquâ clarâ, purâ, ebulliente, donec omnis salsedo extracta fuerit) lixivium fiat. Lixivium filtra, & in vase fictili ad carbones lento igne coque ut aqua exhalet, & sal relinquatur, cui depuratio ulterior necessaria est: solvatur igitur denuò, filtretur & demùm coaguletur: repetitâ enim, & crebrâ filtratione, ac solutione sal omnem impuritatem deponit, ac planè albus ac mundus evadit; & hic modus generalis est. Sic enim parantur sales ex herbis, fruticibus, & arborum cujuscunque generis particulis in cineres albos redactis, quòd verum etiam est de partibus animalium calcinatis, & aliquibus etiam lapidibus: sed hæc obiter. Inter sales fixos excellunt, Sal Absinthii, Thymi, Rorismarini, Centaurii minoris, Artemisiæ, Cardui benedicti, Imperatoriæ, Petroselini, Ononidis, Fraxini, Ebuli, Guaiaci, Buxi, Chamæmeli, Hyperici, Cichorii, Chelidoniæ, Cochleariæ, Betonicæ, Eupatorii, Melissæ, Cetrach, &c.

MEDICA-

Æs ustum astringit exsiccat reprimit extenuat attrahit ulcera purgat et ad cicatricem perducit. vitia oculorum emendat.

Aloe hoc modo lavatur non ut facultati purgatrici intendatur sed ut calor illius obtundatur ne prave illius usu minimum restringat. frequentius autem miscetur quam lavata Renod. instit. pharmaceut. lib. 2 cap. 3 et vero miscetur vide illic cap. 4.

Antispodium ex ebore ustum vim astringendi obtinet, cor roborat animi deliquio subjectis redditur tremori et Melancholiae.



MEDICAMENTORVM QVORVNDAM PRÆPARATIONES PHARMACOPOEIS APPRIME NECESSARIÆ.

ÆRIS USTIO. *AVG.*

ÆRis bracteæ in fictile immittantur, interposito inter singulas lamellas Salis communis, aut Sulphuris pulvere, atque sic stratum super stratum paretur, quod igne uratur ad sufficientiam; cinis relictus aquâ calidâ sæpiùs affusâ dulcoretur, qui rubecans evadit à Sale vel nitro, Niger si per Sulphur præparetur.

ALOEN ABLVENDI MODUS.

℞ ALoes subtiliter tritæ q. v. imponatur in ollam vitreatam cum aquæ bullientis quantitate sufficienti, ut duobus aut tribus digitis supernatet aqua, spatulâ agitando, ut partes Aloes puriores aquæ commisceantur, quâ effusâ alia aqua superinjiciatur calida, & similiter agitetur & effundatur, ut sordes partesque impuriores segregari possint, purissimæ autem aquæ simul collectæ, evaporatione humiditatis redigantur in Massam usui asservandam.

ANTISPODII PRAEPARATIO.

℞ EBoris electi, secti in frusta haud parua q. v. comburantur in olla vel patina aperta in fornace figulina, donec penitùs albescant; quæ posteà, subtilissimè trita laventur aquâ

 Rosaceâ,

Rosaceâ, (sint libræ duæ ad lib. 1. eboris) & denuò siccata abluantur eadem quantitate rosaceæ, & tertio, cum Camphoræ drach: quatuor, in libra rosaceæ dissolutis; tum lævigata in marmore formentur in Trochiscos usui asservandos.

Simili modo ex cornu Cervi fieri potest.

BOLI ARMENI PRÆPARATIO.

Hujus præparatio à multis Aquâ Rosaceâ perficitur, ab aliis verò Aceto, à nonnullis cum Vino, Bolum autem lævigatum solvunt toties; dum sordes & arenulæ auferantur, dein siccatus in aere vel Sole, tectus reponitur.

BRYONIÆ FOECULA.

℞ Radicum Bryoniæ q. v. cultello abradantur, & succus prælo forti exprimatur, qui in vasculis sine motu detentus post paucas horas, fœces albissimas instar Amyli deponet, aquâ turbidâ supernatante, quâ per inclinationem separatâ, fœces desiccentur in vitreatis vasculis.

BUTYRUM MAIALE.

℞ Butyrum recens sine sale sub mensis Maii medio vel circa finem collectum, imponatur in vas terreum vitreatum latum, & in Sole collocetur, ut undiquaque liquetur: quod optimè liquatum, dum Sol est ferventissimus, transcoletur per pannum lineum spissum, & non exprimatur; quod denuò Soli expositum; & tandem album factum rursus coletur, & reservetur per totum annum.

CALCIS VIVÆ ABLUTIO.

Trita Calx in catino copiosâ aquâ dulci miscetur, potissimũ tempore Canicularium, & multum agitatur, cumque in fundo resederit, mutatur aqua, ac commiscetur denuò, atque id repetitur septies vel octies, singulis vicibus per filtrum colando: tandem Rosacea affunditur, & Calx siccata asservatur.

CANCRORUM FLUVIATILIUM USTIO.

Cancri fluviatiles vivi assentur in ænea patella ad ignem temperatum

Butirum Majale emollit, lenit humectat dolorem sedat

Bolus Armena valde siccat astringit & roborat sanguinem fluentem sistit Catarrhum cohibet dysenteriis prodest et aliis rebus contra pestem efficatissimum remedium

Calx licet vehementer urat abluta tamen bis terque mordacitatis est expers et nervo puncto exquisitissimo sensu praedito salubriter admovetur

Bryonia faecula eadem praestat quae simplex Bryonia sed benignius & sine torminib: scil: aquas pituitosas et cholericos humores educit

Cancrorum fluviatilium pulvis commendatur ad cancrosos affectus et eos qui a rabioso cane inficiuntur

Inest Coriandro per se noxia cerebro qualitas et potentia maniam producens, sed si praeparetur amittitur

Elaterium summe amarum & ordine secundo calidum est medicamentum, satis movet et alvum turbando aquas ducit

Esula calida est acribus alterans & cum violentia humorem pituitosum educens substantiam enim constat ignea acria mordente, tenuante, fundente aperiente & siccante. Praeter pituitam et aquas trahit atram bilem, choleram etiam a iuncturis sed hoc modo praeparata castigatur illius feritas

peratum (haud vehementem) positâ, donec in tenuissimum pulverem redigi queant: dein pulverisentur, & pulvis recondatur in pyxide munda; & servetur in loco sicco, & hic pulvis durat per annum.

LIMATURÆ CHALYBIS PRÆPARATIO VULGARIS.

℞ Limaturæ Chalybis q. v. ab omni immunditie per magnetẽ depuratæ, deinde lavetur aquâ dulci, & protinùs exiccetur, deinde irroretur aceto vini fortissimo, sæpiùs undiquaque invertendo, exponatur, & exiccetur in umbra, bis terve inspergendo novum acetum, sicque stet per dies triginta, posteà teratur in pulverem tenuissimum, & servetur usui.

In Chalybe qui præparatur ad ignem cum Sulphure, observandum est, ut nisi sapor Vitriolatus remaneat in Chalybe post ustionem, vim aperiendi amiserit, & sit inutilis.

CORALLIORUM ET LAPIDUM PRETIOSORUM PRÆPARATIO.

Corallia & Lapides pretiosi, eodem modo præparentur, quo Margaritæ, folio sequẽte.

CORIANDRORUM PRÆPARATIO.

Coriandrorum semina acri Aceto horis viginti quatuor macerentur, deinde siccata recondantur. Eodem modo præparentur semina Cymini.

ELATERII PRÆPARATIO.

℞ Cucumerum agrestium jam penè maturorum q. v. scindantur supino cultro, & succus levissimè primoribus digitis exprimatur, & trajiciatur per setaceum tenuissimum, deinde resideat dum crassiorem deposuerit partem, tunc tenuior supernatans effundatur per inclinationem in aliud vas terreum mundum vitreatum: & linteo coopertũ Soli exponatur dum exaruerit, & servetur ad usum.

RADIC: ESULÆ PRÆPARATIO.

Cortices Esulæ benè mundatos infunde per triduum in Aceto vini acerrimo, deinde exiccentur, & serventur usui.

Eodem modo præparantur

Folia Laureolæ,
Mezerei.
Fructus Thymeleæ, i. grani Gnidii.

EVPHORBII PRÆPARATIO.

Euphorbium ſubtiliſsimè pulveriſatum in lapide, cum ſ. q. Olei Amygdalarum dulcium, inſtar Collyrii fricatur, & atteritur; Maſſa poſtmodùm pomo Cydonio excavato, vel Citrio inditur, paſtâque panis obvolvitur, & ſic in clibano coquitur. Euphorbium ſic præparatum vaſe vitreo benè obturato reconditur.

GERSÆ SEV CERVSSÆ SERPENTARIÆ FACIENDÆ MODVS.

℞ Radicum Ari primo Vere, antequam in folia abeunt, collectarum quantum vis: abluantur & mundentur ab exteriore cortice, deinde in mortario lapideo contundantur, & ſuccus prælo extrahatur, qui linteo tectus Sole exiccetur, poſteáque aquâ Roſaceâ lavetur, rurſuſq; ſiccetur, & reponatur.

HELLEBORI NIGRI PRÆPARATIO.

Radices Hellebori nigri, prout apud nos habentur, demptâ ligneâ medullâ, triduo macerentur in ſucco Cydoniorum, moderato calore, poſtea benè exiccatæ reponantur.

SANGVINIS HIRCINI PRÆPARATIO.

Hircum mediocris ætatis domi alito per menſem, illi exhibendo Pimpinellam, Apium, Petroſelinum, Malvam, Leviſticum, & ſimilia; deinde ſanguinem eius, qui ex arteriis apertis fluxerit excipito, & concreſcere ſinito, aqueum ichorem effunde, grumos verò ſanguinis in furno exicca. Mactandus autem eſt Hircus ſub finem æſtatis, circa dies Caniculares.

HIRVNDINVM VSTIO. *AVG.*

Pulli Hirundinum ita iugulentur, ut ſanguis ſuper alas defluat: hi modico trito Sale aſpergantur, ac in novo fictili vitreato probè obturato urantur, cinis

Helleborus niger purgat humorem melancholicum, prodest insanientibus maniacis, hypochondriacis, hemoptoicis, Epilepticis, Elephantiacis quartanariisque & omnibus morbis quos atra bilis vel humor melancholicus generat, periculosus autem est sanis pueris et imbecillioribus.

Euphorbium, praeter calorem nimium et acrimoniam purgandi etiam quandam facultatem habet quâ non solum pituitam sed aquam ducit & hoc nunquam datur per se nisi raro et parva quantitate.

Sambucus, corticis partes virides habent vim attrahendi et expellendi [illegible] nimiâ.

Hirundinum est pulvis haud contemnendum remedium in Synanche si in Gulam insufflatur infantis.

Eodem modo præparantur

Folia Laureolæ,
Mezerei.
Fructus Thymeleæ, i. grani Gnidii.

EVPHORBII PRÆPARATIO.

Euphorbium ſubtiliſsimè pulveriſatum in lapide, cum ſ. q. Olei Amygdalarum dulcium, inſtar Collyrii fricatur, & atteritur; Maſſa poſtmodùm pomo Cydonio excavato, vel Citrio inditur, paſtâque panis obvolvitur, & ſic in clibano coquitur. Euphorbium ſic præparatum vaſe vitreo benè obturato reconditur.

GERSÆ SEV CERVSSÆ SERPENTARIÆ FACIENDÆ MODVS.

℞ Radicum Ari primo Vere, antequam in folia abeunt, collectarum quantum vis: abluantur & mundentur ab exteriore cortice, deinde in mortario lapideo contundantur, & ſuccus prælo extrahatur, qui linteo tectus Sole exiccetur, poſteáque aquâ Roſaceâ lavetur, rurſuſq; ſiccetur, & reponatur.

HELLEBORI NIGRI PRÆPARATIO.

Radices Hellebori nigri, prout apud nos habentur, demptâ ligneâ medullâ, triduo macerentur in ſucco Cydoniorum, moderato calore, poſtea benè exiccatæ reponantur.

SANGVINIS HIRCINI PRÆPARATIO.

Hircum mediocris ætatis domi alito per menſem, illi exhibendo Pimpinellam, Apium, Petroſelinum, Malvam, Leviſticum, & ſimilia; deinde ſanguinem eius, qui ex arteriis apertis fluxerit excipito, & concreſcere ſinito, aqueum ichorem effunde, grumos verò ſanguinis in furno exicca. Mactandus autem eſt Hircus ſub finem æſtatis, circa dies Caniculares.

HIRVNDINVM VSTIO. *AVG.*

Pulli Hirundinum ita iugulentur, ut ſanguis ſuper alas defluat: hi modico trito Sale aſpergantur, ac in novo fictili vitreato probè obturato urantur, cinis

Helleborus niger purgat humorem melancholicum prodest insanientibus maniacis hypocondriacis [illegible] lienosis Epilepticis Elephanticis quartanariisque & omnibus morbis quos atra bilis vel humor melancholicus producat, periculosus autem est senis pueris et imbecillioribus.

Euphorbium praeter calorem eximium et acrimoniam purgandi etiam quandam facultatem habet qua non tantum pituitam sed aquam educit per se nunquam datur per se nisi raro et parva quantitate.

[illegible] [illegible] separatus vires habet in attenuendo et expellendo calculos [illegible].

Hyrundinum est pulvis haud contemnendum remedium in synanche sive [illegible] insufflatus infantibus.

Lacca praeparata ingreditur Trochiscos de Carabe et Dialacam.

Lapis Lazuli tritus et lotus et datur potenter et majores humores melancholicos purgat, usui vero interiora reddat lavando vomitoria illius vis amittitur.

cinis reservetur ad usum.

Eodem modo comburuntur Erinacei, Bufones, Ranæ, sed sine Sale.

LACCÆ PRÆPARATIO.

℞ LAccæ immundæ (alioquin frustraneū esset opus, quod sincerum est lavare) parùm fractæ, non in pulverem redactæ, quantum vis, decoquatur in Aqua, cui Aristolochia & Schœnanthos, ana p. æ. incocta; donec purior pars supernatet, sordesque in fundo subsederint; purior illa pars auferatur, & in Sole tecta, vel vaporario exiccetur, & sic reservetur ad usum.

LAPIDIS LAZVLI PRÆPARATIO.

LApis Lazuli minutissimè confractus aquæ injiciatur, sæpiùs agitando, deinde ubi subsederit, aqua effundatur; idque toties repetatur, donec aqua pura maneat. Illud vero observandum, quòd hæc præparatio ad pilulas satis sit commoda; sin verò ad Confectionem Alkermes adhibeatur, ustione præparari debet.

LVMBRICORVM PRÆPARATIO.

LUmbrici fissi & mundati. q. v. Vino toties laventur, donec omnem impuritatem deposuerint; deinde siccentur, & reponantur.

MARGARITARVM PRÆPARATIO VULGARIS.

MArgaritæ in mortario ex chalybe, vel ex ferro fuso, comminuantur, & in pollinem tenuissimum redigantur, tantillo interim aquæ Rosaceæ affuso, ne partes subtiliores avolent, & ita securiùs conservantur, ne earum virtus exhalatione absumatur.

MILLEPEDVM PRÆPARATIO.

℞ MIllepedum q. v. abluito diligenter Vino albo generoso, mox in ollam conjicito novam vitreatam, ac posteà in furno exiccentur, ut possint in pulverem redigi.

OESIPVM FACIENDI MODUS.

Lanæ ſuccidæ, hoc eſt, nondum purgatæ, quæ ex collo, coxis, & alis ovium defatigatarũ fuerit detonſa, affundatur aqua fervens pluries, & lavetur diligenter quouſque omnem pinguedinem in aquam depoſuerit. Poſteà expreſſa lana ſeponatur, & aqua illa pinguis & ſordida ex vaſculo in aliud diutiſſimè ex alto fundatur, & refundatur, donec ſpumoſa fiat, ac tum ſpuma ſinatur ſubſidere, & colligatur aquæ innatans pinguedo, iterumque aqua ut priùs refundatur, donec ſpumet, ac innatans pinguedo auferatur, quod tam diù fiat, donec non ampliùs appareat ſpuma, & nulla ſuper aquam concreſcat pinguedo. Tum collectam pinguedinem cum ſpuma in aquâ purâ manu ſubigendo lava, ſordeſque immixtas, ſæpiùs immutando aquam, aufer, donec aqua pura effluat, & pinguedo linguæ admota non mordeat, deinde reponatur in fictili denſo, & mundo, in loco frigido.

PLVMBVM ELOTVM

DIOSCORID. l. 5. c. 95.

Aqua in plumbeum mortariũ injecta, piſtillo plumbeo laborioſè agitetur, dum nigreſcat, & limi modo craſſeſcat lutulenta. Linteolo dein coletur, aquâ ſuperaffuſâ, ut quicquid diſſolutum incernatur. Id repete, dum ſit ſatis. Lotum ubi ſubſederit, effuſâ priore aquâ, & affuſâ novâ lavetur ut Cadmeia, nigrities dum extet nulla. Demùm in paſtillos efformatum reponatur. Modos ex illo alios non addimus, quòd iſto hodiè utantur alii, (Norimbergenſes.)

PLVMBVM VSTVM,

DIOSCOR. l. 5. c. 96.

Tenuiſſimas in Plumbi laminas, recente ſtratas fictili, Sulphur inſpergito; & laminis adjectis aliis, ſed interjecto novo Sulphure, & rurſum aliis, donec vas impleatur, ignem ſuccendito. Flagrante Plumbo, rude ferreâ verſato, prorsùs in cinerem dum redigatur, & Plumbi uſtum nihil adhæſerit. Occluſis demùm naribus eximito, ne Sulphuris aut Plumbi halitus ſit noxius. Hinc ut Ceruſſam elue. Ibidem, & aliter, præſcribit

Oesipus vim mistam habet ex contrariis qualitatibus ad tumefaciendi sed et modice calefaciendi ex quo constat vim illi inesse lenendi digerendi et repellendi.

Plumbum lotum potest refrigerare, adstringere, indurare, mollire, explere cavas sistere oculorum fluxiones et ulcerum excrescentias et sanguinem supprimunt, prodest contra sedis ulcera, condylomata et hemorrhoidas ex rosaceo; item ad ea quae aegre cicatricem ducunt et in totum spodii effectus habet nisi quod non obducit crustas. Tritum plumbum assumitur Marini Scorpionis draconis plagis auxiliatur.

Plumbum ustum eosdem effectus habet quos lotum sed multo acriores.

Plumbi cineris pulvis malignis ulceribus inspersus blande illa citra ullum dolorem sensum corrigit, expurgat et ad cicatricem perducit, vis levis ad hoc et ad multo maiora singularis et eximias

Pulmo vulpis commendatur ad vitia pulmonum sed fere eius [illegible] et tetrum odorem efficiunt et minus quam creditur valere a doctoribus videtur

Scammonium valenter cum labore atque molestia alvum movet bilem flavam et serosos humores tenues et acres purgat et si paulo largiore copia sumatur intestina lacerat viscera laedit venarum ora aperit, educit sanguinem saepe cum febricula ducit dysenteriam excitat, Cum haec et reliqua viscera conturbat et ventriculum subvertit Calidum et siccum est tertio ordine sed hoc modo vel aliquo horum praeparatum Diagridium Correptum dicitur modo sit illius ferox libido castigatur

bit idem; ſed hic, qui urunt hâc ætate.

PLVMBI CRVDI PVLVIS. *FERN.* meth. 6.c.16.f.

PLumbum in tenuiſſimas ducatur laminas: hæ concidantur minutiſſimè, acerrimo aceto immergantur per triduum, aceto indies mutato, macerentur: exemptæ, & citrà uſtionem igne ſiccatæ, terantur in mortario laboriosè: in pulverem ſic tenuiſſimum læviſſimumque redigantur, pulvis uſui reſervetur.

PULMONUM VULPIS PRÆPARATIO.

PUlmones Vulpis recentes, exemptâ priùs aſperâ arteriâ, Vino albo cui Hyſſopus & Scabioſa priùs incoctæ, diligenter lava, deinde in furno temperatè calido ſicca, ità tamen ut non comburantur, poſtea reponantur involuti Abſinthio, Marrubio, vel Hyſſopo ſiccis.

SIMPLEX PRÆPARATIO SCAMMONII.

℞ SCammonii, electi, lacteſcentis, in pulverem redacti libram unam.

Succi Cydoniorum uncias octo.

Commiſceantur, & poſt macerationem viginti quatuor horarum, lento calore humiditas evaporetur, reſiduum ſervetur ad uſum. 2ª.

Vel Pulvis Scammonii imponi ſolet in Cydonia excavata, quæ poſteà paſtâ circumlinuntur, & in furno, vel ſub cineribus aſſantur ſ. a. & poſteà eximatur Scammonium, & ſervetur ad uſum.

SCAMMONII 3ª.

℞ SCammonii pulverizati uncias quatuor.

Imponantur in phialam vitream, addendo Succi Cydoniorũ depurati tantum, ut ſupernatet tribus digitis vel quatuor. Stet in Balneo calido, donec lacteſcat: ſeparetur liquor per inclinationem, & repetatur ſuccus alius toties donec ampliùs non lacteſcit. Sinatur hic liquor reſidere, & reponatur reſidentia in fictile vitreatum, & ſtet in Sole vel ſtupha.

SCILLÆ PRÆPARATIO AD TROCHISCOS, non multùm abſimile pag. 121.col.2.

℞ SCillam magnam recentem abjectis ejus exterioribus aridis,

dis tunicis, involve pastæ panis & assato eam in furno cum panibus, donec panes percocti fuerint. Hinc è furno exime Scillam, & sigillatim omnes tunicas detrahe, & funiculo trajectas (ut se invicem tunicæ non contingant) in calido loco exiccato, servatoque; abjiciatur verò medium Scillæ cor, unde germen enasci solet. Illud etiam observandum est, Scillam non esse incidendam ferreo cultro, sed ligneo, osseo, aut eburneo; nam contrahit à ferro venenosam quandam rubiginem. Ad Acetum & Vinum rectiùs præparetur, laminas separando, & exiccando in umbra.

TEREBINTHINÆ COQUENDÆ MODUS.

℞ Terebinthinæ Venetæ librã unam: cui affundatur aquæ satis magna quantitas, (scilicet libræ viginti quatuor,) in qua tam diù coquatur, donec odorem amittat; inspissetur, indurescat, & Resinæ modo friabilis fiat, vitri modo dissiliat, & albida inter coquendum agitando evadat.

TUTIÆ PRÆPARATIO.

Tutia Arabum, seu Græcorũ Cadmia ter saltem in crucibulo candefacta, aquâ Rosarum toties extincta, demùm lævigata, linteo mundo inclusa, in vase aquâ limpidâ pleno, huc illuc ducatur & agitetur, ut ejus tenuior & utilior pars in aquã effluat; impurior & crassior in linteo remaneat: residere permittatur, & aqua effundatur, atque aliâ denuò affusâ, idem opus repetatur, donec in inteo nihil utile remaneat, &c.




INDEX

Lutia sive Pompholix medicamentum est omnium quae citra morsus desiccant praestantissima ob id ad ulcera cancrosa, et alia maligna et oculorum fluxiones efficacissima.

Terebinthina resinarum mitissima est, vulnerum familiaris balsami modo calefacit mollit, expurgat discutit, renes purgat urinam movet atque optimum est in multiplices usus accommodatum praesidium. Quibus polleat viribus experti norunt satis, qui virulenta gonorrhoea laborarunt.

Z. Z.

Z.



INDEX COMPOSITORVM.

Diacassia

Florum

4

Radices



The Printer to the Reader.

Reader, may it please thee to take notice that this being the fifth Edition of this Worke, and is now freed frō all errors (formerly committed either by the Transcriber or Printer) by the great labor, pains, care and industry of that Honourable Society (the Authors of this Worke) and by them (intending onely the publike good) diligently and truely corrected and amended, as also newly amplified, and enlarged and adorned with such additions as unto them seemed most needfull.

No faults have escaped this Impression (except literall) and so not worthy of an Errata. Errors are more ancient then Printing, and therefore I expect them to passe the Reader without wonder, as they shall do me without apologie. Thus much I thought needfull to advertise thee of, and to acquaint thee with the best and last Edition, printed the 18. *of March.* 1638. Thy friend I. M.

FINIS.

Build a Furnace of 1½ foot square, make ye bottome of ye ash room with a brik layed flat, & continue to raise ye wall with two bricks, and leave ye empty place in the middle with ye dore before of four inches height; then cover ye dore with a brick & compleat ye squaire with ye same height

After this set a grate consisting of 7 Iron barres of ye thickness of ye Thumb squairly wrought: these barres must be laid upon their edge yt ye ashes may the easier fall thro: ye distance between each must be of ye forefingers breadth; Having thus placed them and fixed their equall distance with tyles broken or stones of ye same demention & luted well togather begin to build a falling wall leaving only six inches of ye grate open, lessen every layer of bricks of about three lines, wch worke is to be continued till you have brought about 10 inch: high, which space is necessary as much to containe ye Coales as to leave a place sufficient for ye fire; you must leave here a dore also of the same demention as the ash roome; this ended place 2 Iron barres of an inch thick distant halfe a foot one fro ye other, & then even the wall either with stone, or some other matter of a fitt thickness, and then build round 3 bricks edgwise that you may have ye more roome to put the necessarie vessells